

pro Fit 5.5

User's Manual

QuantumSoft

Postfach 6613

8023 Zürich

Switzerland

<http://www.quansoft.com/>

End User Licence Agreement

This end-user licence agreement describes the rights and warranty granted to its customers by QuantumSoft ("the Publisher"). By using the pro Fit Software package you the customer are agreeing to be bound by the terms of this agreement, which includes the software licence, software limited warranty, and hardware limited warranty.

1. **Licence:** The Publisher grants the customer and the customer accepts a perpetual, non-exclusive, and non-transferable licence to use the **proFit** software ('software') so long as the customer complies with the terms of this Agreement.
2. **Copies:** The Publisher grants the customer the right to make copies of the software for back-up purposes only. The customer agrees to reproduce and incorporate the author's copyright notice on any copies. It is expressly understood that such copies will not be used for any purpose except to substitute for the initial copy in the event that it is unusable.
3. **Use:** In addition, the licence granted herein includes the right to move the software from one computer to another provided that 1-user versions of the software are used on only one computer at a time and that two people will not use the program at the same time on different computers.
4. **Security:** The customer agrees to secure and protect the pro Fit software package, the documentation, and copies thereof from copying (except as permitted above) or from modification and shall ensure that its employees or consultants do not copy or modify the product.
5. **Ownership:** The Publisher represents that it has the right to grant the licences herein granted.
6. **Limited Warranty:** Whilst all reasonable efforts have been made to test the software and user manual prior to first publication, the authors and Publisher welcome corrections being brought to their attention.

The liability of the Publisher in respect of any defect, error, or omission in the disk, user manual, or software ('defective material') and in respect of any breach of warranty or condition is limited to the purchase price paid by the customer. The Publisher shall have no liability whatsoever arising out of any defect, error, or omission or breach of warranty or condition unless the customer shall have returned the defective material to the Publisher within 90 days of the date of purchase. In that event the Publisher shall, as requested by the customer, either replace the defective material without charge or refund the purchase price paid by the customer in respect of the defective material.

The Publisher (or the authors or copyright-holders) shall have no further or other liability including without limitation in respect of damage to other property or in respect of any economic or consequential loss of whatever nature arising out of or in connection with the product or any part thereof or its use or application.

Should you have any questions concerning this licence or this limited warranty or if you want to contact QuantumSoft for any reason, please write to:

QuantumSoft
Postfach 6613
8023 Zürich
Switzerland
e-mail: profit@quansoft.com
www: <http://www.quansoft.com>

Copyright: pro Fit © QuantumSoft 1991-2000

All rights reserved. No part of this publication or the program pro Fit may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language or computer language in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual, biological, or otherwise, without prior written permission of the publisher.

The information in this user's guide is subject to change without notice. This guide refers to version 5.5 of pro Fit.

Developer: QuantumSoft, Postfach 6613, CH-8023, Zürich, Switzerland.
<http://www.quansoft.com>

Trademarks: Macintosh, LaserWriter, Classic, are registered trademarks of Apple Computer, Inc. Finder, MultiFinder, System 7, Mac OS 8, PowerBook, Macintosh Duo, Macintosh Quadra, PowerBook Duo, MacWorkStation, Quickdraw, Quickdraw GX, Balloon Help, Power Macintosh and Macintosh Programmers Workshop (MPW) are trademarks of Apple Computer, Inc. PostScript is a registered trademark of Adobe Systems Incorporated. Think Pascal and Think C are registered trademarks of Symantec Corp. Metrowerks is a registered trademark of Metrowerks Inc. CodeWarrior is a trademark of Metrowerks Inc. MacDraw and ClarisDraw are registered trademarks of Claris Corporation. pro Fit is a trademark of QuantumSoft, Zürich

Customer Support: For information and customer support contact QuantumSoft at the following address:

QuantumSoft
Postfach 6613
8023 Zürich
Switzerland

Fax.: +41 (1) 481 69 51
e-mail: profit@quansoft.com
web: <http://www.quansoft.com/>

If you need to contact QuantumSoft for support, it would help if you have the following information to hand:

- your registration number
- the version of the software you are using
- A detailed description of what you were doing when the problem occurred
- any special information, e.g. the type of printer, if it is a printing problem

Table of Contents

1	Introduction	12
	A note on updates	13
	How to read this manual	13
	Basic concepts	14
	Changes between versions 5.1 and 5.5	15
2	Installation	17
	The installation procedure	17
3	Getting started	19
	A first session	19
	Our data	19
	Starting pro Fit	19
	Entering the data	19
	Plotting the data	21
	A function to fit our data	23
	Intermission: Previewing the data and the function	25
	Fitting	26
	Defining your own functions	28
	Writing programs	31
4	Working with data	32
	Data editing	32
	The data window	32
	Selecting data	33
	Data types	33
	Permanent transformations	36
	Entering data	36
	Data transformation	37
	Algebraic transformations	37
	User programs	39
	Data reduction	39
	Sorting data	40
	Transposing data	40
	Statistical analysis of a data set	40
	Binning	42
	Fourier transforms	43
	Defining a data set to work on	45
5	Working with functions	47
	Introduction	47
	Parameters	47
	Using functions	49
	Calculating function values	49
	Optimization of functions	50
	Finding roots	50
	Finding minima and maxima	52

	Integration	52
	The Spline function	53
6	The Preview Window	55
	Preview Window Appearance	57
	Preview Window Tools	57
	Selecting data points with the arrow tool	57
	Changing the ranges of the preview	58
	Dragging the function curve	58
	Inspecting and editing coordinates	58
	Managing coordinate markers	59
	Tips and tricks	60
	Using the preview window during a fit	60
	Choosing initial values of function parameters	60
7	Drawing and Plotting	61
	The drawing window	61
	Drawing tools	61
	Coordinates, accuracy and drawing info	62
	Drawing objects	63
	Drawing	63
	General drawing commands	63
	Objects created with the tools palette	66
	Editing drawing objects	72
	Exporting pictures	74
	Importing pictures	77
	Plotting	78
	General plotting	78
	Plotting a function	79
	Plotting a data set	81
	Graphs and legends	84
	Editing legends	84
	Editing graphs	85
	Graph coordinates and zooming	99
	Shape properties	100
	Drawing windows in dialog mode	100
8	Fitting	102
	Mathematical background	102
	Distribution functions and data weights	102
	Error analysis and confidence intervals	106
	Fitting algorithms	106
	Goodness of fit	111
	Literature and suggested reading	111
	The fitting process	112
	General features	112
	Using the various fitting algorithms	117
	Fitting multiple functions and x-values	120
	Functions with multiple x-values	120
	Multiple functions with one x-value	122

Multiple functions with multiple x-values	123
General hints for fitting	125
Starting parameters	125
Redundancy of parameters	125
The errors of the data set	125
9 Defining functions and programs	127
Simple examples	128
Defining functions	128
Defining programs	131
A shortcut	133
On-line help for programming	134
The help menus	134
Browsing functions and programs	134
Finding the definition of a symbol	135
Automatic Macro Recording	136
Syntax of function and program definitions	137
Program definition syntax	137
Example	140
Loops	142
Optional parameter lists	143
Aborting procedures, functions and programs	144
Predefined constants, functions, procedures, and operators	145
Function definition syntax	146
General comments about programming	153
External functions and programs	157
Debugging Window	157
Using pro Fit Modules	159
Saving functions and programs	159
Loading functions and programs	159
Removing functions and programs from the menus	160
Loading modules automatically on startup	160
Loading a set of modules together with a new preferences file	160
Attaching programs	161
Working with control shapes	163
10 Working with external modules	167
Loading an external module	167
Creating an external module	167
Writing an external module	169
Routines to be modified	169
Predefined constants and types	173
Global variables	176
Procedures provided by pro Fit	176
11 Apple Script	178
Introduction	178
Examples	178
When to program, when to script	182
Apple Script methods and classes	182

12	Printing	186
	Printing from pro Fit	186
	Printing with PostScript	187
	Printing at full printer resolution	187
	Printing a pro Fit drawing from another application	188
13	Preferences	191
	Panel “General”	191
	Panel “Printing”	192
	Panel “PICT Options”	192
	Panel “Drawing”	192
	Panel “Plotting”	193
	Panel “Preview”	194
	Panel “Date & Time”	195
	Panel “Interface”	196
	Panel “File Export”	197
	Panel “Prefs file”	198
14	General features	199
	Getting help	199
	The pro Fit Guide	199
	Help balloons	199
	On-line evaluation of mathematical expressions	199
	File info	201
	Find and Replace	202
	Contextual menus	203
	Shortcuts and other options	204
	Appendix A: Programming reference	200
	Types	201
	Internal functions and programs	201
	External functions and programs	201
	Functional groups	202
	Operators	202
	Mathematical functions and constants	202
	Special Mathematical Functions used with complex numbers	203
	Special Mathematical Functions used with matrices and vectors	203
	Interpretation of matrix and vector types in mathematical expressions	204
	Bit operations	204
	Data processing	205
	Accessing the data window	206
	Input and output	206
	Drawing	207
	Plotting in a graph	209
	Creating and accessing graphs	210
	Editing the current graph	211
	Setting default parameters	211
	Using other functions or programs	212
	Numerics on functions	213
	Fitting	213

Using Windows and Documents	214
String and character manipulation	215
Tags	215
Getting and Setting "Properties" of various pro Fit objects	216
Miscellaneous auxiliary routines	217
Advanced routines for external modules only	217
Alphabetical list	218
Appendix B: About numbers	289
Floating point numbers	289
Date and Time data	290
Appendix C: File formats	291
Data	291
The default text format	291
Loading text files	292
Saving text files	293
The native data format	294
Drawings	294
Appendix D: Apple Script Cross Reference	296
Index	300

1 Introduction

pro Fit is an interactive tool for the investigation, analysis and representation of functions and data. It is designed for users in science, research, engineering and education. The key features of pro Fit are:

- *Customized functions and algorithms:* Very powerful and simple Pascal-like syntax for defining mathematical functions, data transformation algorithms, drawings, and general macros. Support of complex numbers, vectors, and up to 4x4 matrices as general data types to be used in any mathematical expressions.
- *Interactive parameter modeling and curve fitting:* Intuitive interface for modeling and fitting data. Various fitting algorithms. Optional restriction of parameter ranges. Support for y- as well as x-errors. Statistical error analysis for fitted parameters. Hand-fitting by dragging the function curve to vary a parameter.
- *Professional plotting.* Accurate and flexible graphical representations of mathematical functions and numerical data. Multiple coordinate axes. Linear, logarithmic, 1/x, and normal probability scalings. Reverse scaling. Coloring of areas between curves and any axis. Editing of any part of a plot with standard drawing tools. Scatter plots, skyline plots and histograms.
- *Drawing editor.* Support for standard drawing objects, Bézier curves, two different kinds of polygon smoothing, texts with sub- and superscripts, data point symbols, and any imported picture. Dash patterns are applicable to most drawing objects. Arrows are available for smoothed and unsmoothed polygons and simple lines. The drawing editor supports colors, views at different magnifications, and extended precision positioning of graphical objects. The floating point coordinates of drawing objects can be edited graphically and numerically.
- *Customizable graphical elements.* Dash-patterns, line thicknesses, arrows, error bars, and data point symbols can be customized. New arrows and data point symbols can be designed with a graphical editor and added to the standard drawing menus.
- *Extensive graphical output possibilities.* Support for PostScript™, PICT format, high resolution bitmaps. Export of drawings with Copy&Paste, Drag&Drop, Publish&Subscribe, and as EPS, GIF or JPEG files.
- *Spreadsheet data management:* Spreadsheets for editing and transforming data. Predefined and user defined algorithms. Single precision as well as double precision data columns and text columns are supported.
- *Scriptability and Recordability.* Automatically record your actions as a Pascal program or Apple Script for replaying them later.
- *Function and data preview:* Real-time automatic display of the current function and data. Interactive graphical editing tools for function parameters and data points.
- *Externally compiled code:* Import functions, algorithms, and other programs written in your favorite programming language or in Apple Script.
- *On-line evaluation of mathematical expressions:* Wherever pro Fit expects numerical input (such as in spreadsheets or dialog boxes) any mathematical expression can be entered

- *Drawing from a program*: pro Fit programs can directly draw in pro Fit's drawing windows to create drawings with high precision coordinates. These drawings are available for copying and pasting into other applications and for high resolution printing. Specific drawing objects as buttons, check boxes, and pop-up menus are supported to be used as interfaces for user-defined programs.
- *Macro programming*: Write complete macros to perform common tasks such as opening and closing document windows, fitting, importing and exporting files, etc.
- *Debugging environment*: A powerful debugger provides tools for developing and debugging complex programs and functions.
- *Extensive on-line help*: Balloons and Apple Guide™ provide answers and explanations. A dedicated on-line help is available for function and program definition.
- *Powerful plug-ins*: Various external modules further increase pro Fit's power, e.g. for contour plotting and 3D plotting of functions and data sets (3D plotting requires a Power Macintosh with OpenGL).
- *And much more...:* Such as Drag&Drop, Publish&Subscribe, Numerics algorithms, customizable data file import, etc.

What you need to run pro Fit:

pro Fit is supported on Mac OS® version 8.5 or later. pro Fit requires at least 2 MByte of free memory – if virtual memory is off, it requires at least 4 MByte. However, for normal activities, at least 5 MBytes are recommended.

pro Fit 5.5 is a Power PC only application. There are no pro Fit 5.5 versions for older machines based on Motorola's 680x0 family of processors. For users interested in running a version of pro Fit on those machines, pro Fit 5.1 is still available. pro Fit 5.5 allows to save most of its documents in pro Fit 5.1 format.

A note on updates

Development of pro Fit continues. To check for updates to your current version, visit QuantumSoft's webpage at <http://www.quansoft.com/>.

You can also use pro Fit's built-in mechanism for checking for updates. Choose "About pro Fit" from the Apple menu and click the button "Check for Update". pro Fit will contact our web servers electronically and tell you about any updates that you may want to download.

How to read this manual

This manual gives a full description of pro Fit 5.5. If you do not want to read it, you will still be able to find your way through pro Fit: pro Fit was designed to be used without a manual and most of its features are self explanatory. Extensive on-line help is provided. However, you will need to read the manual to efficiently work with some of pro Fit's most advanced features.

Those of you who are already familiar with pro Fit 5.1 are referred to the last section of this chapter, "Changes between versions 5.1 and 5.5". Then you may go directly to the chapters giving in-depth


information on the new features.

Those who prefer a beginner's introduction should continue with "Getting started", which gives an overview on the most common features of pro Fit.

A description of the basic concepts of pro Fit is given in the next section.

Basic concepts

pro Fit works with *data*, *drawings*, *functions* and *programs* (or, through *Apple Events*, with other applications or *AppleScripts*).



You can enter **data** into spreadsheet windows. Data can be transformed by built-in transformation algorithms, (e.g. sort, transpose, filter, Fourier transform, or mathematical operations) or by user-defined ones. Data can be text or numbers.

You can define your own data transforms by writing **programs**, which can access directly the data in the spreadsheet window. pro Fit translates these programs into computer code, which can be executed directly by the central processing unit of your computer. You can **automate** many operations using such programs or Apple Events and Apple Script.

Functions can be used for plotting, analysis and fitting. There are a number of built-in functions (such as log, cos, exp, etc.). You can define your own functions using the same simple, yet powerful definition language used to define other programs and macros.

Functions and programs can also be defined using an external compiler (external modules).

You can plot your functions and data sets in a **drawing** window. pro Fit offers most standard features of a drawing program, and the appearance of all graphical elements is customizable. pro Fit generates high resolution printer information for direct printing or for exporting data via the clipboard, Drag&Drop, or Publish&Subscribe.

Changes between versions 5.1 and 5.5

pro Fit 5.5 brings various new features. This is a list of the most important ones:

- Plotting, Drawing**
 - Graphs now support horizontal and vertical histogram and skyline plots.
 - Graph labels can be rotated, and displayed as dates or times.
 - A new preference setting allows to set which data points are ignored when plotting data without auto-range for the coordinate axes.
 - Log axes can now have 0, 1, 4 or 8 minor ticks.
 - Lines, Polygons, and Rectangles can be rotated by any angle, not just multiples of 90 degrees. The "Coords" window displays the current angle, which can be edited to change the orientation of a shape.
 - New Save and Open possibilities for JPEG and PICT files, as well as saving of (uncompressed) GIF files. Anti-aliasing is supported when saving drawings as GIF or JPEG.
 - Drawing objects can be controlled from programs. New objects such as buttons and popup menus that can be used as user-interfaces for user-defined programs.

- Date & Time**
 - pro Fit 5.5 supports date and time data, *i.e.* absolute calendar dates and relative time. You can store such data in data windows and use it for labelling graphs, and for calculations.

- Preview Window**
 - The preview window has been redesigned. It is now resizable, and many more options, like the color of the function curve, its thickness, or the size of data points, are user-selectable.

- Functions**
 - Functions can now have up to 128 parameters. The parameter window has been re-designed. The function Spline has more options that can be set by clicking the "Spline Settings" button in the parameter window. There is a new possibility to define the spline curve by using function parameters to set the coordinates of the points on which it is based. This allows, *e.g.*, to fit a Spline function to some set of noisy points, in order to get a smooth guide-to-the-eyes curve. When doing this, be careful not to choose too many points for the Spline-definition

- Data processing**
- Column-calculations can be stored and made permanent. They will be executed automatically whenever data is changed in a data window. The instruction for calculating a "calculation-column" can be changed via the column format dialog box.
 - A "binning" command allows you to categorize your data.
 - Improved sorting mechanism. Text columns can be used for sorting.
 - The index column in data windows can be set to the default x or y column.
 - New data column types and formatting options for date & time, and relative time data.
- Preferences**
- pro Fit now looks for/creates a "pro Fit Preferences" folder inside the system's preferences folder. In this folder it looks for a file "pro Fit 5.5 preferences" and creates one if no such file is found. If the "pro Fit Preferences" folder contains a folder named "pro Fit modules", the modules in this folder are linked to pro Fit during start-up.
 - There are many new preferences to influence various pro Fit functions.
- User Interface**
- "Open" and "Save" dialog boxes now use the new "navigation manager" routines.
 - Command click on the title-bar of windows to see where a document is. Click and drag on the icon to move the document the window belongs to..
 - Live feedback when resizing columns and info field in data windows.
 - Proportional scrollbars.
 - Text and data files now store the current selection.
 - All windows and tool palettes use the current system appearance.
 - The status window appearing during fitting is now resizeable when it contains a list of parameters.
 - All Dialog boxes and Alert boxes are movable.
 - The "Check for update" button in the "About pro Fit" dialog box can be used to find out if a newer version of pro Fit is available.
- Programming**
- A powerful debugging environment allows you to step through your programs and functions, to view variables, set breakpoints, etc.
 - New data types. Now you can use any 2x2, 3x3, or 4x4 complex matrix, and any complex vector of length between 2 and 4 in any mathematical expression where it makes sense.
 - A wealth of new calls have been added to pro Fit's definition language. See Appendix A of this manual.
 - You can create complex user interfaces for your programs using pro Fit's drawing tools, and attach programs to such a drawing window.
 - There are new possibilities to store and retrieve text files, directory paths, and setting the creators of exported files.

2 Installation

The installation procedure

Installation of pro Fit is very easy. Just double-click the self-unstuffing archive to copy all required files onto your hard disk.

Before installing pro Fit, read the “read me” file if any such file came with the package.

3 Getting started

A first session

This chapter describes a typical pro Fit session. It shows how to enter new data, plot it, and how to fit a mathematical function to it.

Our data

The world's human population is growing rapidly. Table 3.1 shows the number of inhabitants of this planet for the period after 1940

Table 3.1 The world's population since 1940

year	population in millions
1940	2200
1950	2500
1960	3000
1969	3600
1975	4000
1981	4400
1987	5000
1990	5300

Let us plot and analyze these figures.

Starting pro Fit

First install pro Fit on your computer, as described in the Chapter "Installation". Then

- **Double-click pro Fit.**

pro Fit comes up with the following windows: The results window is used to output results of various calculations. The parameters window lists the parameters used by the current function and allows you to edit their values. The preview window shows a "real-time" preview of the current function and data set.


(Close these windows if you do not want them. When you need them again, choose their name from the Windows menu.)

Entering the data

First, you must enter the numbers given in Table 3.1 into a data window. To do this, you have to open a new data window.

1. Choose "New Data" from the File menu

An empty data window appears.



Data are arranged in horizontal rows and vertical columns. The topmost cell of each column shows the name of the column (by default 'Column 1', 'Column 2', etc.). The cells below contain the data of each column.

2. Click into the first empty cell of column 1 and enter the first year, 1940.

We fill the first column with the years and the second column with the population. The first year is 1940.


3. Click into the first cell of column 2 and enter the population in millions, 2200.

4. Repeat steps 2 and 3 to enter the other years and population figures in the following rows.

Enter the values given in Table 3.1. Note that you can use the arrow keys, the tab and the return or enter key to move from one cell to another.

5. Enter the column titles, 'year' and 'population in millions'.

Click into the titles 'Column 1' or 'Column 2' and enter the new names. Move the mouse to the vertical separation line to the right of the second column title, click, and drag the separation line a little bit to the right, so that you see the complete title. Your window should now look like this:



6. Save the data by choosing “Save As...” from the File menu.


You are prompted to enter a name for your file.

Plotting the data

Now that we have entered the data, we can display it graphically.

1. Choose “Plot Data...” from the Draw menu


A dialog box appears:



Here you can enter the ranges of the plot, the columns to be plotted, and more. In this introductory session we can use the settings as they are.

2. Click OK.


A drawing window appears, showing a graph of the data.



You can edit a drawing easily. For example, you can change most parts of the graph just by double-clicking.

3. Double-click the vertical axis to change its range.

(Double-click the vertical axis itself, not the numbers to the left of it!) A dialog box called “Graph Settings” appears, presenting the settings of the left y-axis:



You can change a variety of parameters here. Often you will use the edit fields **First** and **Last** to set the range of the axis. Another important field is the ‘**Distance**’ field that defines the distance between major tick marks.

4. Enter 0 for First and 6000 for Last, then click OK.

The vertical axis of the graph now starts at 0 and ends at 6000.

Double-click other parts of the graph or its legend to change other attributes. Try double-clicking the horizontal axis, the center of the plot, or the dot in the legend. You can also double-click any text in the drawing to change it. Or you can choose any of the drawing tools to add lines, polygons, text, etc.

A function to fit our data

The growth of a population can often be described by an exponential function of the type


$$p(t) = p(x_0) \times \exp\left(\frac{t - x_0}{t_0}\right), \quad (3.1)$$

where $p(t)$ is the population at time t , $p(x_0)$ the population at an arbitrary start time x_0 , and t_0 its growth constant.

Let us try to investigate the validity of this formula for the world’s population. We want to find the set of parameters for which equation (3.1) fits our data best.

1. Choose Exp from the Func menu

This brings the parameters window of the Exponential function to the front. It gives a description of the built-in exponential function and its parameters:



The window is divided into three regions. The top region displays the function parameters, and lets you edit their value. The bottom right region displays information on the selected parameter, the bottom left region gives a short description of the function.

The function looks like this:

$$y = A \times \exp\left(\frac{x - x_0}{t_0}\right) + \text{const}, \quad (3.2)$$

which is essentially identical to equation (3.1). The parameters window also displays the default values for the parameters A , x_0 , t_0 and const . Starting from these parameters, pro Fit can find a better set of parameters for describing our data. But first you must define which parameters you want to fit, i. e. which parameters you want to vary in order to approximate the data with the Exponential function.

As mentioned above, the starting time x_0 is arbitrary. Let us set it to 1940.

2. Click the number beside 'x0' in the parameters window and enter 1940.

This defines the parameter's value.

Since x_0 is arbitrary, we do not want to fit it:

3. Uncheck "Use for fitting".

(The check box "Use for fitting" can be found in the lower right area of the window.)

The parameter name changes from bold face to plain text. This indicates that this parameter is constant and will not be fitted.

(Shortcut: You can also toggle the option "Use for fitting" by simply clicking on a parameter's name.)

4. Click the parameter name 'const'

We don't want to fit this parameter, either. The parameter name is not bold anymore and the option "Use for fitting" is unchecked now.


Before fitting, it is a good idea to assign starting values to the parameters that are going to be fitted, in our case A and t_0 . This increases the speed of the fit and the probability of finding the best set of parameters.

Reasonable starting values for our problem can be estimated easily:

A is the population in the year 1940, so we can set it to 2200 millions. $-t_0$ (note the minus, it comes from the different definitions of Eqs. (3.1) and (3.2)) is the time within which the population increases by a factor $e=2.71\dots$. Looking at the plot of the data in the drawing window, we can easily guess it to be between 50 and 200 years. Let us set t_0 to -100 :

5. Enter the starting values 2200 for A and -100 for t_0


Your parameter window should now look like the one below



Intermission: Previewing the data and the function

Above we have seen how to produce a graphical representation of the data in a drawing window and how to edit it. You can have a quick look at the graphical appearance of the data (without actively plotting it) by using the **Preview window**. This same window also shows you a graphical representation of the current function.

Select Preview from the Window menu. You should see the following window:



To the left of the window there are some controls that let you determine what the window must show, and if it must be a floating window or a normal window. To the right are some tools that can be used to edit and analyze the function and the data.


The window shows the current data set and the current function. If you change any function parameter the curve will change to reflect the new value (try it!). The window always shows a plot corresponding to the current set of function parameters and data points.

As you see, our first guess for the function parameters was not altogether bad, but the function doesn't grow as fast as the actual data. The parameter set corresponding to the actual data set can be found by fitting.

Fitting

1. Choose Fit... from the Calc menu


You can choose the data columns you want to fit:



The data column settings are already ok. This box gives you also the possibility of specifying errors for the data points. For the moment, we don't need to do this.


2. Click OK to start fitting

Fitting is very fast. When it is completed, the fitted parameters are printed in the results window



The fit yields -54.8 years for t_0 and 2113 millions for A .

The Preview window automatically shows the function with the new, fitted parameters:




The function now approximates the data points quite well.

We can plot function (3.2) using the fitted parameters:

3. Choose Plot Function... from the Draw menu

A dialog box appears, displaying options for plotting the function:




We don't need to change any of these options.

4. Click OK to draw the curve

The curve is drawn in the graph. You can now rearrange the items in the drawing window to obtain a representation of data and theory like this one:

The world's population since 1940



Defining your own functions

In the previous session you have fitted the built-in exponential function to your data. Fine. But what do you do if your model is described by some mathematical equation that does not appear among the built-in functions in the Func menu?

Define your own function!

proFit can work with virtually all functions you can think of. Let us look at an example:


Imagine you want to analyze a function of the form

$$y = a \sin(x) \times \ln(x) + b \quad (3.3)$$

with the parameters a and b . To define this function:

- **Choose New Function from the File menu.**

This opens a new, empty function window.



- **Enter the definition of your function in the new window.**

Just enter:

$$a[1]*\sin(x)*\ln(x) + a[2]$$

on the first line.

- **Click the "To Menu" button in the function window, or choose "Compile & Add To Menu" from the Customize menu.**

This translates your function into computer code.

proFit looks at what you wrote and sees that you used the variable x and the standard function parameters $a[1]$, $a[2]$. It therefore assumes that you want to define a new function and interprets your text accordingly.

The new function is added to the Func menu, and the parameter window shows its default parameters.

Your simple expression is replaced by a complete, syntactically correct function definition:

```
function User_Function;  
begin  
  y := a[1]*sin(x)*ln(x) + a[2];  
end;
```

The first line defines the name of the function as it appears in the Func menu (`User_Function` is the default proposed by proFit. You can change it to something like `LogSine`). Then, enclosed between

begin and end, there follows the definition of the function. In the third line the function is calculated (from the variable x and the parameters $a[1]$ and $a[2]$), and it is assigned (" $:=$ ") to the variable y .

Note: An alternative way to define the same function is:

```
function logSine(ampl, offset:real);
begin
    y := ampl*sin(x)*ln(x) + offset;
end;
```

In this definition, the parameters of the function are defined in the function header. The names used in the header are then used in the function body. This is the syntax used for standard PASCAL functions. pro Fit uses the parameter names defined in the function header for displaying the parameters in the parameters window.

After adding the function to pro Fit, you can change its parameters in the parameters window. You can plot the function, use it for fitting, calculations, etc.

To plot it, you should first set its parameters to reasonable values, e.g. 1 and 0.5: Enter these values in the Parameter window and choose "Plot Function..." from the Draw menu. In the dialog box that comes up, select the plotting range (e.g. the x -axis from 0 to 5). If you already have an open drawing window, you should check the option "Open New Window", otherwise your curve will be drawn into the existing graph.

Our sample function is not defined for $x \leq 0$. If you were to calculate it for a negative x -value, an error would occur. However, the function converges to $y=a[2]$ for $x=0$. You may want to expand the definition range of the function by defining $y(x) = a[2]$ for all $x \leq 0$. This can be done easily with the following modification.

```
function logSine;
begin
    if x <= 0
        then y := a[2]
        else y := a[1]*sin(x)*ln(x) + a[2];
end;
```

(After having modified a definition in the function window, click the "To Menu" button or choose "Compile & Add to Menu" from the Customize menu to add it to pro Fit in its new form.)

Your function could even become much more complicated than this. You can define functions that contain more than one statement, as well as variables and procedures. You can use most elements of the PASCAL programming language for defining functions.

As we already noted above, it is also possible to implement the same function in such a way that it uses arbitrary names for the parameters instead of the predefined array element $a[1]$, $a[2]$:

```

function logSine(amplitude, offset: real);
begin
  if x <= 0
  then y := offset
  else y := amplitude*sin(x)*ln(x)+offset;
end;

```

The pro Fit package comes with more examples of function definitions. Look them up.

Writing programs

Besides defining functions for fitting and plotting, you can also define any data-generation and -transformation algorithms using the same syntax.

Let us have a quick look at a small program that fills the first column of a data window with the powers of two: 2, 4, 8, 16, etc. To define this program, again open a new function window (choose New Function from the File menu) and enter:

```

for i := 1 to nrRows do
  data[i,1] := 2 ** i;
SetColumnName(1, 'Powers');

```

Then click the To Menu button. This time pro Fit recognizes that you are defining a program, not a function. It adds the program to the Prog menu and replaces your text with the syntactically correct version:

```

program User_Program;
var i:integer;
begin
  for i := 1 to nrRows do
    data[i,1] := 2 ** i;
  SetColumnName(1, 'Powers');
end;

```

Note that this program starts with the keyword `program`, and not `function`. The rest of it follows the same syntax as a function definition, with the exception that no “parameters” are used.

To run the program, open a new data window and choose “User_Program” from the Prog menu. The first column of the data window will be filled with the desired values.


In this chapter, you have seen some of the most important features of pro Fit. For in-depth information consult the following chapters of this manual.

4 Working with data

Data editing

The data window

The data window is organized in horizontal rows and vertical columns. It can hold up to 16 millions columns with up to 16 millions rows if enough memory is available.



To change the size of a data window (i.e. the number of rows and columns), click the **resize field** in the top left corner of the window.

To bring the first cell of the first column into view, click the **home field** (to the right of the resize field).

To insert or delete empty rows or columns, click one of the **drag fields** and drag the mouse.

To change the width of a column, click and drag the separation line between column titles.

Dragging down the **info hook** opens an empty area at the top of the data window. In this area you can enter general information or comments about your data:

The world's population
(GEO 1/1990)

Index	year	population in millions
1	1940.00000	2200.00000
2	1950.00000	2500.00000
3	1960.00000	3000.00000
4	1969.00000	3600.00000
5	1975.00000	4000.00000
6	1981.00000	4400.00000

When editing numbers in a data window, the arrow keys (\downarrow , \uparrow , \leftarrow , \rightarrow) move the selection mark to neighboring data cells.

If you hold down the option key while pressing \leftarrow or \rightarrow , the insertion mark moves horizontally within one cell.

The tab key moves the selection one column to the right. The carriage return or enter key moves the selection to the cell below.

Selecting data

You can select a **single cell** by **clicking** it.

- To select a **rectangular region** of data cells, drag the mouse from the top left to the bottom right cell, or click the top left cell and then click the bottom right cell while holding down the shift key.
- To select **all cells in a row/column**, click the **row/column number** field. To select several rows or columns, click and drag over the row or column numbers you wish to select.
- To select all cells in a column **starting from a certain row**, hold down the **option key** while clicking the topmost cell of the desired selection, or click the **column number** field and then drag the mouse down to the first row to be selected.
- To select all cells, choose **Select All** from the Edit menu.

You can create a **discontinuous selection**:

- To extend or modify a current selection to a discontinuous selection of rows, click (and drag) into the rows to be selected or deselected while holding down the **command key**.
- Note that a discontinuous selection can also be created by selecting data in the **Preview window**. See also Chapter 6, "Preview Window".

Data types

By default, each column of a data window contains numerical data, i.e. **real-valued numbers**. The precision and range of these numbers can be:


- 10^{-300} to 10^{300} with approximately 12 significant digits (double precision)
- 10^{-38} to 10^{38} with approximately 6 significant digits (single precision)

See Appendix B for details on numeric representations.


By default, a new data window opens with either single or double precision columns. The default type can be selected by choosing the command “Preferences” from the File menu. In the dialog box that comes up, click the “General” icon. See Chapter 13 for details.

A column can also contain text, up to 255 arbitrary characters in each cell. To switch between text and number formats, first select the column or columns you want to change and then choose **Column Format** from the Calc menu. Alternatively, you can also double-click the column number of a column you want to change.


After either of these actions, the Column format dialog box appears:



The popup at the top left contains the entries “Text”, “Number”, “Date & Time” and “Rel. Time”. Choose **Text** if you want the selected columns to contain text, choose **Numbers** for numerical data. In the latter case you can specify their **Range** (single or double precision) and define the format for displaying numbers: select the number of digits to be displaced after the decimal point (decimals) from the **Decimals** pop-up menu. If you check **Scientific**, all numbers will be shown in exponential representation (i.e. 1.34e+3 for 1340).

You can also enter the **column width** in pixels in the corresponding edit field. A second way for changing the *width* of a column is to click on the boundary line between column titles (the mouse cursor will change to ) and drag it to the desired position.

If you choose “**Date & Time**” as the column format, you can display a date and a time in a column:



Note: Use the “Date & Time” panel of the “Preferences...” command in the “File” menu to choose the display format for date and time values.


About dates:

The Mac OS stores dates as the number of seconds since January 1, 1904. For the technically minded, the date is stored as an integer number, 8 byte long.

pro Fit uses the same convention as the Mac OS to store dates, but uses "double" floating point values instead of integers. With this number representation, pro Fit can store and recognize dates with second precisions until up to 10^{15} (this corresponds more or less to a 6 byte long integer) seconds after January 1, 1904. .pro Fit can store dates with second-precision up to **31 million years in the future**, and it can store dates with day-of-the-week precision up to 3.1 **billion** years (3×10^{12}) in the future.

However, the date-time conversion routines currently available in Mac OS 9 only support dates up to 29'940 AD for date-to-string conversions, date-calculations, etc. Up to this limit, pro Fit can store dates with a precision of milliseconds, while it can store dates in the present with a precision of approximately a microsecond.

If you choose “**Rel. Time**” as the column format, you can display a time difference.



Note: Use the “Date & Time” panel of the “Preferences...” command in the “File” menu to define how many days fit in a year or a month.

pro Fit stores relative times as double precision floating point numbers, interpreted as a number of seconds. This leads to a range of -2147483647 to 2147483647 centuries, which corresponds to floating point numbers between $-6.77680e+18$ and $6.77680e+18$

Permanent transformations

pro Fit data windows allow you to attach a permanent transformation to each individual column.

Whenever the data fields that are used in a permanent transformation as input data, the calculation is restarted and the results are updated. If possible, the recalculation is done only for the rows that have been changed. If you are defining permanent calculations using formulas that contain calls like 'data[,]', pro Fit always recalculates all data in the corresponding column, because the input rows are not clearly defined anymore.

Permanent calculations are created either from the Data Transform dialog (discussed below) or via the Column Format dialog (discussed above). The modification of existing permanent calculations is done via the Column Format dialog.

Note that recursive usage of column data is not allowed. E.g. if column 2 is automatically (permanently) calculated from the contents of column 1, then it is forbidden to define a permanent calculation for column 1 that depends on column 2. If you are defining permanent calculations using formulas that contain calls like 'data[,]', pro Fit cannot anymore be shure that there is no recursion. Avoid the definition of such recursive calculations because they can lead to unpredictable results!

Entering data

You can type data in the data window, copy and paste it , or drag it and drop it everywhere you want.

Instead of entering a number directly, you can enter a mathematical expression, e.g. “exp(1)” or “6+sin($\pi/4$)”, or any predefined function or variable. See Chapter 9, “Defining functions and programs” for more information about all the predefined keywords and functions you can use in mathematical expressions.

You can also import data from text files. See the Appendix C, “File Formats” for detailed information.

Data transformation


proFit offers various methods for transforming data: Numerical transformations, data reduction, sorting, transposing, and Fourier transforms. In addition, you can write programs that edit, manage, or create data in any conceivable way (for more information on writing such programs see Chapter 9, “Defining functions and programs”).

All the commands for transforming data are found in the Calc menu and they work on the data window which is in front of all other windows.

Algebraic transformations

To make simple numerical transformations on your data, choose **Data Transform** from the Calc menu.

The transformations you can carry out with this command are of the form $y = \text{func}(x)$. You can define where the x -value comes from and where y has to be stored. You can also choose what function you want to use (note that some of these “functions” do not need an x -value).



The transformation is either by columns or on the current selection: Check **Selected Rows only** to only include selected rows in the calculation. Choose **Selected cells** to work on the current selection. In

calculations on the current selection, each cell (x) in the selection is replaced by its transformed value (y). In transformations by column, the cells of the x -column are transformed and stored in the cells of the y -column. You can select the x - and y -columns from the pop-up menus. (In these menus empty columns are marked with ‘♦’, columns already containing data with ‘●’, and text columns with ‘†’).

Check **Make it permanent** if you want the destination column to be updated automatically whenever one of its input columns changes.

Five different groups of transformations are available:

- **Simple arithmetics:** All these transformations are of the type $y = x \text{ op } val$, where op is one of the operators $+$, $-$, $*$ (multiplication), $/$ (division), $^$ (power), div (integer division), mod (modulus).
- **Column arithmetics:** These transformations are of the type $y = x \text{ op } col$. Again, op can be any of the operators mentioned above.
- **Differential / Integral:** These transformations return the discrete derivative or integral. The *derivative* is calculated as the discrete derivative of a column d that is selected from the menu to the right of the ‘d/dx’ popup field, in respect to the x -column. The result is stored in the y -column according to the formula

$$y_i = \frac{d_{i+1} - d_i}{x_{i+1} - x_i}.$$

The *integral* is calculated as the discrete integral of a column d over the x -column. d is again selected from the menu to the right of the ‘∫ dx’ popup field. The result is stored in the y -column according to the formula

$$y_j = \frac{1}{2} \sum_{i=1}^{j-1} (d_{i+1} + d_i)(x_{i+1} - x_i).$$

Sometimes you may want to integrate over a *single* column d , or you may want to differentiate over a *single* column d , according to one of the following equations:

$$y_j = \sum_{i=1}^{j-1} d_i \quad \text{or} \quad y_i = d_{i+1} - d_i.$$

You can do this by creating a column containing the numbers 1, 2, 3, ... (use the `fill(n)` command described under ‘Various functions’ below) and using this column as your x -column.

- **Various functions:** Here you can select various simple transformation functions, such as $\sin(x)$, $\exp(x)$, $\ln(x)$, etc. Among them, you can also find the currently selected function of the Func menu, as well as the special functions `fill(0)`, `fill(1)` and `fill(n)`, which let you fill a column with the values 0 or 1 or with ascending values 1, 2, 3,... respectively.
- **Formula:** If you select this sort of transformation you are free to define any transformation statement you like. Columns are labeled by the character ‘c’ followed by their column number. You can use columns, constants, mathematical functions, or calls to user-defined functions in the Func menu. You can use the symbols i or n for the row number and (if you have chosen “Selection only”) j or m for the column number.

Examples:

<code>x+sqrt(x)</code>	an expression
<code>tan(c10)</code>	tangent of values in column 10
<code>CovarMatrix(i,j)</code>	the covariance matrix of the last fit

The size of such a transformation statement is limited to 255 characters.

If the result of a calculation is not defined, either because a data field used for the calculation is empty or because there was an numerical error, the resulting data field is cleared.


User programs

proFit lets you define your own data transform programs or macros. These programs can perform data transformations in the data window, create a graph in the drawing window, etc. They are found at the end of the Misc menu.

Chapter 9, “Defining functions and programs” explains how to define such programs.

Data reduction

The command “Data Reduction” in the Calc menu offers several possibilities for data reduction, e.g. by averaging over several data points or by skipping part of the points.



- To keep every n^{th} row and to remove all other rows, select **Keep every**.
- To remove every n^{th} row and to keep all other rows, select **Remove every**.
- To replace groups of n consecutive cells in a column by their average, select **Average over**. This option decreases the number of rows by a factor of n . (For example, if $n=3$, the values in the rows 1, 2, and 3 are averaged and the result is stored in row 1. The average of rows 4, 5, and 6 is then stored in row 2 etc.)
- To replace every data value with the average of itself and its $n-1$ neighboring values in its column, select **Smooth over**. Again, the average of n values is calculated. In contrast to ‘Average over’, the number of rows is not reduced! (For example, if $n=3$, the value in row i is replaced by the average over the values in rows $i-1$, i , and $i+1$).


To transform only the selected cells, check **Selection only**. In this case only the currently selected cells (highlighted in the data window) are affected.

If the selection is discontinuous (whole rows only), the above algorithms are applied to each continuous block of the selection, one after the other. The various discontinuous blocks are treated separately and do not interact with each other.

To keep only the rows that are presently selected, check **Keep selected rows**. To remove all the presently selected rows, check **Remove selected rows**.

Sorting data

To sort data, choose **Sort...** from the Calc menu:



Use the pop-up menu to select the column to be used as a reference for sorting. You can sort by ascending or by descending values.

All the rows in the data window will be rearranged according to the new order in the sort column. To order only the selected part of the data window, check **Selection only**.


Note that you can only sort by columns that contain numerical data. You cannot sort by columns that contain text.

Transposing data

The command **Transpose** in the Calc menu exchanges the rows and columns in the active window. It automatically resizes the data window to make sure that all the data fits into it.

Statistical analysis of a data set

The command **Statistics...** in the Calc menu lets you calculate statistical data of a one-dimensional data set.



The data set that will be analyzed by the statistical algorithms can either be a **Single column** (use the popup menu to define it), **All columns**, or only the **Selected Cells**. If you specify a single column or all columns, you can check **Selected rows only** to only use the data in the selected rows.

The following statistical values are calculated from a set of data $x_1 \dots x_N$ and are printed to the results window:

- The number of valid values N in the data set.
- The median of the sorted data set (central value for odd N or average of the two central values for even N)
- The minimum (smallest value) and the maximum (largest value)

- The sum of all valid values
$$S = \sum_{i=1}^N x_i$$

- The mean
$$\bar{x} = \frac{S}{N} = \frac{1}{N} \sum_{i=1}^N x_i$$

- The variance
$$Var = \frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2$$

- The standard deviation
$$\sigma = \sqrt{Var}$$

- The mean absolute deviation
$$ADev = \frac{1}{N} \sum_{i=1}^N |x_i - \bar{x}|$$

- The skewness

$$Skew = \frac{1}{N} \sum_{i=1}^N \left[\frac{x_i - \bar{x}}{\sigma} \right]^3$$

- The kurtosis

$$Kurt = \left\{ \frac{1}{N} \sum_{i=1}^N \left[\frac{x_i - \bar{x}}{\sigma} \right]^4 \right\} - 3$$

The **Skewness** characterizes the degree of asymmetry of a distribution around its mean. The **kurtosis** measures the relative “peakyness” or flatness of a distribution.


Binning

Binning is the process of putting data into bins. You define a data range that encloses all your data values. This data range is divided into consecutive intervals, the “bins”. For each bin, the number of data values that lie in its interval are counted.

Example

You analyze the height of 1000 people. You put all height values into a data window. Now you want to plot a histogram, each histogram giving the number of people that have a height in a given 2 cm interval. For this purpose, you choose "Binning" from the Calc menu, choose your data, define bins of 2 cm width, and run the command.

The binning command brings up the following dialog box:



Under **Input data**, you specify the data to be binned. **Bin parameters** defines the location and distribution of the bins. The bins can be distributed linearly, logarithmically, or according to any other scaling type supported by pro Fit. For example, if you want equidistant bins, use linear scaling, if you want to have one bin for each decade, use logarithmic scaling, etc.

Under **Preview**, the position of the input data values as well as the resulting bins are displayed.

When you click OK, the center and size of each bin is calculated and the results are displayed in a new data window.

Fourier transforms

pro Fit can calculate Fourier transforms of numerical data. A Fourier transform is a transformation of numerical data from the “time domain” into the “frequency domain”, or vice versa.

If you have a one-dimensional set of real valued data points, h_k ($k = 0 .. N-1$), the *discrete Fourier transform* H_n of these points is given by

$$H_n = \sum_{k=0}^{N-1} h_k e^{2\pi i k n / N}, \quad (1)$$

where n goes from $-N/2$ to $N/2$ (N is assumed to be even). The inverse Fourier transform is the inverse operation: It allows the calculation of data h_k in the time domain from data H_k in the frequency domain by

$$h_k = \frac{1}{N} \sum_{n=0}^{N-1} H_n e^{-2\pi i k n / N}. \quad (2)$$

Note that h_k as well as H_k can be complex values.

A classical interpretation of the Fourier transformation is the following:

A signal $h(t)$ is sampled at a regular time interval Δt , resulting in a set of data points $h_k = h(\Delta t k)$. The Fourier transform of this set of data corresponds to the frequency spectrum of the signal. H_n corresponds to the amplitude of the signal at frequency $n/(N \Delta t)$.

Note that the maximum frequency of the frequency domain is $f_c = 1/(2\Delta t)$, the *Nyquist critical frequency*.


The Fourier transform and its inverse can be calculated with two commands in the submenu Fourier Transform of the Calc menu: **FFT** and **Inverse FFT**. (“FFT” stands for “Fast Fourier Transform”, an efficient algorithm for the calculation of the Fourier transform.)



These built-in algorithms assume that the data set h_k of the time domain is real-valued and not complex. In this case the frequency domain data set H_n is complex but we have $H_n = H_{-n}^*$ i.e. the values at positive frequency are the complex conjugate values at negative frequency. It is therefore sufficient to calculate only the positive frequency spectrum of the Fourier transform.

Note: The built in Fourier transform works on real valued data in the time domain. To work in complex data, use the external module “FFT” that comes with pro Fit.


To carry out a Fourier transformation, bring the data window with your data in the time domain to the front and choose **FFT** from the Fourier Transform submenu:



Select the column that contains your time domain data and the columns for the real and imaginary parts of your frequency domain data. If you check the box **Calculate frequency**, you must enter the time interval between two points of the time domain (**Data interval**) and a column (**Frequency**) for the frequency values of the frequency domain data.

Instead of calculating the real and imaginary parts in the frequency domain, you can also calculate their absolute value and complex argument (check **Amplitude and phase**, instead of **Real and imaginary parts**).

To calculate the inverse Fourier transform, select **Inverse FFT** from the Fourier transform submenu. The dialog box that appears for this command is very similar to the dialog box we have just seen:



Your input data are the complex values in the frequency domain. You select the columns for the real and the imaginary parts, or, alternatively (when you select **Amplitude and phase** instead of **Real and imaginary parts**), you select the columns for the absolute value and the complex argument of your data.

The output column contains the real valued data points of the time domain.

If you want to calculate the time range (in seconds) for your output data, check **Calculate time**, enter the frequency interval between consecutive data points of the frequency domain, and select a column for the time values.

Note that if you have N points in the time domain, you obtain $N/2+1$ (complex) points in the frequency domain and vice versa.

The FFT algorithm works only for $N = 2^m$ (where m is a positive integer), i.e. for $N = 2, 4, 8, 16, \dots$. If the number of input data points is not a power of two, then the missing values to the next power of two are assumed to be 0.

For further information on the subject of discrete Fourier transformations see e.g. W.H Press et al., *Numerical Recipes*, Cambridge University Press (Cambridge, 1989).

Defining a data set to work on


Some of pro Fit's commands access data in the data windows. If you have several data windows open at the same time, pro Fit uses some rules for selecting the data window it works on:

- The transformation commands in the Calc menu work on the active data window (the window in front of all other windows). If the active window is not a data window, these commands cannot be used. (Example: the Data Transformation... command is only enabled when the front most window is a data window.)

- Some other commands use the front most of all data windows. It does not matter if windows of other kinds are in front. If the active window is not a data window, these commands look at all the windows behind the active window and work on the first data window they find. This will be the data window that is closest to the front. (Example: the Spline function uses the data window that is closest to the front.)
- The commands for curve fitting and for plotting data display dialog boxes where you can choose the data window from a pop-up menu. (Examples: Plot Data... and Nonlinear Fit...)

The data window containing the data used in a particular operation is called *the current data window* in this manual. The current data window is either the foremost data window or the window you have selected yourself.

When a data window is used as the current data window by a function or by some commands, four of its columns can have a special meaning. They are the **default x-, y-, Δx -, and Δy -columns**. You can define these columns using the pop-up menu that appears when you click the column number of a data window while holding down the command key (click on the “index” header of the index column to define the index column as one of the default columns):



For example, the ‘Spline’ function uses the data in the x- and y-columns of the foremost of all the data windows (other windows of a different kind, e.g. a drawing window, can be active).

A small ‘x’, ‘y’, ‘ Δx ’ or ‘ Δy ’ in the head of a column marks the default columns.

Note that the 'index' column can also become the 'x' or the 'y' column.

5 Working with functions

Functions supported by pro Fit are of the form $y=f(x)$ and can have one or more parameters. You can use these functions for fitting, plotting and analysis. This chapter gives an overview of what you can do with functions.

pro Fit has a set of built-in functions, that you can use “as-is”, and gives you the possibility of defining your own functions (there are also many external functions that already distributed with pro Fit). To do this, you can use the built in programming language (see Chapter 9, “Defining functions and programs”), or you can write your functions in your own compiler and import them as modules (see Chapter 10, “Working with external modules”).

A list of the currently available functions can be found in the “Func” menu.

Introduction


A function in pro Fit has the form

$$y = f(x, a_1, a_2, .. a_n) \quad (1)$$

where x is its argument and y its value. $a_1, a_2, .. a_n$ are the parameters of the function. An example is the polynomial function, one of pro Fit’s built-in functions:

$$y = a_0 + a_1x + a_2x^2 + \dots$$

You can select the function you want to work with from the list in the Func menu. When you do this, a short description of the function and its parameters appears in the Parameters Window. As an example, the polynomial function has the following parameters window:



Parameters

In the Parameters window you can view and set the parameters of the function.

The upper part of the window lists all the parameters of the function. It also contains a popup menu where you can save parameter sets for later use (see below). The lower left part of the window gives a short description of the function, the lower right part lists some properties of the currently selected parameter. What you can do here:

editing To change a parameter, click its value field and enter the desired value. Hit the tab key or the enter key to move to the next parameter.


copy, paste You can copy and paste parameter values between the parameters window and data or text windows using the Copy, Cut, and Paste commands from the Edit menu. If you choose Copy with no parameter value selected, all parameters are copied to the clipboard, separated by tabulators. If you choose Paste with no parameter value selected, the text on the clipboard is assumed to contain several values separated by spaces, tabs or carriage returns, which are then used to change all parameter values.

limits A parameter can have upper and lower limits, which are displayed in the lower right part of the Parameters window. These limits are used to constrain the parameter during fitting and function optimization. To change a limit of a parameter, select the parameter and enter the limit in the corresponding field. To remove a limit, select the parameter and clear its limit.

fitting mode To change the fitting mode of a parameter, check or uncheck the option “Use for fitting” in the lower right part of the window. If you check this option, the parameter will be varied during fitting and optimization, otherwise it will be kept fixed. The fitting mode of a parameter determines the style of its name in the Parameter window. Parameters with names displayed in **bold face** will be varied during a fit. Parameters displayed in normal type face are kept fixed during a fit. As an alternative to using the “Use for fitting” checkbox, simply click the name of the parameter to toggle its fitting mode.

Setting one of the parameters of a function to be equal to the value of x

You can enter the expression '=x' when changing the value of a parameter in the parameters window:



The selected parameter is forced to be equal to the current x-value of the function.

If you want to study the dependence of a function upon various parameters, you can define your function as a function of parameters only, without explicitly using the variable 'x'. You then designate the parameter treated as the x-value by entering '=x' for its value in the parameters window.

If you explicitly use the variable 'x' inside a function and also define a parameter to be equal to x, both will have the value of x: A function like $y:=a[1]*\sin(x)$ becomes the function $y:=x*\sin(x)$ if a[1] is set to be equal to x in the parameters window.



If you define your own function, you cannot use this feature for parameters that you use in the procedure `first` because x is not defined in the procedure `first`. If you set a parameter to be equal to x, its value will be undefined in `first`. (See Chapter 9, “Defining functions and programs”, for more details.). If you plan to set a parameter equal to x, never use it in the function `first`.

Using functions


The following explains what you can do with functions. It does, however, not describe how to plot or fit functions – these topics are covered in Chapter 8, “Fitting” and Chapter 7, “Drawing”.

Calculating function values

You can calculate the y -value of the currently selected function for a given x -value by choosing **Calculate Function(x)** from the Calc menu (the name of this command changes – it always uses the name of the currently selected function):

You can calculate the y -value of the currently selected function for a given x -value by choosing **Calculate Function(x)** from the Calc menu (the name of this command changes – it always uses the name of the currently selected function).


If you click **OK**, the function is calculated for the given x -value, its y -value is printed in the results window, and the dialog box disappears.



If you click **Do It**, the function’s value is displayed in the dialog box and written to the results window. The box does not go away and you can calculate other values of the function immediately.

If **Use fitted params** is checked, the resulting parameters of the last data fit are used for calculating, otherwise the parameters displayed in the parameters window are used.

Choosing **Tabulate Function(x)...** allows you to create a table of the function’s values in a data window. You are prompted for the first and last value of the table and its step width:



If you enter a numerical value for Step, the function is calculated at equidistant x -values. If you enter ‘auto’ in the field ‘Step’, proFit chooses the x -values at which the function is calculated by using a special algorithm that decreases the distance between calculated points wherever the function is strongly


bent.

To tabulate the function at the values of the x -column of the current data window, enter 'points' in the field 'Step'.

Instead of 'auto' or 'points' you can enter a single 'a' or 'p'.

Optimization of functions

The command **Optimize** from the Calc menu lets you find the maximum or minimum of a function by varying the function parameters and/or its x -value.



If you check **the active parameters**, the algorithm will vary all parameters that are presently marked as active (i.e. which in the parameters window have a bold face name and "use for fitting" checked). The parameters are only varied within their limits, if such limits are specified.

If you check **X**, the algorithm will vary the function's x value. Otherwise the x -value is kept fixed at the given value.


The settings under **precision** affect the accuracy and speed of the calculation. If your function is slow, you should first choose a low precision and, once you are satisfied with the results, choose a higher precision.

Print full description controls the amount of information to appear in the results window.

Note that the command "Optimize" is designed for multi-dimensional optimization. If you only want to vary the function's x -value but not its parameters, you should use the faster command "Extrema" described below.


Finding roots

The **Analyze** submenu in the Calc menu allows you to calculate the roots, the extrema and the integral of a function:



Roots

The roots of a function $f(x)$ are those values of x for which $f(x)$ takes a given value, such as 0. To calculate the roots of a function, choose **Roots** from the Analyze submenu (menu Calc)




Here, you can select the range within which to look for roots. This range is divided into a given number of sub-intervals.

Example: If you look for the roots $f(x) = 0$ of a function between $x = 0$ and $x = 1$ and specify ten sub-intervals, pro Fit looks for roots in the intervals $[0, 0.1]$, $[0.1, 0.2]$, etc. In each interval $[a, b]$ it checks if the sign of $f(a)$ is opposite to the sign of $f(b)$ (or if one of these values is undefined and the other defined). If this is the case, the corresponding interval is searched for a root.

Enter a value Y in the field **Look for $f(x) =$** to find the roots of the equation $f(x) - Y = 0$. Per default, this value is 0. For example, you can use this feature to find all x -values where a function becomes equal to 1.0.

Table of roots

By choosing Table of Roots from the Analyze submenu, you can create a table of the roots of your function for different values of one of the function's parameters:



The top part of the box contains the same entries as the Roots dialog box (see above). In the lower part of the box, you can enter the parameter you want to make the table for, its range and the step width for tabulating.

Note that if you have more than one root for a given parameter value, only the first root will be found and entered in the table for every value of the parameter you vary.

Finding minima and maxima


To find the **extrema** of a function (i.e. the x-values where $f(x)$ becomes largest or smallest), choose “Extrema” from the Analyze submenu (menu Calc). A dialog box similar to the one for the Roots command appears. You enter the x-range within which extrema must be found and a number of sub-intervals. proFit tries to find one local extremum (minimum, maximum) within each sub-interval.

To **tabulate** the extrema of a function (i.e. the x-values where $f(x)$ becomes largest or smallest) for different values of one of its parameters, you choose “Table of Extrema” from the Analyze submenu. The dialog box displayed by this command is again the same as for the roots command (see above)

Note: If you want to find the extrema of a function by varying not only its x-value but also its parameters (multi-dimensional optimization), use choose “Optimize” from the menu Calc. This command is described above.

Integration

To calculate the numerical integral of a function, choose Integral from the Analyze submenu (menu Calc). In the dialog box that appears you can enter the limits of the integral as well as the number of iterations




The number of iterations affects the accuracy of the results. A larger number of iterations yields a more accurate result but more time is needed for the calculation.

To **tabulate** the integrals by varying a parameter of the function or one of the integral's limits, choose Tabulate Integral from the Analysis submenu.

The Spline function

There is one special function in the list of predefined functions: the **Spline** function. The Spline function is defined as a smooth cubic Spline curve going through all your data points. The Spline function is useful for interpolation, especially when you do not have a mathematical model for your data. This is a simple data set together with its Spline function.



To use the Spline function for a given data set:

1. **Choose the Spline function from the Func menu.**
2. **Bring its parameters window to the front and click the “Select Data” button.**

A dialog box appears:

Spline Settings

The set of coordinate points used by the Spline function is given by:

Current data set

Data Window population data

X Column • year Y Column • population in ...

Function Parameters

Number of points:

Set x-coordinates to equidistant values in the current range

Check **Current data set** to use the x- and y-column of the frontmost data window. It will then use the set of data points (x_i, y_i) in a data window, where the x_i column and the y_i column are identified by small 'x' or 'y' labels in column head (change the default x- and y- columns by clicking the header of a column while holding down the command key.).

Check **Data Window** to use another data set from a data window.

Check **Function Parameters** to use the parameters of a function as x- and y-values. This allows, e.g., to fit a Spline function to some set of noisy points, in order to get a smooth guide-to-the-eyes curve. When doing this, be careful not to choose too many points for Spline-definition. Other types of functions that are useful to draw a smooth line through a set of noisy points are available as external functions, as part of the pro Fit distribution package.



If you do not use the “Select Data” button in the parameeters window, then the Spline function will use the data in the frontmost data window (Select the appropriate x- and y-column by clicking the desired column number while holding down the command key).



If you did use the “Select Data” button, but you close the data with the data set used by Spline, then the Spline functions reverts back to using the data set in the frontmost data window.

6 The Preview Window

There are generally two different approaches that are used by plotting applications for managing graphs and the data used to generate them:

- The first one consists in maintaining a permanent link between the data you plot and the result of the operation (the graph). In this approach whenever you edit the data you used for creating the plot, the plot automatically changes to reflect the new values of the data set. Since the link between data and plot needs to be maintained, it is in general not possible to save data and graphs separately, and they must be saved in the same document. In applications using this approach, the graph is only a different “view” of the data, but does not lead an independent life.
- In the second approach, graphs and data are independent. Although a graph can be created from data, and data can be recovered from a graph, the two documents lead separate lives. After it has been created, the graph does not know anymore about the origin of the data used to create it, and if you modify that data, the graph remains untouched.

proFit uses the second approach. There are data documents, and there are drawing documents. From the data you can create graphs. From the graphs you can recover the data used to plot them. Drawing and Data documents can be stored and maintained separately and don't affect each other. In Chapter 7, “Drawing”, you will see how you can use the Draw menu to plot a function and a data set, obtain graphical representations of your data and functions, and edit the graphs to obtain the precise graph style you are looking for.


There is an ongoing discussion between the supporters of the first approach outlined above and the supporters of the second approach used by proFit. A link between data and its graphical representation is in fact also useful. proFit's answer to this dilemma is the **Preview Window**.

The preview window is a graphical representation of the current function and/or the current data set. It gives you a graphical “view” of the function and the data set. Any change in the data set or in the function is reflected in the preview window. You can even use the preview window to *graphically edit* the function parameters or the data set.

Use the preview window to have a “quick look” at a function or a data set without actually plotting it. For instance, you can let the Preview Window be a floating window and keep it in front while you load many different data files. The preview window will automatically display all data contained in the current x- and y- columns of the front window.

You can also use the preview window to view functions, graphically edit function parameters, select a range of data points, compare a function to a data set, etc.

Choose **Preview** from the Windows menu to see proFit's Preview Window. This is how the Preview Window looks like when it has its smallest size and is not working as a floating window.



On the left side of the Preview Window there are some check boxes that determine how the window behaves and what it shows. The main part of the window is a rectangular viewport that shows a graphical representation of the current function and data set. On the right of the window there is a tool palette with tools for changing the coordinates displayed by the viewport, for graphically editing the function and the data set, and for determining precise x- and y- coordinates.

Check **Floating** to make the preview window a “floating window” which always stays in front of all document windows. Uncheck this option to transform it into a normal window, which you can be hidden by other windows.

Check or uncheck **Show data** and **Show function** to choose what is shown in the window. When Show data is checked, the window displays the current data set, *i.e.* the x- and y- columns of the current data window. You can select the data set to be shown in the preview window by clicking the **Data** button or by directly setting x- and y- columns in the data window

The **Fitted params** check box appears whenever a fit was successful, to give you the option of seeing a plot of the function using the parameters obtained in the last fit, instead of seeing the function with the parameters shown in the Parameters window.

Click the **Redraw** button if you want to let proFit redraw the complete function at maximum resolution. proFit automatically decreases the resolution at which it draws the function if it notices that the function is too slow. You can override this by clicking the Redraw button.

The **Undo** button appears only when the Preview Window is floating, and it allows you to undo the last operation. When the Preview Window is not floating, you can undo the last operation as usual, by choosing Undo from the Edit menu.

At the right end of the title bar there is a **zoom box**. Click it if you want to work with a larger window.

At the edges of the rectangular viewport that displays the function and the data set are four edit-fields giving the coordinate range to be displayed. You can edit the values to change the x- or y- range. Between these edit-items there are check boxes labeled **auto** and **log**. Check them to let proFit automatically recalculate the ranges based on the ranges of current function and data set, or to use logarithmic scaling.

There is a **permanent link** between the preview window and the data or function it displays. The preview window always displays an up-to-date representation of the current function and data set. Change a coordinate in the data window, or add a data point, and the corresponding point will automatically appear in the preview window. Change a function parameter and the representation of the function in the preview window will be updated automatically. Modify a function definition and add it to the menu once again, and the preview window will automatically display the new function.

If you select data points in the preview window, the corresponding rows are selected in the data window. If you select some rows in the data window, the corresponding selection is shown in the preview window. There is even the possibility of clicking and dragging data points in the preview window. Doing so changes their coordinates in the data window.

Preview Window Appearance

You can set the color and appearance of data points, function curve, and markers by choosing “Preferences...” from the File menu.

Preview Window Tools

To the right of the preview window there is a palette of five different tools. You can use them to select data points and change their coordinates graphically, to change the ranges of the preview window viewport, to graphically change the value of the function parameters, and to set coordinate markers.



Selecting data points with the arrow tool



Use the **arrow tool** to select data points. Simply click a data point to select it. Click and drag to select a range of points with a selection rectangle. Hold down the shift key to add points to the current selection, or to remove points from the current selection. If you hold down the **shift** key while dragging a selection rectangle, the selection state of the data points contained in the rectangle toggles between selected and not-selected. Hold down both shift and **option** keys to always add the points inside the selection rectangle to the current selection.

You can set the **color** of the data points and the color used to mark selected data points using the **Preferences...** command in the File menu. If you have a monochrome monitor, pro Fit will use a dithered pattern to mark the selected points.

Whenever you select a data point in the preview window, the corresponding row is selected in the data window. If you then choose Data Transform... from the Calc menu, you can perform calculations on the data in the selected rows only.



Selecting a data point in the preview window always selects the *whole* corresponding row in the data window. If you select a range of data points in the preview and then delete them, you will delete all data in the selected rows and not only in the current x- and y-columns

Changing the ranges of the preview

You can change the ranges of the preview either by editing them manually, or by using the **drag tool** or the **zoom tool**.



Click in the viewport area with the drag tool and drag the area of the data set or function curve displayed by the preview. The ranges of the preview will change accordingly. You start dragging inside the viewport, but you can go on dragging also outside, thus changing the coordinates by a large amount.



Click in the viewport area with the **zoom tool** (the lens) to zoom in and magnify the clicked area. Hold down the **option** key while clicking to zoom out.

If you hold down the **command** key you can click and drag with the zoom tool, thus selecting the precise area that will be displayed in the viewport after zooming.

Dragging the function curve



Select the **fitting tool** and click in the viewport. Hold down the mouse button while you move the mouse. The curve of the function follows the position of the mouse while the selected function parameter is adjusted accordingly.

When using the fitting tool, you must specify which parameter you want to vary. You can do this either by clicking it in the parameter window, or by choosing its name from the small popup menu that appears below the tools palette in the preview window. You can only vary one parameter at a time.

When you select the fitting tool and click into the preview, the selected parameter is varied until the function curve goes through the point indicated by the mouse. proFit does this by numerically solving the function $f(a,x)=y$, where a is the selected parameter and (x,y) is the point indicated by the fitting tool. If it is mathematically not possible for the function to go through that point, no matter what the value of the selected parameter is, then you will not be able to drag the function curve to that point. The same applies if proFit fails to find numerically the correct value for the parameter.

If you use the fitting tool with a slow function, proFit will automatically reduce the resolution with which the function is drawn, so the function will not appear to be smooth anymore. The resolution will be increased again once you are finished dragging. Click the Redraw button to achieve the maximum resolution.

Inspecting and editing coordinates



The last tool in the tools palette can be used to place **coordinate markers** on a given data point, or on the function curve. Select the marker tool and click the curve or a data point. proFit creates a new marker at the indicated position

While you move the marker tool around inside the viewport of the drawing window, the corresponding coordinates are displayed in the bottom left corner of the preview window.

When you create a new marker, it becomes the **active marker**. The active marker is always flashing on and off.

You can create any number of markers. The first marker you create is the **reference marker**. Subsequently created markers are auxiliary markers and are numbered starting from 1. Their number appears when they are active (when they are flashing).

To set the color of the reference marker and of the auxiliary markers, choose Preferences... from the File menu. If the reference marker cannot be distinguished by its color, proFit automatically draws it larger.

Marker coordinates are displayed in the bottom left corner of the preview window. If there is more than one marker, there can be two other coordinates displayed to the right of the marker coordinates. They correspond to the distance between the reference marker and one of the other markers.

What the coordinates mean:

	x, y are the coordinates of	$\Delta x, \Delta y$ are the distances from
No active markers around	the reference marker	the other marker (if there is only one)
One active marker	the active marker	the reference marker

If a marker is active, its coordinates are displayed in **editable** fields. Edit any of these fields to set the coordinate of the marker.

If the marker is a data marker and the preview window is big, the data window row number that corresponds to the marked data point is also displayed. It is found above the x-coordinates and is labeled “ $i =$ ”



The behavior when changing the text in the edit fields containing the marked coordinates varies depending if the marker is on a data point or if it is on a function curve.

- If the marker is on a data point, the coordinates displayed in the edit field correspond to the coordinates of that data point in the data window. Editing them changes the values in the data window.
- If the marker is on a function curve, editing the coordinates sets the position of the marker. If you edit the y-coordinates, proFit numerically inverts the function to find the corresponding x-value. You can use this feature also as a shortcut to calculate the inverse of a function, or its root.

Coordinate markers can be accessed from proFit programs using the predefined functions GetMarkedX, GetMarkedY, and GetMarkedCoords.

Managing coordinate markers

We already saw above how to create markers and look at their coordinates. There are a few other simple operations that can be applied to markers.

- Click a marker to make it active.
- Click a marker while holding down the option key to transform it into the reference marker
- Hit the delete key (backspace) while a marker is active to delete it.
- Click and drag a marker to move it to a new position.
- Move a function marker to the right or left border of the viewport to delete it.

To move a marker, click and drag it, or use the left and right arrow keys. A data marker jumps to the next point to its left or its right, a function marker will move along the function curve. proFit makes sure that you don't move a marker outside the ranges of the viewport. You can override this by holding down the option key while moving the marker with the arrow keys.

When you have markers on the function and you uncheck the show function checkbox, all of them are deleted. The same applies to markers on data points when you uncheck the show data checkbox.

Uncheck and check the show function and/or show data checkboxes if you have many markers around and want to get rid of all of them in one rapid move.

Data markers store their position as the number of the data point they mark. If you have data markers around and you delete or add points to the data set, the data markers might move to a new data point. If no new point corresponding to the old index is found for a given marker, that data marker is destroyed.

If you have function markers and you change the ranges of the display in such a way that their x-coordinates are not visible anymore, those markers are destroyed.

Tips and tricks

Using the preview window during a fit

If Show function is checked during a fit, the function is redrawn from time to time to show how it changes during the fit. This lets you monitor how well the fit converges. However, drawing the function takes time. You should close the preview window or uncheck Show Function to obtain the fastest fitting.

The same thing happens when you use the Error Analysis feature. To perform error analysis, pro Fit generates random sets of synthetic data points and fits the function to it. If Show Function is checked in the preview window, you will see how the function curve varies in correspondence to the fitted parameters.

See Chapter 8, “Fitting”, for more details on the fitting process and the Error Analysis algorithm.

Choosing initial values of function parameters

You can display the data you want to fit together with the fit-function in the preview window. You can then use the fitting-tool to drag the function in such a way that it follows the data points as closely as possible. Try using the fitting-tool with the various parameters you want to fit.

This is a kind of “hand fitting” that can be a very useful and fast way to set up a reasonable set of starting parameters for a fit.

For special applications, you can also mark certain features of your data set using coordinate markers and write a small program which reads the coordinates of these markers and uses them to calculate the optimal initial values for the parameters of the current function.

7 Drawing and Plotting

Drawing and plotting takes place in a *drawing window*. This window supports most features of commonly used drawing applications.

We will first describe the drawing window and its general features.

The section “Drawing” discusses standard drawing objects and editing techniques.

The section “Plotting” is devoted to the plotting commands used to produce graphical representations of your data and functions. It discusses how to manage graphs and how to edit them.

The drawing window

A drawing window always contains one single page. You can select its size and orientation by choosing Page Setup... from the File menu. Before choosing Page Setup, make sure that you have selected a printer in the **Chooser** that you have selected your preferred desktop printer in the Finder.

A dotted rectangle frames the *printable area* of the page. Objects that lie outside this rectangle do not print. See your printer’s manual for more information on printers and paper sizes.

You can view the page in a drawing window using various zoom factors, which you can set using a popup menu in the drawing window tools palette.

Drawing tools

pro Fit provides various tools for editing drawings. These tools are collected in a “tool box”, which is either placed in the left margin of a drawing window or in a separate floating window.

To place the tools in a separate drawing window, choose “Drawing Tools” from the Windows menu. The floating tools palette appears. To move the tools back to the drawing window, simply close the floating window.

If you will never want to have drawing tools inside the drawing windows, you can disable this option: Choose “Preferences” from the Files menu and check “Always use floating toolbox” in the “Drawing” panel.

The upper part of the tools palette contains tools that are used to select, move or create simple objects, such as rectangles and text. Then there is a tool that can be used to pick up a color and apply it to another graphic object and a tool that lets you draw the individual data points such as those used in graphs. A further tool is provided for generating control shapes, such as buttons. The rest of the tools palette contains popup menus for setting line styles and fill patterns, and for choosing the zooming factor of the current view in the drawing window. The drawing window can be viewed at zoom factors from 25% to 400%. To learn more about these tools, refer to the section “Drawing” later in this chapter.



Coordinates, accuracy and drawing info

proFit uses floating point numbers to store the size and position of the various drawing objects. This provides a positioning precision that is much more accurate than any output device (printer or monitor). This is important because all drawing objects can also be created by a user-program. If you write a program that produces graphical output, then you are likely to need a high precision coordinate system. proFit gives you just this. Any drawing that you generate from a program is produced at very high resolution and it will give optimal results when printed on any output device or when exported to other applications as a picture or a QuickDraw GX shape. The precise coordinates of any drawing objects can also be viewed after it has been created using the proFit Drawing Info window, which will be described later in this chapter.

Although all coordinates are precise floating point numbers, apparent accuracy will obviously suffer when drawing on a low resolution device, such as a normal monitor. In order to represent your drawing at a certain resolution, determined by the zoom popup menu, proFit must round the floating point coordinates describing a drawing object.

When you draw something at a low resolution, proFit must figure out reasonable floating point coordinates. It does this by “extrapolating” from the low resolution appearance in such a way that a high resolution view would give the same symmetry. For example, at the 100% view you can draw three overlapping lines with thicknesses of 0.25, 0.5 and 1.0 pts. All three lines have exactly the same appearance (e.g. they appear 1 pt thick). proFit sets up the floating point coordinates of the lines in such a way that the thinner lines are **centered** on the 1 pt thick line.

Thanks to this interpretation you get the same result, at 100% view, if you draw a 1 pt line and then make it 0.25 pt thick, or if you draw a 0.25 thick line directly. On the other hand, if you draw a 0.25 pt thick line at 400% view, go to 100% view, and draw another 0.25 pt thick line on top of it, the two lines will not overlap. This is because the first line was positioned with a much larger precision than the first line. Use the **Align** submenu in the Draw menu to make sure that such lines really overlap, or look at their coordinates using the Drawing Info window (see later).

Likewise, if you have two graphs or rectangles, set their size to be exactly equal, and overlap them at 100% view, one of their borders might be off by one pixel if their *position* is not exactly the same. This is because roundoff errors must occur when calculating their rounded coordinates at 100% view. If you set their position to be exactly equal (using the Align command or using the Drawing Info window), the roundoff errors are exactly the same for the two objects, and they do overlap exactly in the 100% view, too.


If you are concerned with precise positioning, e.g. when drawing overlapping lines or placing arrows on the axes of a graph, always go to a larger zoom factor (e.g. 400%) or have a look at the underlying floating point coordinates. You can do this using proFit’s **Drawing Info window**.

Choose “Coords” from the Windows menu to see this floating window.


Whenever a single drawing shape is selected, the Drawing Info window shows its floating point coordinates, i.e. its size and its position in coordinates that make sense for the particular shape which is currently selected.

The first row of the Drawing Info window gives the absolute coordinates on the paper, the second row gives the dimensions of the selected shape, and the third row gives the angle of its diagonal and its length. The last row shows the current coordinates of the mouse. The units used to display the coordinates can be chosen using the “Preferences...” command.

All the coordinate fields are **editable**. Simply click a coordinate and enter a different number to change the size or the position of the selected shape. For example, you can set the precise length and orientation of a line by entering the corresponding coordinates in the edit fields in the third row.



The Lens check box lets you open a small viewport with an enlarged version of the region around the mouse.



Drawing objects

A drawing contains different *objects*. There are four different classes of objects in a drawing window:

- Objects that are created by choosing **Plot Function** or **Plot Data** from the Draw menu, such as a graph and its associated legend.
- Objects that are created using the tools in the upper part of the **tools palette**, such as texts, lines and rectangles.
- Objects that were created in another application and that are imported as pictures to pro Fit by choosing **Paste** or **Subscribe To** in the **Edit Menu** (or by dropping them in a drawing window).
- Publishers created by **Create Publisher** in the Edit menu. Everything within a Publisher’s rectangle is part of the picture that is made available to other applications.

The first class of this list (graphs and legends) is discussed in the section “Plotting”. The other classes (objects created by using the tools palette, imported pictures, Publishers and Subscribers) are discussed in the following section.

Drawing

This section describes the general drawing commands and the use of the tools palette.

General drawing commands

General drawing commands apply to all types of drawing objects. These commands are probably already known to you if you ever used any drawing application.

Here we shortly review them one by one.

To **select** an object in the drawing window:

1. **Choose the arrow tool in the tools palette by clicking the box containing the arrow symbol.**
2. **Click the object you want to select.**

A selected object has four small black rectangles (*selection handles*) at the corners of its enclosing rectangle.



To select **multiple** objects, you can either click on the desired objects while holding down the shift key, or you click into an empty part and drag the mouse to generate a dotted selection rectangle: every object enclosed by the rectangle will be selected. Click on an object while holding down the shift key to deselect it.

To **move** an object:

1. **Click the object and hold down the mouse button.**
2. **Drag.**

If you hold down the **shift** key while dragging, movement is constrained to horizontal or vertical directions. If you hold down the **command** key while dragging, movement is constrained to diagonal (45°) directions.

In MacOS 7.5 and later, or if you have the Drag and Drop extension installed, you have a few more options available:

- If you hold down the **option** key while dragging, the object is **duplicated**, i.e. a copy of the original is created at the destination instead of simply moving the original.
- You can drag one object from one drawing window to another. If you do this, a **copy** of the object is created in the destination window.
- You can drag objects to any other application (supporting drag and drop), or to the Finder's desktop. In the latter case the Finder will produce a small picture clipping, which you will be able to use later on, either by dragging it back to a pro Fit window, or by using it in another application.
- You can drag objects into the Trash to delete them.

To **change the size (resize)** of an object:

1. **Select the object.**
2. **Click into one of the four black selection handles at its corners and drag.**

While dragging, the new outline of the object is shown.

If you hold down the **shift** key when resizing, the **proportions** of the object are maintained, or the height or width remains constant. If you hold down the **option** key when resizing, the horizontal and vertical dimensions of the object become equal. If the object is a group of different objects, hold down the **command** key to tell pro Fit to resize all of the objects of the group, regardless of their type (normally pro Fit would not automatically resize texts or data points).

To **rotate** an object:

1. **Select the object.**
2. **Choose the desired rotation from the Rotate submenu in the Draw menu.**

All objects except graphs and legends can be rotated by angles multiple of 90°. Lines, Polygons, and Rectangles can be rotated by any angle, not just multiples of 90 degrees.

To **flip** an object, i.e. to exchange its left and right sides or its top and bottom:

1. **Select the objects to be flipped.**
2. **Choose the desired operation from the Flip submenu in the Draw menu.**

“Flip Horizontal” exchanges the left and right side of the objects. “Flip Vertical” turns it upside down.

Note that you can only flip lines and polygons. It is not possible to flip graphs, legends, imported pictures, or text. (Flip has no effect on rectangles and ovals).

To **change the order** in which several objects overlap:

1. **Select the appropriate objects.**
2. **Choose the desired operation from the Send submenu in the Draw menu.**

You can move objects one position forward or backward (commands “Forward” and “Backward”) or you can bring them to the front or to the back of all other objects in the window (“To Front”, “To Back”).

To **align** objects:

1. **Select the objects to be aligned.**
2. **Choose the desired operation from the Align submenu.**

Using this menu, you can align objects to each other, or distribute them regularly. If the objects are a group of text objects, then every object retains its alignment when you edit it.

To **group** objects:

1. **Select all objects to be grouped.**
2. **Choose Group from the Draw menu.**

Objects that can be double-clicked to change them (*e.g.* text objects, a graph, or its legend), can also be double-clicked and changed while they are part of a group. You don’t have to ungroup them. If the objects are text objects and you aligned them with the Align command before grouping them, their alignment will be maintained when they are edited.

Choose Ungroup from the Draw menu to ungroup a group.



If you resize a group containing text objects or data point symbols, the proportions and size of the text and data points remain the same. If you want to resize them proportionally with the group, hold down the **command** key while resizing the group

Objects created with the tools palette

The upper part of the tools palette contains the drawing tools needed to create some of the more simple drawing objects.

The lower part contains pop-up menus to select background patterns, line widths and dashing, and arrows. Their use is explained in the section “Editing drawing objects”.




Text objects





Use the text tool to create text objects:

1. Select the text tool from the tools palette.
2. Click inside the drawing window.

The text dialog box appears:



Here you can enter your text and specify font, font size, text styles and the vertical position of each character. proFit uses the command key equivalents “H”, “T”, and “S” for the fonts Helvetica, Times, and Symbol, respectively.

The **Superscript** and **Subscript** buttons (keyboard equivalents  and ) switch to superscript or subscript characters with smaller font size. The **Normal** button (keyboard equivalent: command key – space bar) restores the vertical position and the font size to their previous settings.

To set the vertical position of the selected characters, click and drag the **baseline indicator** (black triangle at the right side of the text box). To shift the vertical position, click the white triangles above and below the baseline indicator. Clicking the white triangle above (below) moves the selected text up (down) by three points. If you hold down the option key while clicking the triangle, the offset is only one point.

The **size** of the selected text can be set by changing the font size in the size field or to use the pop-up menu to its right. To increase or decrease the size of all selected text proportionally, click one of the triangles at the right of the size pop-up menu. Doing so increases or decreases the text size by approximately 10 – 20 %. To increase or decrease it by just one point, hold down the option key while clicking the triangles.

Each text object contains only a single line of text, for multiple lines you must create a text object for each new line.

Hint: To write a text having several lines in a drawing window, edit the text in a function window or in the results window. Then copy or drag and drop it into the drawing window – each line is converted to a text object. If your original text contains tabulators, pro Fit will use them as column delimiters to order the text in a table. Ungroup the resulting text group if you want to edit the position of the columns.

You can set the **justification** of a text object (right justified, left justified or centered) by using the align commands in the Draw menu (left, right, center horizontally). The default justification is centered.

If you have several lines of text objects (use distribute in the align menu to make equidistant lines), you can set the justification of these texts and then group them. They will preserve their justification when the group is resized or the texts are changed within the group by double-clicking them.



If your text object is part of a group object, it is not resized when the group is resized. If you want to resize the text objects within a group, you must hold down the command key while resizing the group.

Rectangles and ellipses



Rectangles and ellipses are created using the corresponding tools of the palette. Select the appropriate tool, click the desired position of one corner of the rectangle (or the enclosing rectangle for an ellipse) and then drag the mouse to the opposite corner.

Lines and polygons

Crating lines and polygons is easy as well. Select the appropriate tool, click the start of the line and drag to its end. For polygons, click at the positions corresponding to the corner points of the polygon (release the mouse when moving from one point to the next). Double click when finished.



By holding down the mouse button for a while when you select the polygon tool, you can change the tool to the one for closed polygons


Hold down the shift key to constrain lines (or polygon sections) to horizontal, vertical, or diagonal directions.

When drawing a polygon, hold down the command key and double-click to create a corner that remains a corner even when the polygon is smoothed.


Lines and polygons can have **arrows**. To define at which ends of the line (polygon) arrows must be drawn and to select the type and size of the arrow(s), use the arrow pop-up menu in the tools palette.

To **smooth** polygons:

1. **Select the polygon you want to smooth.**
2. **Choose the appropriate smoothing method in the Smooth submenu in the Draw menu.**



The two possibilities for smoothing can be seen in the figure below. You can either select a standard Bézier curve that does not touch the corners of the polygon, or you can select a smoothed curve that goes through all the corners of the polygon.




An unsmoothed polygon and its two smoothed versions.

To **reshape** polygons:

1. **Select the polygon you want to reshape.**
2. **Make sure it is in reshape mode.**

If the selection marks of a polygon appear at the corners of its enclosing rectangle, the polygon is not in reshape mode. If the selection marks appear at its corners it is in reshape mode:



3. **If the polygon is not in reshape mode, choose Reshape from the Draw menu, double-click it, or type the Enter key**

This puts the polygon into reshape mode.

To **move** one of the corner points of a polygon, click and drag it. To **remove** one of the corner points, click it while holding down the option key. To **add** a corner point, click a line of the polygon while holding down the option key. Note that you can only add points to unsmoothed polygons.

Points


When plotting data, the data points are represented by special symbols. You can create such plot symbols manually anywhere in a drawing window. This is useful for creating your own legends or for exporting single point symbols to other applications (*e.g.* for figure captions).

Since the point symbols can assume a quite large size, they can also be used as parts of standard drawings. Data point symbols can be edited using a particular set of tools that let you achieve effects not easily achieved with other drawing objects (below you will find more details about editing data point symbols).

To create a point object:

1. Choose the point tool from the tools palette.

Keep the mouse button down for a little while to select the symbol that you want to use. A pop-up menu with a choice of data points appears. Its top part contains a set of standard, predefined point symbols. The last line contains user-defined symbols, and the Other... field lets you define new point symbols.



2. Click the desired position within the drawing.


A new point symbol drawing object is created.


1. Choose the point tool from the tools palette.

To change the plot symbol of a point object, select it and choose the desired symbol from the point style pop-up menu in the tools palette (or double-click it to go directly to the custom points dialog box).

If the selected object is a graph or a legend, the new point style is applied to the data plots contained in the graph. See the section ‘Graphs and legends’, later in this chapter, for details.

On the right you see a selection of the data point styles offered by pro Fit. Choose Other... from the point style menu to create your own data point symbols using the “Custom Points” dialog box:





proFit defines a data point symbol as a background shape and a foreground shape. With this dialog box, you can design both of them. proFit offers some predefined simple shapes, and lets you edit any closed polygon to define a new data point symbol. In the above example, both foreground and background shapes are defined using a closed polygon. You can use this dialog box simply to change the size of an existing point symbol, or to design more complicated point symbols.

Draw the foreground and background shapes in the preview area at the right of the dialog box. Use the popup menu above it to set the magnification of the preview. The center of the preview area defines the “hot spot” of the data point symbol. When plotting, the “hot spots” of data point symbols are positioned on the correct mathematical coordinate.

Draw a closed polygon by dragging the polygon handles (the little circles or squares at the edges of the polygon). To make your work easier, proFit lets you define a rotational symmetry and mirror symmetries. Choosing 5 from the **Symmetry** popup menu (like in the above example) tells proFit to draw the definition points at 5 positions $360/5$ degree apart before connecting them with lines. Use the **# Pts** popup menu to set the number of definition points. Checking the **H** or **V** check boxes tells proFit to draw the definition points at the 2 positions obtained by mirroring them at a horizontal or vertical axis, respectively. You can achieve quite astonishing effects by combining these symmetry settings and using only one or two definition points.

Hold down the shift key while dragging a polygon handle to constrain the dragging along radial directions. Hold down the command key while dragging a polygon handle to resize and rotate the whole polygon in one single move.

Choose a Symmetry of “1” and no mirror symmetries to draw a polygon free-hand.




Note that if you do this you can draw a polygon that is not centered inside the preview area. This means that if you use such symbols for plotting, the symbols will not be centered on the mathematical coordinates of the data points.

Click the **Copy to Menu...** button to add the point symbol you just defined to the point symbols menu for later use.

The data point symbols you define are normally used when plotting (see the section “Plotting”, below, for more details on this). However, you might also want to use them to achieve some special effect in a drawing. For example, you can use a triangle or a rectangle to define a point, and you can rotate them by any amount. You can’t do this that easily using the standard drawing tools. You can also define closed polygons with any special symmetry. The data point symbols you define can then be used as drawing objects in the drawing window (their size can be quite big). You will be able to resize them as usual by dragging a selection handle, and you can always modify them by double clicking them.

Control shapes



Control shapes allow you to add buttons, check boxes, radio buttons, text fields, popup menus and image wells to a drawing window. These shapes can be accessed by a program for generating complicated dialog boxes.

Chapter 9 of the manual, section “Attaching programs” tells you more about how to use control shapes.

The following are the control shapes that you can be used:



Buttons: These are simple objects that hilite when clicked.

Checkboxes: They change their state when they are clicked.

Radio buttons: They are checked when they are clicked. They usually come in groups. The program that manages the radio buttons is responsible for unchecking all other radio buttons when one radio button is clicked.

Text fields: These are objects that contain text. Generally, text fields can be edited. If you don’t want the text field to be editable, use a “Static text field”.

Popup menus: These are objects that have several “values” which can be selected by choosing them from a popup menu.

Wells: These shapes are usually used as background for other objects, e.g. a graph. They consist of a white rectangle.

For a more detailed description on how to use control shapes, see Chapter 9 of the manual, section “Attaching programs”.

Editing drawing objects

You can change many attributes of drawing objects, such as color, line thickness or background pattern. To do this, first select the desired object(s). Then change the attributes using the **Fill**, **Pen**, **Dash**, and **Arrow** popup menus.

A fill pattern and a fill color can be specified for all drawing objects, except simple lines. See Chapter 10, “Printing” for a list of limitations on patterns when printing with PostScript.




A line color can be specified for all drawing objects except imported pictures.

The two **Pen** popup menus are used to select a thickness and a line color. The dash pattern of a line is selected using the **Dash** popup menu. Choose Other... from this menu to design your own dash pattern and add it to the Dash menu.

The line thickness and dash pattern can be specified for all objects containing lines. If the selected object is a graph, the line styles of the axes, ticks, grid, and frame will be changed. The color also applies to the labels. (More complex options are available for the graph. See section ‘Graphs and legends’ in this chapter.)

If the selected object is a legend, you can change the appearance of the curves and data sets displayed in the legend and the corresponding graph. See the section ‘Graphs and legends’, later in this chapter, for details.




Arrows of various size and shape can be added to polygons and lines using the Arrows pop-up menu.

Arrow	Style	Size
<input checked="" type="checkbox"/> —→	—▶	—→
—→	—▶	—→
←—	—▶	—→
↔	—▶	—→
<input type="checkbox"/> —→	—▶	—→
<input type="checkbox"/> —→	—▶	—→
Other...	—▶	—→

Arrows can be added to all lines and polygons, smoothed as well as unsmoothed.

Choose Other... from the Arrows menu to design your own arrows and add your personal arrow styles to the Arrow menu.



You can define a different arrow to be used for the start and the end of a line, use half-sided arrows, define various other types of line caps, etc.

Fill colors and line colors are set using the corresponding popup menus.

To copy the **line color** from one object to another

1. Click the color measuring tool () in the tool palette.

2. Click the color you want to copy to pick it up.


The shape of the cursor changes and becomes a paint bucket.

3. Click the drawing object to which you want to transfer the color.

The line color of the clicked shape takes the color you picked with the color measuring tool.

To pick up a **fill color** for the target shape, instead of a line color, hold down the shift key while clicking with the color measuring tool.

proFit stores the color that was measured with the color measuring tool inside the standard color popup menu. This opens up an other, even more flexible possibility to copy colors.



1. Click the color you want to copy with the color measuring tool.

2. Select an object and apply the measured color using the standard Fill- or Line-color popup menus.

On black and white monitors pro Fit displays a simpler version of the color menus, with a more limited choice of color. To see the standard color menu which is displayed on color monitors, hold down the option key while clicking the popup menu symbol.

Exporting pictures

There are a number of ways to export pro Fit drawings:

- saving the whole drawing as a PICT file,
- using the Copy or Cut commands in the edit menu,
- dragging them and dropping them to their destination,
- choosing Create Publisher from the Edit menu,
- saving the whole drawing as an EPS file.
- saving some or all shapes as a GIF file.
- saving some or all shapes as a JPEG file.

In the first four cases the drawing is converted to a picture (a data structure in the so called PICT-format) or a QuickDraw GX shape. A picture can be imported into most other Macintosh applications.

Use the **Preferences...** command, in the File menu to set various options that determine which kind of picture is created. The original definition of the QuickDraw PICT format defined only pictures with the resolution of the original Macintosh screen, i.e. 72 dots per inch. To print a picture on a printer with higher resolution, additional data must be included in the picture. There are several ways of doing this, and the choice of method depends on the printer you are using and the application you are working with. See Chapter 12, “Printing”, for more details on this subject.

Saving a drawing as a PICT or EPS file

To save a drawing as a picture to be exported to other programs choose **Save as** from the File menu and select **PICT file** from the format menu in the dialog box that appears. The current PICT Options will be used for creating the picture. PICT Options are discussed in Chapter 12, “Printing”.

To save a drawing as an Encapsulated PostScript (EPS) File, choose **Save As** from the File menu and select **EPS file** from the format menu in the Save As dialog box.

The size of EPS files created in this way is kept as small as possible. This small size is useful when you want to transmit your pictures over e-mail to a publisher. However, keeping a small size introduces some limitations on the number of text formatting options you can use. If a certain text-formatting option is not supported by the PostScript font you plan to use, like “Outline” or “Shadow”, or “Underline”, then these text formats are ignored when storing your document as an EPS file. Typographical formatting styles like Bold Face or Italic are nearly always available in all common PostScript fonts.

There is another point involved in keeping the size of EPS files small, and it is again connected to fonts. pro Fit does include information on the fonts used in your document, but does not include the fonts themselves. So make sure that you use fonts that are available to the application to which the pro Fit EPS files are imported.

An alternative way to generate an EPS file is to choose Print... from the File menu and select “File” as destination. If you do this, the created EPS file will be much larger, but it includes the whole definition of the fonts you use in your drawing, and it also includes and PICT-data, such as drawings pasted from another program.

A pro Fit EPS file contains a PostScript representation of the drawing for printing, and a picture to display on screen (called the *template*). The format of the picture template that is included in EPS files

can be selected using the PICT options panel of the Preferences dialog box (File menu). All PICT options can be used except the “embedded PostScript” option (which will automatically be replaced by “normal”). It is advisable to use the high resolution bitmaps only if the high resolution information is really needed. Otherwise use a normal picture or a low resolution bitmap because they require less memory. PICT Options are discussed in Chapter 12, “Printing”.




A drawing saved as an EPS file cannot be opened by pro Fit anymore. And PICT files will be opened as a single picture shape.

To be able to modify it later, save a copy in the pro Fit format!

Saving a drawing as a GIF or JPEG image file

To save a drawing as a Graphics Interchange Format (GIF) image or as a Joint Photographic Experts Group (JPEG) image, choose **Save as** from the File menu and select **GIF file** or **JPEG file** from the format menu in the dialog box that appears. Then you select from these options:



Color depth:	The maximum number of different colors in the image.
Background color:	The background color, e.g. between different shapes.
Interlaced:	The image reconstruction will happen step by step. For GIF files only.
Smooth:	Anit-aliasing by 2x enlarged drawing and subsequent image reduction.
Selected shapes only:	If checked, only the selected shapes are taken from the drawing window.
Resolution:	If there is a need for higher resolutions, select a number larger than 72 dpi.
Compression:	Select the compression quality.



A drawing saved as a GIF or as a JPEG image file will be opened as a single picture shape, and, therefore, not be editable.

To be able to modify it later, save a copy in the pro Fit format!

Exporting pictures over the clipboard

To copy a part of a drawing in order to export it to another application, select the objects you want to copy and choose **Copy** or **Cut** from the Edit menu. Alternatively, you can drag the selected objects directly to their destination. The current PICT Options will be used to create the exported picture. PICT Options are discussed in Chapter 12, “Printing”.

Exporting pictures using Publishers

To make a portion of a drawing available to other applications or other users, you can also use the command **Create Publisher** in the Edit menu.


A Publisher creates a picture of a rectangular part of your drawing window, e.g. of a plot of some data. Creating a publisher will create an *Edition Container* – a file containing this picture. When you change something within the Publisher rectangle (e.g. you add some points to your plot), you can tell the Publisher to send this newer Edition of the picture to its Edition Container. In this way, the Edition Container always contains the latest version of the picture. By default, the new edition is always sent to the Edition Container when you save your file.

If you are defining a series of drawings to be included in some publication written by somebody else, it is useful to Publish the drawing using this feature, and load them into their destination using the Subscribe mechanism. Another application can import the picture in the Edition Container by selecting **Subscribe to** from the Edit menu. In this way you can be certain that the publication always contains the latest version of your graphs or drawings. Whenever the contents of the Edition Container are changed, the subscribing application will be informed of the changes and will load the newest version.

To create a Publisher:

1. **Select the objects you want to publish.**
2. **Choose Create Publisher from the Edit menu.**

The following dialog box appears:



Click the button **PICT Options** to choose the PICT options for the publisher you are about to create. (By default the current PICT Options are used.). Find more information about PICT Options in Chapter 12, “Printing”.

3. Select the appropriate name and location for the Edition Container and click Publish to create it.

In the drawing window a Publisher is enclosed by a gray rectangle. This rectangle can be moved and reshaped like other drawing objects. The publisher contains everything inside its rectangle.

Double-click the publisher rectangle to see the Publishers Options dialog box (or choose **Publisher Options** from the Edit menu). Apart from the standard items, this dialog box also contains a **PICT Options** button in the bottom left corner. Use it to change the picture format used by the publisher.

Importing pictures

Every picture in the standard PICT format or images in the formats GIF or JPEG can be imported into a drawing window. A single picture shape will be generated. (Note that you cannot paste QuickDraw GX shapes into pro Fit 5.0.)

If you use FileExchange (standard MacIntosh system software) you may convert even more file formats into PICT format which can then be imported into pro Fit. Look into the Apple manuals for more detailed information.

There are two ways of importing pictures: over the clipboard (by choosing **Paste** in the Edit menu) or via an Edition Container (by choosing **Subscribe to** in the Edit menu).

Importing pictures over the clipboard or using Drag&Drop

When you create a picture in any application you can transfer it via the clipboard by copying and pasting it or by directly dragging and dropping it into a pro Fit drawing window.

Note that pro Fit imports pictures ‘as a whole’ and does not take them apart. If you use a drawing application to create a line and a rectangle and paste these objects together into pro Fit, they are interpreted as one picture, not as a line and a rectangle.

An imported picture can be resized or rotated, but it cannot be edited in any other way. Rotating and resizing may not work with imported pictures if they contain any non-standard information, such as PostScript commands.

Importing pictures by subscribing

Another method to import pictures is to subscribe to an Edition Container by choosing **Subscribe To...** from the Edit menu.

To open the application that created the Edition container, Click **Open Publisher** in the Subscriber Options dialog box (Choose **Subscriber Options...** from the Edit menu to see this box), or double click the Subscriber while holding down the option key.

If you have resized a Subscriber (or rotated it), Go to the Subscriber Options dialog box and check **Original size and orientation** to go back to the original subscriber.


Plotting

pro Fit generates graphical representations of functions and data sets inside drawing objects called *graphs*. The coordinates of the data points are stored in the graph with double precision, and can always be recovered from it.


A graph can have various components (read more about this later in this section). The most important of these are its coordinate axes. A graph can have multiple x- and y- coordinate axes, which can have different ranges and scalings.

A graph always maintains two special coordinate axes, which can never be deleted. These are the **main coordinate axes**, and are called **X1** and **Y1**. The other axes are called X2, X3, Y2, Y3, and so on.


The axes can have **linear**-scaling, **logarithmic**-scaling, **1/x-scaling**, or **probability**-scaling.




The **linear** scaling type is the standard scaling type. It indicates that there is a linear relationship between the coordinates of the graph and your paper.



A **logarithmic** scaling indicates that there is a logarithmic relationship between the coordinates of the graph and your paper – it expands the lower end of an axis and compresses its upper end. The min and max values for logarithmic axes must both be positive.



The **1/x** scaling type can be used to plot a function whose y-value is expected to be proportional to $1/x$. If you plot such a function on a “1/x” scaled x-axis, the function is a straight line. The min and max values for 1/x-axes must both have the same sign.



The **probability** scaling type can be used for plotting normally distributed data – or, to be more accurate – their integral. If you have a sample of sand, and you determined the percentage of grains having a diameter smaller than x , plot this percentage as a function of x using probability-scaling for the y-axis. If the size of the grains is normally distributed, your data points will lie on a straight line.


With pro Fit, you can plot on any one of the coordinate axes contained in a graph, you can add new coordinate axes, and you can change their characteristics.

The next section discusses the general options that are always available when plotting. Then we discuss the procedures for plotting functions and data sets, and finally we describe how to edit and use existing graphs.

General plotting options

Whenever you plot a function or a data set, you can choose if you want to plot it into an existing graph, or if you want to create a new one. You can also choose if you want to plot into an existing drawing window or to open a new one. And finally you can choose which coordinates axes you want to use for plotting, their ranges, and their scaling.

To plot a function or a data set, choose Plot Function... or Plot Data... from the Draw menu. The options outlined above are common to function *and* data plotting and can be set in both the plot function dialog box and the plot data dialog box. Therefore, the upper part of both dialog boxes looks more or less the same:



The group titled **Graph** lets you choose the following options:

- Check **New window** if you want to create a new graph in a new drawing window. Uncheck this, if you want to use the frontmost drawing window.
- Check Plot into current graph to plot into the current graph. The current graph is usually the one where the last plotting took place. However, you can define any graph to be the current graph by double-clicking it and checking Current Graph in the dialog box that appears (Read more about this dialog box later in this chapter.). As a shortcut, you can hold down the command key and double-click the graph. If both “Plot into current graph” and “New window” are unchecked, a new graph is drawn in the frontmost drawing window.
- Use the popup **Style** to select the graph style for the new graph. A more detailed explanation of graph styles is given below.

The groups labeled **X-axis** and **Y-axis** determine which axes will be used, their ranges, and their scaling:


- The two popup menus in the top left corner of the fields “X-axis” and “Y-axis” are used to choose the axis to be used for plotting, and to determine its range. The second popup menu determines the **scaling type** of the axis.
- Check **Auto range** to let proFit automatically calculate the ranges of the axes, starting from the y-values returned by your function, or from the range of the selected data. If you plot into an existing graph, the ranges of the axes you use for the plot will be extended, if necessary. If you uncheck “Auto range”, you can enter the ranges manually.

Plotting a function

To plot a function:


1. **Choose the function you want to plot from the Func menu.**
2. **Set its parameters in the parameters window.**
3. **Choose Plot Function... from the Draw menu.**

The Plot Function dialog box appears:



The top part of this dialog box has already been discussed above. Here we go on to explain the rest of its contents.

The function can be plotted over the whole given range. Alternatively, you can specify start point and end point manually using the “**From .. to**” edit items at the bottom left of the dialog box.




A graph with its curve from min to max (left) and a graph created using the “From.. To” option.

If **Use fitted parameters** is checked, the function is plotted using the parameter values calculated in the last fit. If **Use fitted parameters** is not checked, the parameter values in the parameters window are used.

If you are using linear x-axis scaling, the entry in the field **Step** determines the distance (step width) between consecutive calculated x-values. If you are using any other x-axis scaling, the field has the name **#Steps** and determines the number of x-values that will be calculated to plot the function.

The default value for step is “**auto**”. This invokes a specially designed plotting algorithm that automatically selects the x-values at which the function is calculated. If the curve representing the function is strongly bent in a given interval, then the number of points that are required for drawing the function is large. On the other hand, if the function is a straight line, the number of points needed is smaller. The following figure illustrates this.



Note that the number of calculated points is optimized for the range a function is plotted in. If you change the axes range of a graph later (e. g. for “zooming” into a detail), the number of calculated points may not be sufficient anymore for representing the curve accurately. In this case you should redraw the function to create an optimized plot for the new range.


Note that plotting with the “auto”-option results in the smallest number of data points stored to represent a function’s curve. In this way you can create a plot that uses a minimum amount of memory and that is redrawn at maximum speed. However, to create such a curve, the function has to be calculated at a much larger number of points. If you are working with a slow function, you may prefer to use a fixed step to obtain faster plotting, and to go over to auto step only when you want to produce a final graph.

Plotting a data set

To plot data:

1. **Open a data window with the data you want to plot.**
2. **Choose Plot Data... from the Draw menu.**

The following dialog box appears:



The upper part of this dialog box was discussed above.

Special attention must be paid to the Auto range check boxes, because they also influence which parts of the complete data set are transferred to the graph.


! If you do not use **Auto range** but define your own ranges in min and max, all data points outside these ranges are ignored – only data points within the ranges of the graph are plotted and stored together with the graph. If you always want the complete data set to be stored with the graph, check Auto range and resize your graph after plotting..

Use the **Data** pop-up menu to select the data window that contains the data to be plotted.

Use the **X column** pop-up menu to select the column that contains the *x*-values of your data. You can only select one *x*-column at a time. Use the **Y columns** list to select the columns that contain the *y*-values of your data. You can select multiple columns by holding down the shift key while clicking.


To plot only part of the data in the *x*- and *y*-columns, check **Selected rows only**. In this case only the data in the currently selected rows will be used for plotting. To use this feature, first select the rows you want to plot in the data window or with the help of the Preview window and then choose Plot Data... from the Draw menu.

to select if you want a catter plot, bar chart or skyline plot.:




When using scatter plots, use the **Point style** pop-up menu to select a plot symbol. If you are plotting multiple data sets, only the first set will be drawn with this symbol. The symbols of subsequent sets are chosen according to the current *graph style*. See section “Styles”, later in this chapter for further information about graph styles.

Bar charts and skyline plots can also start from the vertical axis:




The main differences between bar charts and skyline plots are:

- In bar charts, the bars have always the same width. The width is either derived from the smallest distance of two data points or is a fixed value. In skyline plots, the “steps” can have varying width depending on the distance of the data points:



- When plotting multiple bar charts, the bars can either be behind each other or on top of each other. In skyline plots, the plots are always on top of each other.




Most of the options for bar charts can be set by double-clicking the graph and selecting the “Bar charts” panel. This panel is described below, in the section “Bar charts panel”.

Graphs and legends

When you plot data or functions, you create a *graph object* and a *legend object*.

Graphs and legends are the most important drawing objects.



Editing legends

A legend contains a description for each curve or data set of its graph. The description consists of a symbol identifying the plot and a text. You can change the line and point style of a plot as well as the text by double-clicking the respective items in the legend.

- **Double-click** the **text** of a legend to change a the name of a plot.
- **Double-click** the **plot symbol** to choose the color, plot symbol and line styles for a plot. Find more information on this topic later in this chapter.

- 1st set
- 1st fit
- ☆ 2nd set
- - - - 2nd fit

To change the space allocated for the plot symbols or the distance between lines in the legend, simply resize the legend by dragging its selection points.

A graph is logically linked to its legend and vice versa. If you change the appearance of a plot, the change is reflected in both the graph and its legend.



To maintain this relationship, pro Fit does not let you duplicate a legend. However, you can select a legend and choose Ungroup from the draw menu. This transforms the legend into a set of simple drawing shapes, which then can be copied.

If you do not need the legend, delete it. You can always create a new legend for a graph by double-clicking the graph and checking “Draw legend” in the dialog box that appears.

Note that you can change the text style, font, and font size of a legend by selecting it and choosing an appropriate setting from the Style, Font, and Size submenu in the Misc menu.

You also can change the line styles and color of curves and lines in a legend by choosing the appropriate setting from the “Pen” and “Dash” pop-up menus in the drawing tools palette:

- To change the line style of the first item in a legend that is drawn using a line (either connected data points or a function curve), select the legend and choose the line style in the “Pen” and/or “Dash” pop-up menus.

- To change the line style of all items in a legend, select the legend and choose the line style in the “Pen” and/or “Dash” pop-up menus while holding down the shift key.
- To add a connecting line to the first data point in a legend, select the legend and choose a line style from the “Pen” or “Dash” menu while holding down the option key.
- To add a connecting line to all data points in a legend, select the legend and choose a line style the “Pen” or “Dash” menu while holding down the shift key.


By default a legend lists every plot of the related graph. You can, however, hide one or more plots from a legend by unchecking “Appears in legend” in the dialog box for editing curve styles. This is explained later in this chapter.

A legend can be ungrouped by selecting the legend and choosing Ungroup from the Draw menu. When an legend is ungrouped, it is transformed into a set of lines, data points and texts.

Editing graphs

The nearly unlimited possibilities for changing and editing a graph are one of pro Fit’s key features. A whole set of specialized options lets you create the graph you need. These options are accessed either by double-clicking the graph or its legend, or by using the **Graph** submenu in the Draw menu. (This submenu is only available if a single graph is selected or if a drawing window contains only one graph.)

When you double-click a graph or choose “General...” from the Graph submenu, the following dialog box appears:



The icons (“panels”) in the list to the left of this dialog box correspond to the items in the **Graph** submenu. Click the icons to access and edit the various parts of a graph. Click the **Apply** button to see the effects of your changes.

Panel “General”

Check **Current graph** to make this graph the currently active graph. This is the graph where plotting takes place per default.

The three **Draw** check boxes indicate if **legend**, **frame** and **grid** should be drawn or not. If you uncheck the box named legend, the legend is deleted. If you check it again the legend reappears to the right of the graph.

The **Drawing Sequence** popup menu defines the order in which the various parts of a graph (curves, axes, grid) are drawn. This is especially important if you use color to highlight your curves or if you use very large data points. A grid in front of a curve can then look quite different from a grid behind a curve.

The **Graph width** and **Graph height** edit fields let you enter precise dimensions for the graph. You can also do this by selecting the graph in the drawing window and editing its size using the Drawing Info window.


The button **Styles** lets you save and load the current settings of a graph. A more detailed description of graph styles is given at the end of this chapter.

In the following sections we discuss the various parts of a graph and how to edit them.

Panel “Axes”


When you want to edit an axis, double click it. Alternatively, you can choose Axes... from the Graph submenu in the Menu Draw, or you can reach the axis editing panel using the list of icons in the Graph Settings dialog box.

The axis editing panel for x-axes looks like this:




Use the popup menu in the top left corner to navigate between the various axes, to create a new axis, or to delete the current axis. (The X1 and the Y1 axes are the **main axes** and cannot be deleted.)

The edit field in the top right corner gives the position of the selected axes in the main axes coordinate system. Use this field to change the position of a horizontal (or vertical) axis with respect to the vertical (horizontal) main axis coordinates. The position is set by default to the minimum and maximum bounds of a plot when it is first created.



Two graphs with different vertical positions of the horizontal axis.

If the dialog box does not show the main axis (X1 and Y1 are the main axes) an additional check box is present. It is called **Same as X1** (or Same as Y1).



If **Same as X1** is checked, most settings of the selected axis (such as the range, scaling, color, line thickness, tick positions) are taken from the main X1 axis.



If you want to use two different axes for the top and for the bottom of your plot, you have to uncheck this box before making any changes.

The radio buttons **General**, **Labels**, and **Lines** let you switch between different sub-panels that are used to edit the general appearance of an axis, the appearance of its labels, and the kind of lines that are used to draw the axis and its tick marks.

If you check **General**, you can set the following options:

The screenshot shows a software interface for configuring an axis. At the top, there are four radio buttons: **General** (selected), **Labels**, **Prefix**, and **Lines**. Below these are three input fields: **First** with the value **-3**, **Last** with the value **5**, and a popup menu showing **lin**. The interface is divided into two main sections. The left section is titled **Draw** and contains four checkboxes: **axis**, **ticks**, **labels**, and **minor**. The right section is titled **Ticks** and contains a checkbox for **custom** (unchecked) and three input fields: **1st major** with the value **-3**, **Distance** with the value **1**, and **# minor** with the value **1**.

The **Draw** check boxes determine which parts of an axis are drawn.

The **First**, **Last** fields and the popup menu to their right are used to edit the range of the axis and its scaling type. See the beginning of this section for a discussion of scaling types. Note that **First** can be larger than **Last** if you want to reverse the axis.

The **Ticks** field to the right of the **Draw** check boxes is used to edit the tick marks. Enter the first major tick, the distance between major ticks, and the number of minor ticks between two consecutive major ones.

The edit field **1st major** gives the coordinate of the first major tick on the axis.

For a linear axis the **Distance** field defines the distance between the major ticks. For a logarithmic axis this field changes its name to **Decades** and defines the number of decades between major ticks. For a $1/x$ -scaling the edit fields work in the same way as for linear scaling. For probability scaling, you can edit the list of tick marks directly using the **Custom** check box.

For a linear axis the **# minor** field gives the number of minor ticks that are drawn between two major ones. For a logarithmic axis this field is replaced by a check box called **small ticks**, which must be checked to draw the minor ticks. If major ticks are drawn for each decade, the minor ticks are drawn for each multiple of ten. If there is more than one decade between major ticks, the minor ticks are drawn at all the powers of ten between the positions of the major ticks.

Instead of automatically calculating the positions of individual ticks, you can set them manually. Check the **custom** check box. This changes the contents of the ticks field.


A list appears that contains all the ticks of the axis. To add a tick, click a free space in the list (there is always a free space at the bottom of the list) and enter the desired coordinate.



To remove a tick, select it in the list and press the delete key. To change the position of a tick, click it and enter a new value. Check **major** to create a major tick. Major ticks are written in **bold face** in the ticks list. Click the **Standard** button to automatically re-calculate the tick positions according to the present axis settings.

To set the label of a tick mark to some general text instead of a number, **double-click** the label in the drawing window. The text edit dialog box appears and you can then enter any kind of text you want.

Click **Labels** in the axis dialog box to edit the format of the labels. The inner part of the dialog box now looks like this:




Use the **Format** field to set the format of the numbers. Use **Decimal** to suppress exponential representation, **Auto exponent** to have all labels in exponential format with varying exponent, **Fixed exponent** to have all labels in exponential format with a common exponent. The **Digits** field defines the number of digits to be shown after the decimal point.




Use the **Font** field to specify the text font, size, and style to be used for the labels of the current axis.

The **Location** popup menu defines where the labels of an axis are drawn. The edit field to its right defines the distance between the labels and the axis or the frame of the graph. The value in this field is in points (= 1/72 inch or 0.35 mm). Note that it can also be negative.




Click **Lines** to change the appearance of the lines used for drawing the axis and its tick marks, and to set the position where the tick marks are drawn. The inner part of the dialog box now looks like this:



Use the **Ticks location** popup menu to set the position of the tick marks. In the **Major ticks** and **Minor ticks** fields you can set the line style, length and color of major and minor tick marks. The line style used to draw the axis can be edited using the “Axis line style” popup menus. All the options outlined above for editing axes let you create many different kinds of graphs. Note that you can create new axes and change their scaling, tick marks, etc., also if you don’t use them to plot any curve.

For example, you can uncheck the “Same as X1” check box in the X2 axis panel and edit it to reflect a completely different scaling, labels style, and range than the X1-axis.

A typical application for this is a graph that displays its x-values on its horizontal bottom axis and the reciprocal x-values on its top axis.



A graph with a different coordinate axis as the “X2” axis..

As an example, imagine that you have a set of data that was measured for different light wavelengths between 400 and 1000 nm. You would like to plot your data as a function of wavelength, but you would also like to have a reading for the light energy in eV on the top axis. The energy of the light is inversely proportional to the wavelength, so you have to use $1/x$ scaling for the top axis.

To create such a graph:

1. Create a graph with an x-axis from 400 to 1000.

Simply plot your data between these limits. Choose **Plot Data...** from the Draw menu. Make sure that you create a new graph by unchecking ‘Plot into current graph’ in the dialog box that comes up.

2. Double-click the upper x-axis (“X2”-axis).

The axis dialog box (see above) for the top axis appears.

3. Uncheck “Same as X1”.

Do this to make sure you only change the top x-axis, leaving the bottom x-axis alone.

4. Change the axis scaling to “1/x”.

Be sure that the “General” radio button is selected and use the scaling popup menu, found to the right of the edit fields for the axes ranges.


5. Enter 1.2398 for First and 3.0996 for Last.

A wavelength of 400 nm corresponds to an energy of 3.0996 eV, while a wavelength of 1000 nm corresponds to an energy of 1.2398 eV.

6. Edit the tick marks


Do this by changing the values in the Ticks field. Note how the density of ticks tends to increase for larger values. Go over to custom ticks and edit the ticks list directly if necessary.

The end result could be something like this:



Note that the top axis, which has 1/x scaling, has the smallest value to its right and the largest value to its left.

Click **Prefix** in the axis dialog box to set pre- and postfix for the labels, to multiply them with a given factor or to offset them by a given value:



Click **Prefix** or **Postfix** to prepend or append a string to each label.


The value in field **Factor** is multiplied with the value of each label before its string is generated. You may e.g. enter 100 here to display values between 0 and 1 in percent.

The value in the field **Offset** is added before the string of the label is generated.

Panel “Curves”

You can change the appearance of curves and data points in a graph in many ways. Choose **Curves** from the Graph submenu (Draw menu) or click the Curves icon in the Graph Settings box. You can also double click a plot symbol in the legend.


The Graph Settings dialog box now displays the curves editing panel.



Here you can select and change or delete all curves and data sets of a graph.

To change the **drawing order** of the plots, select a plot (by clicking it in the list) and click **Forward**, **To Front**, **Backward** or **To Back** to move it one position backward or forward or to move it to the back or front of all plots. The first plot symbol at the top of the list is drawn first, so back means top of the list, and front means bottom of the list.

Change the drawing order if you have white data points behind a curve and you do not want the curve to go through the points.



To change the **text** describing a curve or a data set, select the curve in the list, and click **Edit Text...**. Instead of doing this you can also double-click the item in the list of curves and data sets.

To select if a data set is to be show as scatter plot, bar chart or skyline plot, use the menu **Plot type**.

The pop-up menus titled **Line** let you edit the line that draws a curve or connects the data points.

The pop-up menu **Points** lets you select the symbol for data points. Check **Connected** (or **With line**) to draw lines between successive data points or for a skyline plot. The menu **Thick** defines the line thickness used to draw the data point symbols. It can be set to **auto**, in which case the line thickness will be chosen depending on the size of the data points.

You can also fill the region between a curve and one of the axes with a color of your choice. To do this, check **Fill** and select the axis towards which the curve must be filled and the fill color using the two popup menus to its right.

The **Coordinate Axes** popup menus define the coordinate axes used by the selected curve or data set. With these pop-ups menu you can change the reference axis of any given curve.




Doing this for function curves which were drawn with **auto step** is not recommended. If the scaling of the original axis and the one of the destination axis differ considerably, the results can be disappointing. Remember that a function curve is only defined by a set of points. proFit calculated these points in an optimized way when it plotted the function *for the axis scaling and range on which the function was plotted*. If you then change scaling or range, your curve may lose its smoothness. In such a case it is better to redraw the function curve on the new axis

Check **Appears in legend** to make the curve or data set appear as an entry in the legend. Uncheck this check box to hide the corresponding entry in the legend. When an entry is visible in the legend, you will usually change its style by double-clicking it. When an entry is not visible in the legend, you must choose Curves... from the Graph submenu to access and change the style of the corresponding curve or data points.

Click **Tabulate** to recover the original data points that were used to draw the plot. In this way you can retrieve data points from a drawing when you have lost the original data set, or you can obtain a list of the data points that proFit calculated to draw a particular function.

Click **Delete** to delete the curve or data points from the graph. You can use the delete (backspace) key as a keyboard equivalent for this button.

Click the **Error Bars...** button to define error bars for the selected data set (this button is dimmed for a function).



Here you can specify if you want to use error bars for your data points and if you do, what they should be.

You can use symmetric or asymmetric errors. To use asymmetric errors, check **Use asymmetric errors** for horizontal and/or vertical direction, otherwise leave this option unchecked. If you check the option, you can select the errors on the top/bottom (or left/right) of the data points individually.

Using the menus titled **Type** or **Top, Bottom, Right, Left**, you can select the type of errors to add:

- Choose **Individual** if each point should have its own, unique, non-percent error. In this case, you must have stored the error values in a data window. Choose this window from the **Window** pop-up menu. Choose the column that holds your error values from the pop-up menu **Column**. The numbers found in the chosen column are assigned to each point in the plot sequentially. If you don't check **skip empty data fields**, an error of zero is used for each empty data cell. Otherwise, proFit only uses data cells that contain a valid number.


Make sure that the column you select contains the correct number of error values and in the right order (i. e. the same order as the data which was plotted originally). In general, you can add error bars months after you plotted the original data set, and proFit does not know the origin of the data set anymore. It will simply take the error column you specify and apply the data values sequentially to all data points. Therefore, the order in your error column must be the same as the order of the original data points when they were plotted.

- Choose **Constant** if each data point has the same error. Enter the error value in the edit field that appears.
- Choose **Percent** if the errors are a percentage of the x- or y-values of the data points. Enter the error value (in percent) in the edit field that appears.
- Choose **None** to remove the errors from you data set.

- Choose **Unchanged** if you don't want to change the error bars in a given direction.


Panel "Frame"

A frame is a rectangular box around your graph:



An unframed and a framed graph.


To change the appearance of a frame, either double click a graph and click the **Frame** icon, or choose **Frame** from the submenu Graph in the Draw menu



In the dialog box that appears you can edit the Line style of the frame, and determine if tick marks must be drawn on it. The tick positions of the main coordinate axes (X1 and Y1) are used. If you draw a frame with ticks, you usually do not wish to draw the axes ticks as well: Uncheck the corresponding check boxes in the axis dialog box.


Panel “Grid”

Grid lines are horizontal and vertical lines at the positions of the ticks.



A graph without and with grid lines.


To add grid lines to your graph, double click a graph and check **Draw grid**. This will add horizontal and vertical grid lines. To customize the grid lines click the **Grid** icon in the same dialog box or choose **Grid** from the Graph submenu:




In the Grid editing panel that appears you can define where you want to have horizontal and/or vertical grid lines, and if you want to see them at minor ticks, major ticks, or both. You can also choose which axes must be used as a reference to draw the grid lines. The grid lines are drawn at the tick marks of their reference axis. By default, the ticks of the main axes (X1 and Y1) are used.

Panel “Bar charts”

To select the options for displaying bar charts, double-click the graph and select the “Bar charts” panel:



The pop-up at the top defines how to draw multiple bar charts in a single graph. They can either appear side by side or on behind each other:




The settings under **Bar width** define the width of individual bars. The width can either be a percentage of the available space or an absolute value (in pixels, centimeters or inches).

The settings under **Group width** are used when drawing multiple bars in “side by side” mode. In this case, each group of bars (bars for the same value) has the given group width, which can again be a percentage of the available space or an absolute value (in pixels, centimeters or inches).

The **Base line** is the line the bar charts start from. There is a horizontal base line for vertical bar charts and a vertical base line for horizontal bar charts. You can set the position and line style of each base line.

Check **Frame bars with rectangles** to select how bar charts are framed:



(Note: You must check the option “With line” in the Panel “Curves” for the framing to appear.)

Graph Styles

The appearance of a graph is defined by many parameters, such as its size, the ranges of its axes, the number of minor ticks, the symbols used for plotting, etc. These settings are called the *style* of a graph. You can save the style of a graph to use it (or parts of it) later for another graph. Styles are saved in the preferences file.

By using styles, you can create graphs with equal formats, e.g. graphs having the same size, the same length of the ticks, the same fonts, etc.


To save the style of a graph you can either double-click the graph and click the button **Style** in the dialog box that comes up, or you can choose **Styles...** from the **Graph** submenu (in the **Draw** menu) after having selected your graph:



This box shows a list of the styles that are already saved in the current preferences file. You can delete one of these styles by selecting it and clicking **Delete**. To save a new style, enter its name and click **Save**. To load a style, select its name in the scrolling list and click **Load**. The name of the button changes from **Save** to **Load** when you move from the Style name edit field to the Saved styles scrolling list.

If you click the **Default** check box when saving a style, or if you define a style with the name “**Normal**”, this style becomes pro Fit’s default style. The next time you start up pro Fit, the first graph you create will use this style.

When you load a style, a dialog box appears, asking you to choose which parts of the style you want to apply to your graph:




The characteristics of a style are:

- **Bounds:** The ranges of the graph, i.e. the minimum and maximum of all the axes; the positions of the first ticks; the distance between major ticks; the number of minor ticks.
- **Axes and grid styles:** The line thickness, dash and color of the axes, the frame and the grid; the distance of the labels from the axes; the location of the ticks (inside or outside).
- **Curve styles:** The line style of all plots, i.e. curves and data points.
- **Text styles:** The font, size, and text style of the labels.
- **Label styles:** The number format of the labels. The number of digits after the decimal point and the representation (exponential, auto, decimal) of the labels.
- **Tick styles:** The number of minor ticks, the axes scaling (logarithmic or linear) and whether the labels are visible.
- **Graph size:** The horizontal and vertical size of the graph (length of the coordinate axes).


Graph coordinates and zooming

Normally you can look at coordinates and analyze data sets and function using the Preview window. However, options similar to the ones available in the preview window, although more limited, can be used when editing graphs.

Hold down the command and option key simultaneously and click and drag over a graph object. pro Fit displays the mouse location in the main axes coordinate system. The coordinates are displayed to the right of the cursor and in the bottom left corner of the drawing window.



If you now press the shift key, you can select a part of the graph. The ranges of the graph will be changed to display only this part. This is useful for zooming in on some part of the plotted data set.



Shape properties

All shapes (objects) in a drawing window have “properties”, such as their position or size. These properties can be read and set from a program, so it can manipulate shapes in a drawing window. For more information, see the documentation on `GetShapeProperty` and `SetShapeProperties` in Appendix A.


Most of these properties can also be set and changed manually. For instance, when you move a shape to a new location, you change its position properties. Some of the properties can also be accessed by choosing “Shape Settings...” from the Draw menu. (You can also double-click most shapes for getting into the corresponding dialog box. When a window is in dialog mode, command-double-click the shape.)

The most important setting you can access through this box is the shape’s name. This is a unique string attributed to each shape and used by programs for accessing the shape.


For more information, see Appendix A and Chapter 9 of this handbook.

Drawing windows in dialog mode

Drawing windows can be put into “dialog mode”. In this mode, the window obtains a “grayish” background and looks like a dialog box. This is required when you want to create a complex dialog box using control shapes. You create and edit the control shapes while the drawing window is in its normal state. When you have finished, you switch the dialog window to dialog mode. In this mode, the drawing window cannot be edited anymore.



normal mode



dialog mode

To switch a drawing window into dialog mode, hold down the control key while clicking anywhere into the window and choose "Display As Dialog". Alternatively, choose "Get Info..." from the File menu and check the option "Display As Dialog".

For more information on creating dialog boxes, see Chapter 9, section "Working with control shapes".

8 Fitting

This chapter describes what proFit does when you perform a *fit*.

‘Fitting the parameters of a function to a data set’ roughly means finding those parameters that make the function’s curve follow the data points as closely as possible.

There are various possible definitions of the term ‘as closely as possible’. The correct definition is often determined by the origin and characteristics of the data set to be fitted. For example, a data set might be subject to large errors in the x-coordinate and to smaller errors in the y-coordinates. The probability of incurring in a given measurement error can decrease in some known way when the magnitude of the error increases.

There are also various possible methods of looking for the best parameter set.

proFit provides a choice of different ways for “measuring the distance” of the data points from the function, as well as a choice of different methods to reach the best parameter sets.

The first part of this chapter deals with the definition and mathematical description of deviation functions and fitting algorithms, the second part shows you how to select these options in proFit and how to run a successful fit.


Mathematical background

In order to find the best parameter set describing a given measurement, it is necessary to establish a quantitative method to “measure the distance” between a data set and the function that should describe it.

This requires the introduction of weights for the data points and of probability distribution functions. They are described in the next sections.

Distribution functions and data weights

Consider a function $f(a_1, \dots, a_n, x) \equiv f(x)$ (we won’t write explicitly the function parameters every time) and a measured data set $\{(x_1, y_1), \dots, (x_i, y_i), \dots, (x_N, y_N)\}$.



Let’s assume that the function, with its “true” parameter set, correctly describes the quantity that was measured. We further assume that, when the data point (x_i, y_i) was determined, the “true” system (the one described by the function $f(x)$) was at the coordinates $(\hat{x}_i, f(\hat{x}_i))$. When the x-coordinate was determined, an inevitable experimental error occurred, and x_i was measured instead of \hat{x}_i . When the y-coordinate was determined, another inevitable experimental error occurred, and the measurement gave y_i instead of $f(\hat{x}_i)$.

In real life the true parameter set is not known. One has to measure it by measuring many data points at different coordinates and fit $f(x)$ to the complete data set. This is the way we usually find a parameter set which best describes the measurement. The parameter set obtained in this way is not the true (unknown) parameter set, but it should be a good approximation for it. (See the section on Error Analysis to find out how to estimate the errors of the fitted parameters.)

The fitted parameter set corresponds to a function $f(x)$ which maximizes the probability that the measured data set came from the system described by $f(x)$. To maximize this probability, we have to minimize the deviations between the measured data points and the function curve. This deviation can be defined in different ways, depending on the way in which the experimental errors are distributed, but it is usually a function of the weighted distances

$$d_{xi} = \frac{\hat{x}_i - x_i}{\sigma_{xi}} \quad (1 a)$$

$$d_{yi} = \frac{f(\hat{x}_i) - y_i}{\sigma_{yi}} \quad (1 b)$$

σ_{xi} and σ_{yi} give the magnitude of the *errors* expected when measuring the x_i and y_i , respectively. The role of these x- and y- errors is to define the correct scaling of the x- and y- deviations between a measured data point and the function that should describe it. The errors normalize the deviations, introducing dimension-less numbers d_{xi} and d_{yi} . Data points are weighted differently (given more or less importance) depending on their errors. A small error will magnify the importance of a given difference, a large error will make the normalized difference less important.

The distances d_{xi} and d_{yi} give the difference between measured coordinates and “true” coordinates. Obviously, we don’t know the true coordinates, otherwise there wouldn’t be any need for a fitting program in the first place. But we can estimate the true coordinates by minimizing some function of the distances d_{xi} and d_{yi} . This function describes the “difference” between the model function and the set of data points, and it is chosen in such a way that its minimization corresponds to the situation with the highest probability of producing the measured data set.

If the x- and y-errors are independent, a fitting algorithm must generally minimize a **mean deviation** χ_R of the type

$$\chi_R = \sum_i [R_x(d_{xi}) + R_y(d_{yi})], \quad (2)$$

where the functions $R_{x,y}$ are *deviation functions* that tell us in a quantitative way how bad it is that a certain (normalized) distance d is found for a data point. They are normally related to the **error probability distribution**. This is the function that gives the probability that a certain measurement error occurs. For example, $R_{x,y}$ can be the negative logarithm of the corresponding probability distribution for the distances d_{xi} and d_{yi} .

Minimization of χ_R as defined in Eq. (2) adjusts the function $f(x)$ in order to maximize the probability that the measured data set corresponds to an underlying “reality” described by the adjusted $f(x)$.

This is true as long as the following **assumption** is fulfilled: the measurement errors for each data point must be uncorrelated and described by probability distributions centered around the “true” values $(\hat{x}_i, f(\hat{x}_i))$.

The above assumption might appear harmless, but it is in fact more stringent than one would causally expect. For example, in most cases one tends to assume that the probability distribution is Gaussian, but the actual probability distribution for the measurement errors might be different, with a sizable probability of finding larger errors from time to time, *i.e.* points that are clearly outside the expected trend (“outliers”).

To allow for an analysis of such cases, pro Fit provides a set of deviation functions R which correspond to various error probability distributions.

The most common deviation function provided by pro Fit is the **squared deviation**

$$R(d) = d^2. \quad (3)$$

When using this deviation function, Eq. (2) becomes the **mean square deviation** between data points and function. Eq. (2) then corresponds to the negative logarithm of the probability of obtaining the data set in the presence of **normally distributed** measurement errors. The deviation function (3) corresponds to a **Gaussian** error distribution. In this case the probability density that a certain error occurs when measuring x_i or y_i is given by a Gaussian distribution (or normal distribution)

The next deviation function provided by pro Fit is

$$R(d) = |d|, \quad (4)$$

and corresponds to a two-sided **exponential** error distribution $\exp(-|d|)$. It leads to the calculation of a **mean absolute deviation** instead of a mean square deviation.

The deviation function

$$R(d) = \log\left(1 + \frac{1}{2}d^2\right), \quad (5)$$

corresponds to a **Lorentzian** error distribution $1/(1 + d^2/2)$.

The last deviation functions available in pro Fit are

$$R(d) = \begin{cases} c[1 - \cos(d/c)] & |d| < c\pi \\ c & |d| > c\pi \end{cases}, \quad (6)$$


with $c=2.1$ and

$$R(d) = \begin{cases} \frac{c}{6} \left\{ 1 - \left[1 - \left(\frac{d}{c} \right)^2 \right]^3 \right\} & |d| < c \\ \frac{c}{6} & |d| > c \end{cases}, \quad (7)$$

with $c = 6$. These deviation functions are called **Andrew's sine** (the derivative of (6) is $\sin(z/c)$) and **Tuckey's biweight**, respectively. They don't correspond to a particular probability distribution for the errors. They are designed to decrease the weighting of data points with very big errors (outliers) in order to allow a "robust" fitting through the more "reasonable" data points. It should be obvious that this procedure should only be used if you know your experiment and data set well enough, and we repeat the usual calls for caution!

Note that using the deviation functions (6) and (7) with another constant c is equivalent to changing all errors of the data points and the resulting mean deviation value by a constant factor.

Each term in the sum (2) describes a deviation between the measured data point (x_i, y_i) and the "nearest" point on the function curve $(\hat{x}_i, f(\hat{x}_i))$. The coordinate \hat{x}_i must be chosen in such a way that each term in the sum (7) is minimized for each data point.



When the deviation function R is the squared deviation $R(d)=d^2$, then each term in (2) gives the square of the Euclidean distance between (x_i, y_i) and $(\hat{x}_i, f(\hat{x}_i))$. The term is minimized when the line connecting the data point to the function curve is perpendicular to the function curve. A fit-algorithm must thus adjust the function until the sum (2) of the squared perpendicular distances between data points and function curve reaches a minimum.

We refer to the literature for more detailed discussions of the above deviation functions. A short description is also found in the classical book by W.H. Press, B.P. Flannery, S.A. Teukolsky, W.T. Vetterling, *Numerical Recipes - the Art of Scientific Computing*.

The mean square deviation: Chi-Squared

When squared deviation functions are used, (2) gives the mean square deviation, which is often called χ^2 :

$$\chi^2 = \sum_i \frac{(\hat{x}_i - x_i)^2}{\sigma_{x_i}^2} + \frac{(f(\hat{x}_i) - y_i)^2}{\sigma_{y_i}^2} \quad (8)$$

The mean square deviation (chi-squared) is used when the measurement errors are described by a Gaussian probability distribution, and in this case the errors σ_{x_i} and σ_{y_i} correspond to the **standard deviations** of the Gaussian distributions.

The denomination “chi-squared” has become so common that it is often used to indicate the result of (2), and not only to indicate the particular case (8).



For the sake of simplicity, pro Fit follows this somewhat “dirty” convention and uses the denomination “chi-squared” when referring to the result of (2), even if deviation functions other than square deviations are used. The same is true for the predefined function `ChiSquared`, which can be used in pro Fit programs to retrieve the value of (2) obtained in the last fit.

Zero X-errors

In most experiments it is possible to determine the x-coordinate much more precisely than the y-coordinate. In such a case the x-errors can be assumed to be very small. The only way to minimize the mean deviation (2) is then to have $\hat{x}_i \equiv x_i$. The mean deviation function becomes much simpler:

$$\chi_R = \sum_i R\left(\frac{f(x_i) - y_i}{\sigma_{y_i}}\right), \quad (9)$$

The function is evaluated at the x-coordinates of the measured points. The function value and measured y-coordinate directly give the normalized distance, when weighted with the measurement error.

The “usual case”: Chi-squared and zero x-errors

In many experiments it is not only possible to make the x-errors so small that they can be considered zero. It is also common to have (or hope for) Gaussian distributed measurement errors. In this case we have to minimize a particularly simple expression for chi-squared:

$$\chi^2 = \sum_i \frac{(f(x_i) - y_i)^2}{\sigma_{y_i}^2}, \quad (10)$$

Since this case is easy to handle from an algebraic and numerical point of view, many common fitting algorithms and applications work under the assumption that the mean deviation is the mean square deviation given by Eq. (10). A classical fitting algorithm that works on this basis is the Levenberg-Marquardt algorithm in its unmodified, original form (see below).

Error analysis and confidence intervals

Although some fitting algorithms (most notably the Levenberg-Marquardt fitting algorithm) do provide estimates for the error of the parameters, these estimates are often not sufficient or too imprecise.

proFit provides a general way for estimating the confidence intervals within which the “true” value of a fitted parameter can be assumed to lie with a certain probability level.

The influence of variations in the data points on the fitted parameters is analyzed with the help of a Monte Carlo simulation. For this purpose, synthetic data sets are generated starting from the points $(\hat{x}_i, f(\hat{x}_i))$ that were obtained in the fit (see above). For each of the original data points a simulated data point is generated by random variation around $(\hat{x}_i, f(\hat{x}_i))$ within the specified errors and using the specified error distributions. This produces a synthetic data set that effectively simulates a measurement. The simulation of the measurement is based on the function that was determined in the last fit (which is assumed to correspond to the underlying “reality”) and on the measurement errors that were specified.

A short description of this error analysis technique is found in “W.H. Press, B.P. Flannery, S.A. Teukolsky, W.T. Vetterling, *Numerical Recipes - the Art of Scientific Computing*”.

For each of the synthetic data sets, a fit is performed. Once that all synthetic data sets have been fitted, the **confidence intervals** are calculated by analyzing the values obtained for each parameter. The confidence interval thereby corresponds to the range enclosing a given percentage of the values.

When error analysis is complete, the results are printed in the Results window and a list of the fitted parameters for each synthetic data set appears in a new data window. You can use the set of simulated parameters for further statistical analysis.

Fitting algorithms

In the previous section we gave a short overview of the most important mathematical tools used to establish criteria distinguishing a good fit from a bad one. Once these criteria are established, one can use them to analyze parameter sets, and to find out in which direction the best parameter set can be found.

The search for the best parameter set is the responsibility of a fitting algorithm, and proFit lets you choose between three different ones: The *Monte Carlo*, *Levenberg-Marquardt*, and *Robust* algorithms.

The algorithms differ by the method they use to orient themselves in parameter space and to find the location of the best parameter set.

The **Monte-Carlo** algorithm minimizes (2) with any definition of R by randomly varying the parameters and (if the x-errors are not zero) the set of x-coordinates \hat{x}_i and looking for the smallest value of (2). This algorithm is often useful to scan parameter space and find good initial values for a Levenberg-Marquardt, or Robust fit.

The **Levenberg-Marquardt** algorithm minimizes the mean square deviations using (8). It finds at the same time the set of x-coordinates \hat{x}_i and the function parameters that minimize the mean square

deviations between the data points (x_i, y_i) and the function values $(\hat{x}_i, f(\hat{x}_i))$. When the x-errors are zero, the Levenberg-Marquardt algorithm minimizes (9).

The **Robust** fitting algorithm minimizes (2) with any definition of R by continually moving “downhill” in parameter-space until the bottom of a valley is found.

The **Linear Regression** and the **Polynomial** fitting algorithms are specialized for polynomials of 1st and nth degree. While the Linear Regression allows for x-errors (we use a straight forward algorithm if there are no x-errors), the Polynomial fitting algorithm is restricted to y-errors only.

The mathematics used by the various algorithms to perform their job is outlined in the next sections.

The Monte Carlo algorithm

This method randomly varies the parameters of a function within given intervals. When x-errors are defined, the algorithm also varies randomly the set of x-coordinates \hat{x}_i while observing the given errors and error distributions.

For each random guess, χ_R is calculated according to Eq. (2) and the parameter sets corresponding to the smallest values of χ_R are remembered.

The strength of this method is also its biggest disadvantage. It looks for the best parameter set by shooting blindly inside the given region of parameter space. Although there is an option of letting this parameter space region follow the position of the currently best parameter set, this algorithm can only converge very slowly towards the best parameter set.

Its main use is to “scan” parameter space in order to find good parameter starting values for one of the deterministic fit algorithms, or to try to “jump out” of a local minimum where a deterministic fitting algorithm is stuck.

Since the algorithm is normally used for a first estimate of fitted parameters, it is not recommended to run it with non-zero x-errors – this merely slows down the algorithm without substantially increasing the accuracy of the estimates.

The Levenberg-Marquardt algorithm

The Levenberg-Marquardt algorithm is derived directly from the mean square deviation expressions (8) or (10) and cannot be used with deviation functions R other than the square deviation $R(d) = d^2$.

The Levenberg-Marquardt algorithm is in principle the fastest fitting algorithm available in proFit. Its performance, however, depends strongly on the behavior of the function to be fitted as well as on the selected starting parameters.

The classical version of the Levenberg-Marquardt algorithm does not allow for x-errors and minimizes the mean square deviation (10). The algorithm can be described in words as follows:

Starting from a given set of parameters, the mean square deviation χ^2 is calculated. Then the parameters are varied slightly to observe their influence on χ^2 . From this, the direction in which χ^2 decreases most rapidly can be evaluated and a new set of parameters is chosen. This procedure is reiterated with this new set of parameters. When the minimum is near, the algorithm goes over to a more deterministic “guessing” at the position of the minimum and solves some equations to find it. The fitting stops when the value of χ^2 does not decrease anymore between successive steps.

The algorithm is described in W.H. Press, B.P. Flannery, S.A. Teukolsky, W.T. Vetterling, *Numerical Recipes - the Art of Scientific Computing*, Second Edition, University Press, Cambridge, 1992.

When x-errors are specified, the algorithm is modified in such a way that it minimizes (8). It finds at the same time the set of x-coordinates \hat{x}_i and the function parameters that minimize the mean square deviations between the data points (x_i, y_i) and the function values $(\hat{x}_i, f(\hat{x}_i))$.

The extensions to the Levenberg-Marquardt algorithm that allow the interpretation of x-errors are described in P.L. Jolivette, "least-squares fits when there are errors in X," Computer in Physics, Vol. 7, No. 2, 1993.

Partial derivatives

To fit a function of the type $y = f(a_1, \dots, a_n, x)$ the Levenberg-Marquardt algorithm needs the partial derivatives of the function with respect to its parameters. It uses the partial derivatives when it estimates the influence of the parameter set $\{a_i\}$ on χ^2 . The partial derivatives f'_i are given by

$$f'_i(x) \equiv \frac{\partial f(a_1, \dots, a_n, x)}{\partial a_i} \quad (11)$$

and they are calculated for all x-coordinates \hat{x}_i during every iteration.



When you define your own function for fitting and you find that the fitting process is too slow, then you should define these derivatives explicitly (in the procedure called derivatives). If you do not define the derivatives yourself, pro Fit must calculate them numerically. This makes fitting considerably slower.

More information on how to define functions and their derivatives is given in Chapter 9, "Defining functions and programs".

Estimation of parameter errors

The Levenberg-Marquardt algorithm allows the determination of the standard deviations of the parameters. These are the values that are printed in the results window after a successful fit, under the heading "standard deviations". The standard deviation defines the region that contains 68.3% of the total integral of a Gaussian distribution.

The standard deviation σ_{a_j} of the parameter value a_j obtained after a successful fit is found from

$$\sigma_{a_j} = C_{jj} \quad (12)$$

where C_{jj} is the diagonal element of the **covariance matrix C**. The full covariance matrix of the parameters used in the fit is the inverse of a matrix **A**: $\mathbf{C} = \mathbf{A}^{-1}$.

The matrix **A** is also called **curvature matrix**, and it is defined by the errors (standard deviations) of the data points and by the partial derivatives of the function with respect to the parameters. When x-errors are specified the derivative of the function with respect to x must also be calculated and the curvature matrix **A** is given by

$$A_{ij} = \sum_k \frac{1}{\sigma_{y_k}^2 + \sigma_{x_k}^2 \left(\frac{\partial f(x_k)}{\partial x} \right)^2} \begin{pmatrix} \frac{\partial f(x_k)}{\partial a_i} & \frac{\partial f(x_k)}{\partial a_j} \end{pmatrix} \quad (13)$$

If the x-errors can be considered to be zero, the curvature matrix **A** has the simpler form:

$$A_{ij} = \sum_k \frac{1}{\sigma_{yk}^2} \left(\frac{\partial f(x_k)}{\partial a_i} \frac{\partial f(x_k)}{\partial a_j} \right). \quad (14)$$

Loosely speaking, this matrix describes the propagation of the errors from the data points to the parameters. We refer to the specialized literature for more details.

If the x-errors can be regarded as zero, pro Fit lets you specify “unknown” y-errors. In this case, the y_i are assumed to be normally distributed, all with the same standard deviation σ . For fitting, σ_{yi} is taken to be 1 for all i . The “real” σ_{yi}^2 is then estimated from $\sigma^2 = \chi^2 / \nu$ (where ν is the number of degrees of freedom, i.e. the number of data points minus the number of parameters) and σ_{ai} is calculated from the expressions given above.

It is interesting to consider the case where a parameter reaches one of its limits during a fit. As you know, pro Fit lets you specify, for each function parameter, an interval of allowed parameter values. If a parameter is at one of the boundaries of this interval after a fit, its standard deviation cannot be calculated. The parameter is then considered to be constant (i.e. it is not a *free* parameter anymore). The standard deviations of the other parameters and χ^2 are calculated using the effective number of active parameters at the end of the fit. The results obtained are the same as those that would have been obtained by fitting with the parameter fixed at its limit from the start.



The standard deviations of the parameters (and the covariance matrix) that are obtained in a Levenberg-Marquardt fit have a clear quantitative interpretation only if the errors of the data are normally distributed. If the data errors are not given, the calculations for evaluating the standard deviations of the parameters assume that the y_i are normally distributed and that the function is the correct description of reality.

Interpret the results carefully !

An alternative, more general way to estimate the errors of the fitted parameters is described in the section “Error analysis and confidence intervals”.

The Robust minimization algorithm

This method minimizes χ_R (2) with any definition of R by continually moving “downhill” in parameter-space. Starting from some initial value, the parameters are varied and the resulting value of χ_R is calculated. From this, the algorithm finds the direction in which χ_R decreases and moves that way. Then it samples again the surroundings by varying the parameters. It stops when a minimum is reached.

When the x-errors are not zero, the \hat{x}_i necessary for calculating the “minimal distance” between a data point and the function curve are calculated for each data point by an explicit minimization of the term $[R(d_{xi}) + R(d_{yi})]$ in Eq. (2).

Minimization is performed with limited precision in order to save processing time. The \hat{x}_i will be determined to an accuracy which is a fraction of the x-error specified for each point. pro Fit will also count the number of function calls it is using to determine one \hat{x}_i and will stop after a maximum of 50 function calls (normally much less function calls (<10) are needed to find the minimum). This procedure introduces a small uncertainty in the determination of χ_R . However, the statistical significance of such an uncertainty will be limited, because the precision with which the \hat{x}_i are determined is in any case much better than the errors of the data points.



A robust fit with x-errors larger than zero will be considerably slower than the same fit performed with zero x-errors. When for zero x-errors evaluation of (9) requires a number of function calls equal to the number of data points, evaluation of (8) will require more or less ten times more function calls when x-errors are defined.

The Linear Regression algorithms

In this case we assume a straight-line model for the measured data with normally distributed errors.

$$y(x) = a + b x \quad (15)$$

A) If there are no x-errors and the y-errors are assumed to be known (σ_i is the uncertainty of y_i) equation (9) can easily be simplified. At its minimum the derivatives after the two parameters a and b vanish. This leads to a set of linear equations that are solved analytically:

$$a = \frac{S_{xx}S_y - S_x S_{xy}}{\Delta}, \quad b = \frac{S S_{xy} - S_x S_y}{\Delta} \quad (16)$$

using the following definitions:

$$\begin{aligned} S &\equiv \sum_{i=1}^N \frac{1}{\sigma_i^2}, \quad S_x \equiv \sum_{i=1}^N \frac{x_i}{\sigma_i^2}, \quad S_y \equiv \sum_{i=1}^N \frac{y_i}{\sigma_i^2}, \\ S_{xx} &\equiv \sum_{i=1}^N \frac{x_i^2}{\sigma_i^2}, \quad S_{xy} \equiv \sum_{i=1}^N \frac{x_i y_i}{\sigma_i^2}, \\ \Delta &\equiv S S_{xx} - (S_x)^2 \end{aligned} \quad (17)$$

From these we are also able to calculate the variances of a and b , and the correlation coefficient between them:

$$\begin{aligned} \sigma_a^2 &= S_{xx}/\Delta, \quad \sigma_b^2 = S/\Delta, \\ r_{ab} &= \frac{-S_x}{\sqrt{S_x S_x}} \end{aligned} \quad (18)$$

B) If the measurement shows errors in the x_i the minimization of (8) becomes more difficult, i.e. the set of equations derived for a and b are not linear any more. However, they are solved with numerical means, i.e. with a standard root finding algorithm.

Together with the fitting parameters and their variances the correlation coefficient r is calculated (Pearson's r). It takes a value between -1 and 1 depending on how much the x-values and the corresponding y-values are correlated. $r = +1$ if there is a complete correlation with a positive slope, $r = -1$ if there is a complete correlation with a negative slope, and $r = 0$ if there is no correlation at all.

The significance of the correlation is the "probability that $|r|$ should be larger than its observed value in the null hypothesis" (x and y being uncorrelated). It ranges from 0 (= good correlation) to 100% (= bad correlation).

We refer to the specialized literature for more details.

The Polynomial fitting algorithm

Our model is the general linear combination of arbitrary functions

$$y(x) = \sum_{k=1}^M a_k F_k(x) \quad (19)$$

The functions F_k can be wildly nonlinear functions of x . "Linear" refers only to the model's dependence on its parameters a_k .

Once again we assume that the measurement errors σ_i of the i th data point are known. By defining the matrix \mathbf{A} and the vectors \mathbf{b} and \mathbf{a} as

$$A_{ij} = \frac{F_j(x_i)}{\sigma_i}, \quad b_i = \frac{y_i}{\sigma_i}, \quad a_i \quad (20)$$

it is possible to describe the minimization equations in matrix form

$$(\mathbf{A}^T \cdot \mathbf{A}) \cdot \mathbf{a} = \mathbf{A}^T \cdot \mathbf{b} \quad (21)$$

The variances of the parameters can be found as the square root of the diagonal elements of the inverse matrix \mathbf{A}^{-1} .

To solve equation (21) we use the method of Singular Value Decomposition (SVD). It is a very robust algorithm for overdetermined as well as for underdetermined systems, although it is a little slower and needs more memory resources than solving the normal equations.

For further details see the literature listed below.

Goodness of fit

It is very important to know the quality of a fit; otherwise the minimizing parameters found are in general not meaningful. The goodness of fit, which is the probability Q that a value of chi-square χ should occur by chance, is calculated by the incomplete Gamma function

$$Q = \text{gammapq}\left(\frac{N-M}{2}, \frac{\chi^2}{2}\right) \quad (22)$$

It depends on the degree of freedom, defined as the difference between the number of measured points N and the number of varied parameters M .

If Q is large, e.g. > 0.1 , the fit seems reasonable. If it is small, e.g. < 0.001 , there might be something wrong.

Literature and suggested reading

W.H. Press, B.P. Flannery, S.A. Teukolsky, W.T. Vetterling, *Numerical Recipes - the Art of Scientific Computing*, Second Edition, University Press, Cambridge, 1992.

P.L. Jolivette, "least-squares fits when there are errors in X," *Computer in Physics*, Vol. 7, No. 2, 1993.


The fitting process

General features

With pro Fit, fitting is a highly interactive process. You can decide which parameters have to be varied, set their starting values (estimates) and choose a fitting method. You can inspect the fitting process while it is running, and interrupt it if you don't like it. You can reiterate the process and change fitting algorithms..

The fitting process starts from the parameter values given in the parameters window. You can change these values (click the numbers and edit them). The window also shows which parameters are to be fitted: Only those whose name is shown in **bold** face will be fitted (for these parameters the check box "Use for fitting", which appears when you select a parameter, is checked).

The following is the parameters window for the function Polynom. All parameters will be fitted except the parameter named 'deg':



To change the fitting mode of a parameter (e.g. from 'fit' to 'not-fit'), click its name. It will switch from bold to normal or from normal to bold. Alternatively, you can click the check box **Use for fitting**, in the "selected parameter" field.

Some parameters can never be fitted. For example, it does not make sense to fit the degree of a polynomial. The name of such a permanently fixed parameter cannot be made bold by clicking it. The **Use for fitting** check box is disabled.

Parameters that can never be fitted are called *constant* parameters, those that are currently not fitted are called *inactive* parameters, and those that are currently fitted are called *active* parameters.

Parameter limits

The value of a parameter can be limited to any specified interval by entering the boundaries of the allowed interval in the corresponding edit fields. The edit fields appear in the "active parameter" field once you select a parameter. A parameter is not allowed to leave the specified interval during fitting, optimization of the function, or when you enter a new value in the parameters window.

See Chapter 5, "Working with functions and programs", and Chapter 8, "Defining functions and programs", for more information on how to set parameter limits in user-defined functions. If no limits are specified, the default values are $-\infty$ and ∞ (-Inf..Inf).

During fitting, each parameter is constrained to the interval specified by the parameter limits.

Running a fit

Running a fit consists basically of three simple steps:

1. Choose the function to fit in the Func menu.

Add your own function to the Func menu if it is not already there.


2. Define which parameters you want to fit and their starting values.

You can do this in the parameters window as described above. Look at the function and the data set in the Preview Window to see how good your starting values are. Use the **Fitting-tool** in the Preview Window to “push” the function towards the data points.

The importance of good starting values depends on the function to be fitted. Some functions, like the Gauss function are more difficult to fit. A polynomial can be fitted with almost any starting parameter set.

3. Choose Fit from the Calc menu.

The Fitting Setup dialog box appears:



Using this dialog box, you can set a number of fitting options. Once you are satisfied with them, click OK and fitting will start.

You can switch from one fitting algorithm to the other using the **Algorithm** popup menu. More details about particular options for each algorithm are given below.

The **Window** menu lets you select a data window (by default the foremost data window).

The **X column** and **Y column** menus define the data set coordinates x_i and y_i . If **Selected rows only** is checked, only rows intersecting the current selection are used for fitting. Otherwise, all data in the X- and Y-columns will be used.

The popup menus **X-Errors** and **Y-Errors** let you specify the errors of your data. In the X-Errors menu, choose **zero** to use zero x-errors (the usual case). In the Y-Errors menu, choose **unknown** if you don't want to specify y-errors – in this case, a value of “1.0” will be used as the error for all data points (regardless of the order of magnitude of the y-values) and all points will have the same weight in the calculation of χ_R (which is calculated with $\sigma_{y_i} \equiv 1$). Choose **Constant** to set the standard deviation of all points to a given absolute value. Choose **Percent** if you want to enter the error as a fraction of the data value in %. If you have the errors stored in a column of your data window, then select **Individual** and choose the appropriate column in the pop-up menu that appears.



Make sure that the columns you select contain the correct error values in the correct positions. For each row in the table, there must be a one to one relationship between the values in the x -, y -columns and the values in the error columns.

The **Distribution** popup menu, which appears when you define errors, gives the error-probability distribution that will be assumed for the fit. This popup menu is dimmed if the Levenberg-Marquardt algorithm is used, because this algorithm only works with Gaussian error distributions.

The check box **Use last choice** tells pro Fit to use the data window and error settings of the previous fit. This feature is rarely used, but it makes fitting easier when you have to fit the same data columns several times but want to work with other data windows before and after a fit.

The results of the fit are shown in the results window. Check **Print active parameters only** if you only want to see the values of the parameters that were fitted. Use this option if your function has many parameters that you do not fit and you do not want all the values of inactive or constant parameters to clutter the results window. Check **Print full description** to get, for each fit, a header that describes the settings that were used for fitting.

Check **Error Analysis** if you want to obtain more information on the accuracy of the fitted parameters. Confidence intervals for each fitted parameter will be determined by a Monte Carlo method that simulates a large number of fits with a series of synthetic data sets. More about this in the Error Analysis section, below.

To start fitting, click **OK**. Fitting can run for fractions of a second or for hours, depending on the execution speed of the function you selected, the number of parameters to fit, and the number of data points. The results of the fit appear in the result window. You might want to choose its name from the windows menu and position it in a comfortable place before running a fit. You can let proFit always bring the results window to the front after a fit by using the Preferences... command.


To speed up fitting when you are using one of your functions, you should define the function's partial derivatives with respect to its parameters. The section “The role of the partial derivatives” below gives more information on this topic.

You can interrupt fitting by holding down the command key () and the period-key (.) simultaneously.

Note that proFit can run any fit in the background, this means that you can work with another application while pro Fit is fitting. You may want to place pro Fit's progress window in a corner of your screen to watch what is going on.

Inspecting the progress of a fit

During lengthy fits, you can inspect what is going on and see if the fitting algorithm is behaving correctly. pro Fit displays information on the current fit in its progress window:



This window lists the total number of iterations, the current values of chi squared, and the current values of the best parameter set.

You can see the progress of the fit graphically if you open the Preview Window and check the Show Function check box. During a fit, pro Fit will periodically draw the function corresponding to the best parameter set. This allows you to see how the function approaches the data set during a successful fit. Because of this previewing feature, you will notice soon enough if the fit is not converging correctly, and will then be able to interrupt it.



If your function performs many lengthy calculations, redrawing the function periodically can slow down the fit. Hide the Preview Window, or uncheck "Show Function" if fitting speed matters.

Error analysis and confidence intervals

Check **Error Analysis** in the Fit dialog box to get more information on the confidence intervals of the parameters.

When Error analysis is checked, two more edit fields appear in the Fitting Setup dialog box.

Fitting Setup

Algorithm **Robust**

Data Use last choice

Window **Untitled Data 1** Selected rows only

X column **year** Y column **population in milli...**

X errors **Constant** Y errors **Constant**

Error = **0.2** Error = **0.3**

Distribution **Gaussian** Distribution **Gaussian**

Error analysis: Iterations = **500**, confidence intervals = **68.3** %

Print full description

Print active parameters only

? Cancel OK

The Error Analysis algorithm simulates a number of data sets equal to the value specified in the **iterations** edit field. For each iteration, the corresponding parameter set will be determined by the fitting algorithm you selected (either the Robust algorithm, or the Levenberg-Marquardt algorithm).




You should always use the Levenberg-Marquardt algorithm when performing error analysis. Using the Robust algorithm is not recommended because this algorithm is inherently slower than the Levenberg-Marquardt algorithm. Since error analysis can need thousands of iterations, the convergence speed of the algorithm is very important.

All parameter sets generated during error analysis will be collected and displayed in a data window once Error Analysis is completed. You can then use them for a more complete analysis of the distribution of each parameter.

Based on the simulated parameter sets, pro Fit estimates confidence intervals. You must specify which confidence interval you want pro Fit to calculate by entering the corresponding probability in the **confidence intervals** field. pro Fit calculates a confidence interval in such a way that the given percent of the simulated parameter values are contained inside it.

During error analysis, pro Fit shows the status of the calculation in its progress window:



The window shows the status of the calculation and the confidence interval estimations based on the currently available data. The calculation is a Monte Carlo calculation, so the boundaries of each confidence interval will converge slowly and randomly towards some stable values.

If you want to see what happens during error analysis and your function draws itself fast enough, open the Preview Window and make sure "Show function" is checked. pro Fit will redraw the function periodically during error analysis and you will be able to see how the fitted function changes depending on the simulated data sets which are generated randomly. However, doing so will waste time for drawing the function and slow down the error analysis procedure. Hide the Preview Window, or uncheck "Show function" to make the error analysis procedure as fast as possible.

Fitting results

When fitting is completed, a summary of the results of the fit is displayed in the results window. Depending on which fitting algorithm you used, the data printed to the results window can vary slightly.

You may often want to transfer the values of the fitted parameters to the parameters window to use them as starting values for a further fit. Choosing **Params ->>** from the Calc menu transfers the best set of parameters to the parameters window.

The results of a fit are made available to custom functions and programs through a set of predefined functions used for accessing the fitted parameters, the confidence intervals, the value of chi squared, and, for the Levenberg-Marquardt algorithm, the full covariance matrix. See Appendix A for more details.

If you want to save the parameter sets obtained in every single fit, store them in a dedicated data window. You can copy them from the parameters window and paste them into a single row of the data window, or you can write a small macro (a pro Fit program) that transfers the fitted parameters directly to their data window. See chapter 9 "Defining functions and programs" to see how to do this. An example program for transferring parameter values to a data window is found on the pro Fit distribution disks.

Using the various fitting algorithms

pro Fit provides three different fitting algorithms: The *Monte Carlo*, *Robust*, and *Levenberg-Marquardt* algorithms. They are described in the preceding section.

The following sections describe how each of these fitting algorithms is used, and what particular options you can set for each algorithm.

Using the Levenberg-Marquardt algorithm

To start a fit with the Levenberg-Marquardt algorithm, choose **Fit** from the Calc menu after having selected the appropriate function from the Func menu. The Fitting Setup dialog box appears with Levenberg-Marquardt pre-selected in the Algorithm popup menu. :

See the preceding section for a description of this dialog box.

When you define errors, the **Distribution** popup menu is dimmed and set to a Gaussian distribution. The Levenberg-Marquardt algorithm can only work if the errors of the data set are normally distributed.

The Levenberg-Marquardt fit stops running when the chi-squared determined from the current parameter set doesn't decrease appreciably anymore from one iteration to the next.

When finished, the parameter values and their standard deviations are printed to the results window. If you need to access the complete covariance matrix, you can define a program that uses the predefined function `CovarMatrix`. See Appendix A for more details on how to use this function.

Using the Robust minimization algorithm

To run a Robust fit, choose "Robust" in the algorithm popup menu of the fit dialog box. This dialog box appears when selecting "Fit" from the Calc menu, and it was described above.

Using the **Distribution** popup menu, which appears when you define errors, you can select the error distribution that best describes your experiment. Robust fitting will deserve its name if you select a distribution that diminishes the importance of outliers (like Andrew's sine or Tuckey's biweight).

When finished, the resulting parameter values are printed to the results window. This algorithm does not determine a "standard deviation" for each parameter, like the Levenberg-Marquardt algorithm does. To obtain error estimations you have to run a Levenberg-Marquardt fit after the Robust fit converged, or you have to check the **Error Analysis** check box and perform a Monte Carlo analysis. See the corresponding section for more details.


Using the Monte Carlo algorithm

To run a Monte Carlo fit, choose **Monte Carlo Fit** from the Calc menu or chose Monte Carlo in the Algorithm popup menu of the Fitting Setup dialog box.

When you do this, two more items appear to the right of the Algorithm popup menu (Please refer to the beginning of this section for a basic discussion of the Fitting Setup dialog box.)



Clicking **Ranges...** presents another dialog box where you can define the ranges within which the parameters can be varied:



By default, these ranges are the ten percent deviations of the starting value of the parameter (or -1 and 1 if the starting value is 0).

Checking **Auto search** tells pro Fit to make a more flexible search for the best set of parameters.

The Auto search check box determines whether the limits within which the parameters are varied will be kept fixed (auto-search unchecked) or if they will be adapted during the fit (auto-search checked). In the latter case, the limits will be shifted after every iteration to keep them around the best parameter set. (Note that the parameters are never allowed to leave the parameter limits defined in the parameters window.)

The Monte Carlo Fit runs until you interrupt it by pressing $-.$. If you don't stop the fit yourself, the Monte Carlo Fit runs for ever.

The three best sets of parameters are displayed in the results window after you interrupt the fit.



The Monte Carlo fit slows down exponentially when the number of parameters to be fitted is increased.

Using the Linear Regression algorithm

To run a Linear Regression fit, choose "Linear Regression" in the algorithm popup menu of the fit dialog box. This dialog box appears when selecting "Fit..." from the Calc menu, and it was described above.

As the name indicates, this algorithm forces you to select the Polynomial function of degree 1 , with both parameters being fitted. It assumes a Gaussian distribution of errors. X-errors and Y-errors are possible.

When finished, the parameter values and their standard deviations are printed to the results window. Additionally, the correlation coefficient r is calculated, as well as its significance, which is the probability that $|r|$ should be larger than its observed value in the null hypothesis (x and y being uncorrelated).

Using the Polynomial fitting algorithm

To run a Polynomial fit, choose “Polynomial” in the algorithm popup menu of the fit dialog box. This dialog box appears when selecting “Fit...” from the Calc menu, and it was described above.

As the name indicates, this algorithm forces you to select the Polynomial function of any degree. It assumes a Gaussian distribution of errors. Only Y-errors are possible.

When finished, the parameter values and their standard deviations are printed to the results window.

Fitting multiple functions and x-values

You may sometimes want to fit *simultaneously* several functions ($f_1 \dots f_q$) with one or more common parameters. Or you may want to fit a function that does not depend on a single x -value but on a set ($x_1, x_2 \dots x_p$) of x -values. Or you might even encounter a combination of these two cases.

In the most general case, you have q functions, each of them depending on one or more x -variables. Each function has some parameters, some functions can share one or more parameters:

$$\begin{aligned}y_1 &= f_1(x_1, x_2 \dots x_{p_1}) \\y_2 &= f_2(x_1, x_2 \dots x_{p_2}) \\&\dots \\y_q &= f_q(x_1, x_2 \dots x_{p_q})\end{aligned}$$

For each function, you have a set of data points that should be described by it. Now you want to fit all these functions simultaneously.

There are several methods of tackling this kind of problem with pro Fit. Some of them are described in the following section.

Functions with multiple x-values

Let us first consider the special case of a single function that depends on more than one x -value:

$$y = f_1(x_1, x_2 \dots x_p).$$

Example: The photoconductivity σ of some light detectors as a function of the incident light intensity I and the operating temperature T obeys a relation of the form


$$\sigma = s I e^{-T_0/T},$$

where I is the intensity of the incident light and T is the absolute temperature (in Kelvin). s and T_0 are parameters.

In our example, we have a number of measurements of the conductivity σ at different temperatures T and different intensities I . The values are given in the table below.

Temp [K]	Intensity [mW/cm ²]	conductivity [10 ⁻⁸ Ω ⁻¹ cm ⁻¹]
200	0	0.00
200	20	8.45
200	40	16.90
200	60	25.35
300	0	0.00
300	20	14.64
300	40	29.29
300	60	43.93
400	0	0.00
400	20	19.28
400	40	38.56
400	60	57.84

Here is a graphical representation of this data set:



In order to fit these points with our function, we must define the function and the data set in such a way that the function can obtain its two x-values from the current data window. We enter the temperature T (which is our x_1 value) into column 2 of a data window, the intensity I (which is our x_2 value) into column 3, and the conductivity (which is our y value) into column 4. We fill column 1 with numbers from 1 to 12, thus numbering all our measured points.

Index	N	T [K]	I [mW/cm2]	cond
1	1.00000	200.00000	0.00000	0.00000
2	2.00000	200.00000	20.00000	8.45020
3	3.00000	200.00000	40.00000	16.90039
4	4.00000	200.00000	60.00000	25.35059
5	5.00000	300.00000	0.00000	0.00000
6	6.00000	300.00000	20.00000	14.64633
7	7.00000	300.00000	40.00000	29.29266
8	8.00000	300.00000	60.00000	43.93898
9	9.00000	400.00000	0.00000	0.00000
10	10.00000	400.00000	20.00000	19.28234
11	11.00000	400.00000	40.00000	38.56468
12	12.00000	400.00000	60.00000	57.84702
13				
14				
15				
16				

Conductivity data entered into a data window. Note the auxiliary column 1, providing a unique number for each data point.

Now we define a function $y = F(x)$ that returns the conductivity as its y -value (see Chapter 9, “Defining functions and programs”, on how to define your own function) and takes the *number of the data point* (in column 1) as x -value. When this function is called with a given value of x , it looks up the values of temperature and intensity (i.e. the values for y_1 and y_2) from columns 2 and 3 of the current data window. Then it calculates the conductivity according to our model $\sigma = s I \exp(-T_0/T)$:

```
function conductivity;
begin
  y := a[1] * data[x,3] * exp(-a[2]/data[x,2]);
end;
```

Note that $\text{data}[x,3]$ is the value of the x -th cell of the third column in the data window that was chosen for fitting, $\text{data}[x,3]$ is the intensity and $\text{data}[x,2]$ is the temperature.

Now we can fit this function to our data. We use the first column as its x -value and the conductivity column as its y -value. Before fitting, don't forget to set reasonable starting values for the parameters (in this case most positive numbers will do). The fit returns $a[1] = 2.2$ and $a[2] = 330$.

The general idea of this method is to replace a function $f(x_1, x_2 \dots x_p)$ by a single valued function $F(x)$ which takes an index as its x -value. From this index, F can find the cells in the current data window where the values $x_1 \dots x_p$ are stored. Once $x_1 \dots x_p$ are known, F can calculate $f(x_1 \dots x_p)$.

Multiple functions with one x-value

Another special case that we can easily lead back to the form $y = f(x)$ is the case of multiple functions with one x -value. These functions can share one or more common parameters.

$$\begin{aligned}
y_1 &= f_1(x), \\
y_2 &= f_2(x), \\
&\dots \\
y_q &= f_q(x).
\end{aligned}$$

One method to transform this problem into a ‘fittable’ form is the following:

Let us assume that we have x -values ranging between 0 and 1000. We now define a function f of the form:

$$y = \begin{pmatrix} f_1(x) & \text{if } x = 0..999 \\ f_2(x - 1000) & \text{if } x = 1000..1999 \\ f_3(x - 2000) & \text{if } x = 2000..2999 \\ \text{etc.} \end{pmatrix}$$

Now we can enter the x -values of our points in the first column of our data window and all y -values in the second column. The first N_1 rows (where N_1 is the number of data points we have for f_1) contain the values of x in column 1 and the corresponding values of y_1 in column two. The next N_2 rows (where N_2 is the number of data points for f_2) contain $x+1000$ in the first column and y_2 in the second column., and so on. In this way we have reduced a set of multiple functions to a single function.



When fitting multiple functions, it is very important to specify the standard deviations of the y -values of each function. The reason for this lies in the fact that the y -values for each function may have a different order of magnitude. E.g. f_1 might return values in the order of 10^{10} while f_2 returns values in the order of 1. If you do not specify the error range of the y -values, the fitting algorithm weights them all equally and a given deviation of a data point from the function f_1 has the same weight as a deviation from f_2 . For most cases, however, it would be more reasonable to give a stronger weight to deviations from f_2 than to deviations from f_1 . This can be achieved by specifying percentage errors in the Fitting Setup dialog box.

Multiple functions with multiple x -values

This is the general case as described in the equations

$$\begin{aligned}
y_1 &= f_1(x_1, x_2 \dots x_{p_1}) \\
y_2 &= f_2(x_1, x_2 \dots x_{p_2}) \\
&\dots \\
y_q &= f_q(x_1, x_2 \dots x_{p_q})
\end{aligned}$$

We have a set of q functions. Each function has a certain number of x -values (which do not need to be the same for all functions). The functions share some parameters that you would like to fit.

The solution to this kind of problem is a combination of the two methods explained above. We define a single valued function $\Phi(x)$ that takes an index as its argument. Φ returns the value of one of the functions $f_1 \dots f_q$ for given x -values ($x_1 \dots x_{p_q}$). The x -value of Φ tells

- (a) which function of $f_1 \dots f_q$ should be evaluated;
- (b) for which x -values it should be evaluated;

The x -values are found in certain columns in the current data window.

Example:

You have two data sets, which are described by two functions. One of these functions has only one x -value (called t), the other has two x -values (called u and v): $f_1(t), f_2(u, v)$. The functions have some parameters in common.

The data set for f_1 consists of n_1 pairs of values $\{t_1, y_{11}\}$, the data set of f_2 consists of n_2 triplets of values $\{u_i, v_i, y_{2i}\}$. You also have error estimates for all y -values (Δy_{ji}).

In order to fit the parameters of all functions simultaneously, you must first choose a method of arranging the data sets in a data window. We propose to put the x -values into separate columns. All y -values must be in one column since you will need them for fitting. As the x -value for fitting you create an index k which is constructed from the formula:

$$k = 1000 \times i + j$$

where i is the number of the function and j the index of the data point in the data set of this function. This works fine as long as we have less than 1000 points in each data set. Note that this scheme of coding can also be used for more than two functions.

A data list for this problem will be filled up like this:

col. 1	col. 2	col. 3	col. 4	col. 5	col. 6
1001	y_{11}	Δy_{11}	t_1	u_1	v_1
1002	y_{12}	Δy_{12}	t_2	.	.
.
.
.	.	.	.	u_{n2}	v_{n2}
$1000+n_1$	y_{1n1}	Δy_{1n1}	t_{n1}		
2001	y_{21}	Δy_{21}			
.	.	.			
.	.	.			
.	.	.			
$2001+n_2$	y_{2n2}	Δy_{2n2}			

The function you define for fitting first converts the index (which is its x -value) to the number of the function it has to call (by testing if it is larger or smaller than 2000), then gets the appropriate t or u and v values and calls f_1 or f_2 :

```
function twoFunctions;
var u,v:real;
begin
  if x < 2000 then begin
    x := data[x-1000,4];
    now calculate y := f1(x)
  end
  else begin
    u := data[x-2000,5];
    v := data[x-2000,6];
    now calculate y := f2(u,v)
  end;
end;
```

For fitting you use column 1 as the x -value, column 2 as the y -value and column 3 as the error value.

If you often have to perform this kind of fitting and for a large number of points, it may be convenient to write a small program that, starting from separate columns for all data sets, creates a data list as shown above by merging all y-values and their errors and by creating an appropriate index column.

General hints for fitting

Starting parameters

As already pointed out, the success of a fit often depends critically on the choice of a good set of starting parameters. Bad starting parameters can cause convergence to a false (i.e. local) minimum of the mean deviation χ_R . It is good practice to always try to figure out reasonable values for starting parameters.

Redundancy of parameters

Sometimes a fit converges slowly or is even stopped with the cryptic error message ‘**A singularity occurred**’. This can be caused by badly chosen starting values for fitting. However, this error is often a consequence of poorly defined or redundant parameters. For example, consider the exponential function

$$y = A \times \exp\left(\frac{-(x-x_0)}{t_0}\right) + \text{const.}$$

This function has four parameters: A , x_0 , t_0 and const. . However, the parameters A , t_0 and x_0 are not independent, as it is easily seen when writing (5) in factors:

$$y = A \times \exp\left(\frac{x_0}{t_0}\right) \times \exp\left(\frac{-x}{t_0}\right) + \text{const.}$$

The first two factors (A and $\exp(x_0/t_0)$) both have the same influence on y . A change of x_0 can be compensated by a change of A . These parameters are redundant. When trying to fit them simultaneously, the fit fails.



Another problem often encountered during fitting is caused by the ‘poor’ definition of a parameter. Example: If you are trying to fit the data points $(x_1 = 1, y_1 = 2.01)$, $(2, 3.99)$, $(3, 6.00)$, $(4, 8.02)$, $(5, 9.98)$, $(6, 12.00)$ to a polynomial of second or higher degree

$$y = a_0 + a_1x + a_2x^2 + a_3x^3 + \dots,$$


you will get a very poor estimation of the parameters a_2, a_3, \dots because your data points are nearly on a straight line and are sufficiently described by the parameters a_0 and a_1 . The standard deviations of the coefficients a_2, a_3, \dots will be accordingly large.

The errors of the data set

When using errors (standard deviations) for your data, it is useful to keep some points in mind:

- Multiplying all errors of your data points with a common factor does not affect the results of fitting, but changes the estimate of the standard deviations or the confidence intervals of the fitted parameters.

- Changing the relative errors of your data points affects the numerical weight of the data points. Example: If you have a large number of points in one area (e.g. between $x = 1$ and 2) and just one or two points far out (e.g. at $x = 50$), it is necessary to decrease the error for these 'lonely' points if you want to force the function to come close to them.
- When plotting a curve in a graph with a logarithmic y -axis, a deviation of the curve from a small y -value appears much larger than the same deviation from a larger y -value. If this astonishes you, it is probably because your measurement errors are proportional to the measured value. When plotting a fit on a graph with a logarithmic y -axis, the errors of the y_i are often given in percent. This results in smaller deviations from points with small y -values. Here is an example of logarithmically plotted data with fits using percentage errors and constant errors.



A fit with percent errors gives a more satisfying visual agreement between curve and data. Obviously, for serious data fitting you should always specify the real measurement error you expect for every data point.

9 Defining functions and programs

proFit allows you to define *functions* and *programs*:

- A **function** is added to the menu 'Func'. It behaves like any of proFit's built-in functions and you can use it for fitting, plotting, etc., see Chapter 5, "Working with functions".
- A **program** is added to the menu 'Prog'. A program performs a sequence of tasks. Programs can be used for scripting proFit.

Both, functions and programs, can be defined in the same syntax, which is based on the Pascal programming language. In addition to this, programs can be written in Apple Script.

All commands that can be given to proFit using its menus, can also be issued through proFit's program definition language or through AppleScript. You do not need to know much about the syntax of these "programming languages" in order to do this. The command that corresponds to any user-action can be generated automatically by switching on "recording", either in proFit, or in Apple's Script Editor, or other equivalent scripting utilities.

Programs can be considered to be "macros" that can be used to automatize tasks. However, a proFit program can do much more than what you would normally expect a macro to do, such as complicated calculations and data transformations.

Here is a small list of what functions or programs can do:

- Calculate any kind of numerical value, even if it cannot be expressed in a closed mathematical formula.
- Access the data in a data window, write results into the results window, use dialog boxes and alert boxes.
- Execute any command from proFit's menus, open and save files, create and close windows.
- Run fitting operations and predefined numerical algorithms and retrieve their results.
- Create graphs and other drawings in a drawing window using a precise, floating point coordinate system.
- Access the properties of drawing objects in drawing windows, and manage buttons, check boxes, popup menus, or other interface elements that can be drawn there.

Note: All the above can also be done from an external module – a piece of code generated by your favorite compiler. If you are used to programming your own code for data or function analysis, you can consider proFit as a big library offering routines for numeric analysis, data input/output and high resolution graphics. Information on how to define external modules is found in Chapter 10, "Working with External Modules".

When you are defining your functions and programs within proFit, they are translated ('compiled') into native computer code when they are added to proFit's menus. This code can be executed very quickly by your Macintosh.

Simple programs and functions can be defined very easily and quickly.

Even very complicated programs can be defined without much work by simply recording your activities using proFit's automatic macro recording feature.

This chapter first gives a short overview on the principles of programming in pro Fit. It then explains the automatic macro recording feature, and finally it lists the features of pro Fit's built-in compiler in detail. At the end, it explains how to save programs and functions as modules for later use.

Simple examples

Defining functions


Imagine you want to analyze a function of the form

$$y = a \sin(x) \times \ln(x) + b \quad (8.1)$$

with the parameters a and b . To define it in pro Fit:

1. Choose 'New Function' from the File menu.

This opens a new, empty function window.



2. Enter the formula of your function in the new window.

The formula looks as follows:


```
a[1]*sin(x)*ln(x) + a[2]
```

Use $a[1]$, $a[2]$ for the parameters a and b .

3. Click 'To Menu in the function window or choose 'Compile & Add To Menu' from the Customize menu.

pro Fit analyses the contents of the window. Since you have entered a simple mathematical expression using the value x , pro Fit assumes that you want to define a function. Your formula is translated into a Pascal-like function definition, it is compiled and added to the menu 'Func'.

The function window now shows the Pascal definition of your function:



The new function appears under the name “User_Function” in the menu ‘Func’. It is automatically selected and the parameters window shows its parameters a[1], a[2].

After adding the function to pro Fit, you can change its parameters in the parameters window. You can plot the function, use it for fitting, calculate a table of its values, etc. (To view the function in the preview window, make sure that the option “Show function” is checked.)

The above method is an abbreviated way for entering functions: you simply enter the function’s expression and pro Fit translates it into a Pascal function definition before compiling it. In many situations you will, however, want to write or edit the function definition directly. Therefore, let’s have a closer look at it:

```
function User_Function;
begin
  y := a[1]*sin(x)*ln(x) + a[2];
end;
```

The first word of our example is `function`. It tells pro Fit that the definition of a function follows. The next word (`User_Function`) gives the name under which the function will appear in the Func menu.

The function’s actual definition is given between the keywords `begin` and `end`. The function’s value is calculated and then assigned (by the `:=` operator) to the variable `y`. The variable `x` contains the function’s `x`-value and `a[1]`, `a[2]` etc. are the function’s parameters.

`a` is a predefined array that represent the function parameters. The parameters can be accessed by their index, i.e. `a[1]`, `a[2]` etc. Instead of using `a[i]` for the parameters, you can also use parameter names of your own by declaring them (as in standard Pascal) in the header of the function. See the section “Alternative function syntax” later in this chapter.

Our sample function is not defined for $x \leq 0$. If you use it in calculations with negative x -values, a runtime error is generated. However, the function converges to $y=a[2]$ for $x=0$. You may want to expand its definition range by defining $y(x) = a[2]$ for all $x \leq 0$. This can be done easily in a new version of our function:

```

function LogSine;
begin
  if x <= 0
    then y := a[2]
    else y := a[1]*sin(x)*ln(x) + a[2];
end;

```

Note that you can insert additional spaces or lines anywhere between keywords.

The new version of the function (which now has the name 'LogSine') shows how you can use the `if` statement for conditional execution. It takes the general form

if condition then do this else do that

'do this' is executed if the condition is met, 'do that' if it is not met.

If you work with your function more often, you might want to make sure that the Parameter window shows reasonable default values for the parameters and a short description of what the function does. Here is a final and more complex definition implementing this (note that texts between curly brackets ('{' and '}') are used as comments and are ignored):


```

function Myfunction;
description
  { text to appear in parameters window }
  'x > 0:  y = A sin(x) ln(x) + B',
  'x <= 0:  y = B';
defaults
  { names and defaults for the parameters }
  a[1] := 1,active,'A';
  a[2] := 0,inactive,'B';

begin
  if x <= 0
    then y := a[2]
    else y := a[1]*sin(x)*ln(x) + a[2];
end;

```

When you add this function to pro Fit, its parameters window looks like this:



In the last version of our sample function two additional elements have been added:

- A keyword `description` followed by two texts between quotes ('...'), which appear at the bottom left of the parameters window.

- A keyword `defaults`, which is followed by additional information for each parameter, and takes the form: `a[i] := value, mode, name, lowLimit, highLimit`, where `value` is the default value of a parameter, `mode` its default fitting mode (it can be 'active' (i.e. the parameter will be fitted), 'inactive' (will not be fitted) or 'constant' (cannot be fitted)) and `name` (its name between quotes (' ') used in the parameters window). Using the keyword `defaults`, you can also define a range of acceptable values for a parameter given in the optional parameters `lowLimit` and `highLimit`. See the detailed description of the `defaults` keyword, later in this chapter.

Once you have successfully defined a function and you have added it to the Func menu, you can save it as a module. A module is a file that contains the computer code for your function and that can be loaded by pro Fit at start-up, or at any other time. Go to the last section of this chapter for more information on modules.

Defining programs

Programs are generally used to create or transform data in a data window or for scripting pro Fit operations. In the following we give some very simple examples of programs.

In a first step, we will write a program that fills the first column of a data window with the powers of two: 2, 4, 8, 16, etc.

1. Choose New Function from the File menu.

This opens a new, empty function window.

2. Enter the definition of your program in the new window.

Enter the following definition:

```
program PowersOf2;
var i: integer;
begin
  NewDataWindow;
  for i := 1 to nrRows do
    data[i,1] := 2 ^ i;
  end;
```

Note that a program definition starts with the keyword `program` followed by its name. After that we first have a variable declaration for the variable `i`, which is of type `integer`.

The body of our program between `begin` and `end` starts with the call `NewDataWindow`, which tells pro Fit to open a new, empty data window. Then follows a so-called *for-loop*, which takes the general form

```
for variable := startValue to endValue do statement;
```

A for-loop executes its statement for all integer values of its variable between `startValue` and `endValue`. If `startValue` equals `endValue`, the for-loop is executed only once. If `startValue` is larger than `endValue`, the for-loop is never executed.

The end value in our for-loop is `nrRows`, `nrRows` is always equal to the number of rows in the current data window.

The statement in our for-loop is an assignment (`:=`) to the array element `data[i,1]` that corresponds to the i^{th} data cell in the first column of the current data window. The expression 2^i stands for 2^i (you can also use `2**i` instead of `2^i`)

3. Click 'Add' in the function window or choose 'Compile & Add To Menu' from the Prog menu.

The program is transformed into computer executable code (it is compiled) and its name appears in the at the end of the menu 'Prog'.

4. Choose PowersOf2 from the menu 'Prog'.

The program is executed. It opens a new data window and fills its first column with the desired values.

Our next example program is somewhat more complex. Imagine you have a data window with some data in the first column. You want to write a program that fills the second column with the square root of the values of the first column. You want to take some special cases into account:

- If a cell in the first column is negative, the corresponding cell in the second column should be 0.
- If a cell in the first column is empty, the corresponding cell in the second column should be empty too.
- If any cell in the first column was empty, the program should give the user a warning when it has finished.

The program which does this task looks like this:


```
program MakeRoot;
var i: integer;           {the row counter}
    doAlert: boolean;    {true if a cell}
                        {was empty}

begin
  doAlert := false;
  for i:=1 to nrRows do
    if DataOK(i,1) then  {if cell not empty}
      if data[i,1]>=0
      then data[i,2] := sqrt(data[i,1])
      else begin
          data[i,2] := 0;
          doAlert := true;
        end;
    if doAlert then
      Alert('Some data was negative');
  end;
```

This program shows some additional features of the definition syntax:

- An additional variable of type `boolean` has been introduced. A `boolean` variable can take the values `true` or `false` which can be used in `if` statements.
- Before accessing the data in a cell, we test if there is really a number in this cell. This is done with the function `DataOK(r,c)`, which returns `true` if the cell in row `r` and column `c` contains a valid number. If the cell is empty or if it contains text, it `DataOK` returns `false`.

- The innermost `if` statement (`if data[i,2]>=0`) has two statements in its `else` branch. They are grouped by the keywords `begin` and `end` to make it clear that they both belong to the `else` statement.
- At the end of the program an `if` condition checks whether any data was negative. If there were negative numbers in the input column, the procedure `Alert` is called. `Alert` takes one argument, a string (i.e. a text between quotes). It displays an alert box that shows this string. Here is the alert box that appears in case negative numbers are found when the above program is executed:



This alert box has two buttons: ‘Stop’ and ‘OK’. If you click **Stop**, the execution of your program is immediately aborted. If you press **OK**, the execution of your program continues. For our sample program, it will not make any difference if you press Stop or OK: when the program calls `Alert`, it is at its end anyway.

You can now add the sample program `MakeRoot` to the `Prog` menu (click **Add** in the function window). Then prepare a data window with some data in its first column and run `MakeRoot` (by choosing `MakeRoot` from the `Prog` menu).


A shortcut

As mentioned at the beginning of this chapter, you can abbreviate the definition of a function by simply entering its expression (using `x` and the parameters `a[1]`, `a[2]`, etc.) in a function window. When you click the button “To Menu” or choose “Compile & Add to Menu” from the ‘Customize’ menu, pro Fit scans the contents of the text window. Compile & Add to Menu If it encounters a simple expression using `x`, it assumes that you want to define a function and adds the corresponding Pascal syntax around your expression.

You can use the same mechanism for defining programs. For example, you can simply enter the following lines in an empty text window:

```
NewDataWindow;
for i := 1 to nrRows do
  data[i,1] := 2 ^ i;
```

When you click the button “To Menu” or choose `Add to Menu` from the ‘Customize’ menu, pro Fit finds that you have entered the body of a program and that you have used the variable `i`. It therefore adds the necessary Pascal syntax and then compiles your program. Your complete program will look like this:



On-line help for programming

The help menus

When defining functions and programs, you can use a series of predefined names, functions and procedures. To help you use them, pro Fit provides a popup menu “Help” in the header of all function windows.



The “Help” popup menu lists all predefined routines, names, and syntax elements that you can use. The items are organized hierarchically. It is easy to find an item by moving the mouse over all the different headings.


In addition to this, the function window provides a popup menu called “Const” that provides a list of some of the most important nature constants in science and engineering.

When you move the mouse over an entry in the menus “Help” and “Const”, a help balloon is shown giving a short description. When you choose an entry and release the mouse, its definition is pasted into the function window.

You can enable/disable balloon help for these two menus by choosing the entry “Show Balloons” from the popup menu “Help”. Note that when choosing ‘Show Balloons’ from the Help popup menu, balloons are only enabled for the two popup menus – not for any of the other menus or dialog boxes of pro Fit. To switch on balloons for other parts of pro Fit, choose Show Balloons from the Apple Help menu (the question mark that appears in the menu bar).

Browsing functions and programs


Navigating a lengthy function or program definition can be difficult. To get a quick overview of your definition, click the popup menu “Browse” at the bottom left of the function window.




The menu shows a list of all functions, procedures and programs defined in the file. Choosing an entry from this list takes you there.

Finding the definition of a symbol

If you want to find the definition of a symbol, variable or command that appears in a function window, double-click it while holding down the option key. For example, if a function window looks as follows:



and you want to know how "SelectWindow" is defined, double-clicking it while holding down the option key brings up its definition in an Apple Guide panel:



Automatic Macro Recording

pro Fit can “record” most operations that you perform and generate a Pascal program or an Apple Script therefrom. (Open Apple’s script editor to record your activity as an apple script. See chapter 11, Apple Script, for more information.)

If you do not know how to program a certain action with pro Fit’s definition language, switch on recording, perform the action you want to program, and look at the recorded commands.

Each text window has record, play and stop buttons:



The record button is the one with the circle in its center, the stop button is the one with the square, the play button is the one with the triangle.

To record your actions, click the record button. pro Fit will automatically generate a Pascal script for nearly everything you do. When you have finished recording, click the stop button. Then you can replay what you did by clicking the play button.

Alternatively, you can use the commands “Start Recording”, “Stop Recording” and “Run” (or “Run Selection”) from the Customize menu.

If you only want to run a part of a script, first select it and then click the play button (or choose “Run Selection”) from the Customize menu. If you don’t select a part of the script before clicking the play button, then the whole script is run. If there are function or program definitions in the midst of the script, they will be added to pro Fit’s menus.

The recorded commands appear at the current insertion point in the text window. You cannot edit the text window while it is recording.

You can record new commands at any place inside an existing program definition. Simply position the cursor where you want the new commands to appear, and click the “record” button.

Syntax of function and program definitions

This section gives a full description of the elements of proFit’s syntax for function and program definitions.

Information on how to define programs is found under “program definition syntax”. Information on how to define functions is found under “program definition syntax” *and* under “function definition syntax”. You need to look under both headings because the function definition syntax is based on the program definition syntax. Read the sections devoted to programs to obtain an explanation of all the general features that are available to programs as well as functions.

Program definition syntax

The structure of a program definition is basically identical to that of a program in standard Pascal. It starts with the keyword `program` followed by the name of the program and a semicolon. Then you can optionally define some variables, constants, procedures or functions for your own use. The main part of the program (where the execution starts) is placed between `begin` and `end` at the end of the program.

<pre>program myProg;</pre>	the name of the program, myProg, will appear in the Prog menu.
<pre>const c = 3e8; var u,v: real; done:boolean;</pre>	<i>optional</i> , definition of constants and variables.
<pre>procedure MyProc; begin statements... end;</pre>	<i>optional</i> , definition of a local procedure or function used by the program. Note that you can call local procedures recursively.
<pre>.... procedure Initialize; begin statements... end;</pre>	more definitions of functions or procedures can follow here <i>optional</i> , the procedure Initialize that is called once when the program is compiled and added to the function menu. Any initialization of global variables can be done here.
<pre>begin statements... end;</pre>	the main body of the program where execution starts. Note the ‘;’ after the end.

After the title of the program, you can define *constants* and *variables*.

The definition of *constants* is preceded by the keyword `const`, which is followed by the name of each constant, the operator ‘=’ (not ‘:=’), and the value of the constant. Example:

```
const c = 3e8;
      startValue = 22;
```

Once you have defined the value of a constant, you cannot change it anymore.

The definition of *variables* is preceded by the keyword `var`, which is followed by a list of variables.

```
var   u,v: real;
      done:boolean;
      m:matrix[3];
      c:complex;
```

Note that you can specify the type of each variable (such as `real`, `boolean`, `complex`). If you omit the type specification, it is assumed that the variable is of type `real`.

Variables and constants that you define in the head of a program can be accessed by all statements within the program and the program's procedures and functions.

You can use any name you like for a constant or variable (as long as it is not yet used for any other purpose). It can contain letters and digits but must start with a letter. Examples for names are:

<code>myFunc</code> , <code>xx</code> , <code>J0</code>	legal names
<code>2ToX</code>	illegal (starts with a digit)
<code>then</code>	illegal (reserved keyword)

The same rules apply to the names of procedures and functions (see below).

Following the definition of constants and variables, you can (optionally) define local procedures and functions. The general form of their definition is:

... for a procedure:

```
procedure MyProc(m,n:real; i: integer);
  variable and constant definitions ...
begin
  statements, separated by semicolons
end;
```

... for a function:

```
function MyFunc(m,n:real; i: integer):real;
  variable and constant definitions ...
begin
  statements, separated by semicolons;
  myFunc := return value
end;
```

In this case, `MyProc` (or `MyFunc`) is the name of the procedure (function). The name is followed by a list of arguments in brackets. If the procedure or function has no arguments, this list (including the brackets) is omitted. In our examples we have three arguments: `m`, `n` and `i` together with their type

definitions. If you define a function, the declaration of its return type follows after the argument list. Then follows a semicolon.

After the line defining the name of the function or procedure you can define constants or variables using the same syntax as described for the program (see above). These items are only known within this procedure or function.

The statements of the procedure or function follow, enclosed by `begin` and `end`;

You can call a procedure or function anywhere after its declaration, like this:

```
...
MyProc(1.72,3.13,20);
r := MyFunc(1.71,3.14,10);
...
```

Local functions and procedures can also have var parameters. When you change a var parameter, you change the value of the corresponding variable of the calling function. Example:

```
program Test;
  procedure Increase(var a:Real);
    {increase value of a by 1}
  begin
    a := a+1;
  end;
begin
  k := 1;
  Increase(k); {increases k by 1}
  Writeln(k); {writes 2}
end;
```

If you define a procedure having the name `Initialize`, it is called automatically whenever the program is added to the menu. Within `Initialize` you may want to initialize any variables or print some information into the Results window. Here is an example:

```

program DoMyStuff;
var   inputColumn:integer;
      {where our data comes from}

procedure Initialize;
  {prints a description of the program and }
  {sets the default value of inputColumn }
begin
  Writeln('This program converts a data column');
  Writeln('into normalized units.');
```

 inputColumn:=3; {inititialization}
end; {of initialize}

```

begin {main part of program}

  {ask for an input column, default is the one}
  {that was set in initialize}
  Input('which column?',inputColumn);

  {transform data}
  ....
end; {of main part}
```

The above program uses the predefined function `Writeln` to output text to the results window and the function `Input` to ask the user for a column number. All predefined functions are described in Appendix A.

Example

Let us look at an example of a fully functional program:

You have a data window that contains data in the first two columns. The first column contains positive and negative numbers. You are only interested in the positive numbers and you want to delete all rows which have a negative number in the first column.

Here is the program:

```

program EliminateNegatives;
var i:integer;

procedure DeleteRow(r:integer);
  {deletes the row r and shifts up}
  {all following rows}
var m,n:integer;
begin
  for n:=1 to 2 do
  begin
    for m:=r to nrRows-1 do
      if DataOK(m+1,n) then
        data[m,n] := data[m+1,n]
      else ClearData(m,n);
    ClearData(nrRows,n);    {clear last row}
  end; {of for loop}
end; {of deleteRow}

begin {main part of program}
  i:=1;
  while i <= nrRows do
  begin
    if DataOK(i,1) then
      if data[i,1] < 0 then begin
        DeleteRow(i); i:=i-1;
      end;
    i:=i+1;
  end; {of while loop}
end; {of main part}

```

This program tests all numerical values in column 1. This is done in a **while** loop. A while loop has the general form `while condition do statement;`

Its statement is executed as long as its condition is true. If you have more than one statement in a while-loop, they must be enclosed by `begin` and `end`.

Our example program executes the while-loop for all rows in the data window (`while i <= nrRows`). If a data cell in column 1 and row `i` contains a negative number, the procedure `DeleteRow` is called, which deletes the row `i` by shifting all following rows up.

The procedure `DeleteRow` calls `ClearData(r,c)`, which is a built-in procedure of `proFit`. `ClearData(r,c)` removes any number from the cell in column `c` and row `r`.

In the examples above, we have used the ‘for’ loop and the ‘while’ loop. Let us summarize their use and introduce the third kind of loop (the ‘repeat’ loop):

Loops

pro Fit supports three kind of loops, two of which we have already seen (for-loops and while-loops). The third one is the repeat-loop. The loop statements are:

The while-loop

```
while condition do statement ;
```

The statement of the while-loop is executed as long as the expression in condition returns true. If more than one statement should be executed in the loop, the statements must be enclosed by `begin` and `end`.

The for-loop

```
for loopVariable := startValue to endValue do  
    statement;
```

A for-loop executes its statement for all integer values of its variable between `startValue` and `endValue`. If `startValue` equals `endValue`, the for-loop is executed only once. If the `startValue` is larger than the `endValue`, the for-loop is never executed. If more than one statement should be run in the loop, the statements must be enclosed by `begin` and `end`.

An alternative form of the for-loop is

```
for loopVariable := startValue downto endValue do  
    statement;
```

In this for-loop the value of the loop variable is decreased by one after each execution of the loop statement. The loop is terminated as soon as `loopVariable < endValue`.

The repeat-loop

The last kind of loop is the repeat-loop. Its general form is

```
repeat statement until condition ;
```

In contrast to the while-loop, the statement of a repeat loop is always executed at least once. After the execution of the statement, the condition is tested. If the condition is true, the loop is terminated, else the loop statement is executed again until the condition becomes true.

Loop control statements: cycle and leave

You can place the keyword **leave** into a for-, while- or repeat-loop to exit the loop even if its end-condition is not yet reached. Example:

```

for i := 1 to NrRows do
begin
  if not DataOK(i,1) then
  begin
    Writeln('Empty cell - loop aborted');
    leave;  { exits the for-loop }
  end;
  ....
end;

```

The above example loops through the first column of a data window and does some calculations (indicated by '. . . .'). If, however, an empty cell is found, the loop is aborted.

You can place the keyword **cycle** into a for-, while- or repeat-loop to immediately start a new iteration of the loop. Example:

```

for i := 1 to NrRows do
begin
  if not DataOK(i,1) then
  begin
    Writeln('Empty cell skipped');
    cycle;  { goes to next value of i }
  end;
  ....
end;

```

The above example loops through the first column of a data window and does some calculations (indicated by '. . . .'). If an empty cell is found, the calculations are skipped and the loop is continued with the next value of i.

Optional parameter lists

Usually, you pass parameters to procedures and functions using the standard Pascal syntax. For example, you write

```
DrawRect(10, 10, 50, 100);
```

In other words, you pass a value for each parameter and separate the parameters by commas.

However, some of pro Fit's predefined procedures use an “optional parameter list” for passing values, for instance

```
CloseWindow(window 'Data 1', saveOption dontSave);
```

In the above example, “window” and “saveOption” are the names and 'Data 1' and dontSave the values of the parameters that are passed to the procedure CloseWindow. In other words, each parameter has a name that must be passed in front of its value.

The advantage of this calling convention is that you can omit some parameters (if you want to use their default values). For example, you can call

```
CloseWindow(saveOption ask);
```

In this example, we have omitted the parameter “window” and use its default value (the front window) instead.

The pro Fit Programming Guide and Appendix A of this manual state which of pro Fit's predefined procedures use optional parameter lists.

Aborting procedures, functions and programs

Use the keyword `Halt` to immediately end the execution of a function or program. Use the keyword `Exit` for exiting from a local function or procedure to the caller.

The following is an example of a program calculating the sum of the presently selected cells in a data window. The program aborts when the selection contains empty data cells. (Note that it uses the predefined variables `selectLeft`, `selectRight`, `selectTop`, `selectBottom` which return the enclosing rectangle of the currently selected data cells.)

```
program CalcSum;
var row, col: integer; sum: real;
begin
  sum := 0;
  for col := selectLeft to selectRight do
    for row := selectTop to selectBottom do
      begin
        if not DataOK(row,col) then Halt;
        sum := sum+data[row,col];
      end;
    writeln(sum);
  end;
```

The following program does basically the same as the one above, but the sum is calculated in a local function, which is aborted by `Exit`:

```

program CalcSum;

function SumSelection:real;
{sums the selected data, returns}
{-1 if a selected cell is empty}
  var row, col: integer; sum: real;
begin
  sum := 0;
  for col := selectLeft to selectRight do
    for row := selectTop to selectBottom do
      begin
        if not DataOK(row,col) then begin
          SumSelection := -1;
          Exit;
        end;
        sum := sum+data[row,col];
      end;
    SumSelection := sum;
  end;

begin
  Writeln(SumSelection);
end;

```

Note: Calling `Exit` from the main body of a function or program has the same effect as calling `Halt`.

Predefined constants, functions, procedures, and operators

This section lists the operators and the most important predefined constants that are available in the definition syntax. An alphabetical list of all predefined functions, procedures and constants is found in Appendix A.


The following are the most important predefined constants:

π (or <code>pi</code>)	= 3.141592...
<code>true</code>	= 1
<code>false</code>	= 0
<code>INF</code>	infinity (1/INF=0)


The operators are identical to those that are defined in standard Pascal. In addition, the power operator (`**` or `^`) has been added. The operators – in ascending order of precedence – are:

= <> <= < > >=	comparison, returning true (1) or false (0)
+ - or	add, subtract, logical 'or'
* / and	multiply, divide, logical 'and'
** , ^	power ($x ** y = x^y = x^y$)
not	logical 'not'

You can change the order of precedence of the operators in the above list by using brackets: '(' and ')'.
Note that there are two ways for using the power operator ($x**y$ and x^y). They are equivalent. Use whichever you prefer.

 On some machines, $x**y = x^y$ is calculated as $\exp(y \ln(x))$. As a consequence of this, the x^y may not work for negative x and may be slow. Therefore, you should not use this notation for calculating small integer powers (for example: use `sqrt(x)` instead of $x**2$).

Note for Pascal programmers: ^ is used for the power operator. proFit does not know anything about pointers and ^ is not used for dereferencing.

 The order of precedence for the operators is the same as in standard Pascal. But since the proFit definition language does not distinguish between boolean and real expressions (refer to the next chapter), this order of precedence provides a dangerous pitfall

`a>x and b>y` will be compiled as `(a > (x and b)) > y !!`

Use brackets to clarify what you want:

`(a>x) and (b>y)`

Note: In contrast to some other programming languages, *all* the expressions in a composite logical expression of the form

`(condition 1) and (condition 2) and (condition 3)`
will be evaluated, even if *condition 1* returns false.

Function definition syntax

If you want to define a function of your own to use it for fitting or plotting, you must write a **function definition**. The structure of a function definition is the same as the structure of a program definition, but it can optionally contain additional information about the parameters and the contents of the parameters window. This additional information is placed right at the beginning of the function definition.

A function definition starts with the keyword `function` instead of `program`. Then follows (optional) information on the parameters and the parameters window:

<pre>function myFunc;</pre>	the name of the function, myFunc, will appear in the Func-menu.
<pre>function myFunc(ampl , freq: real);</pre>	<i>optional</i> , definition of parameter names that will be used to access parameters in the function code and as a default parameter name in the parameters window.
<pre>description 'text1', 'text2';</pre>	<i>optional</i> , these two strings will appear in the parameters window.
<pre>parameters 4;</pre>	<i>optional</i> , the number of parameters (max. 64)
<pre>defaults a[1]:=1.2,active; a[2]:=3.0,inactive,'name'; a[3]:=2.0,constant; a[4]:=1,active,'i',0,INF;</pre>	<i>optional</i> , the default values for the parameters, their default mode, parameter-window name, lower and upper limit (see the Chapter 8, <i>Fitting</i>). If you do not define the defaults for a parameter it will be 0, inactive and limited by -INF and INF. If you do not define a parameter-window name for a parameter its default name will be used. The default name is either the name you define in the function header (e.g. 'ampl') or 'a[i]'. The default name is either the name you define in the function header (e.g. 'ampl') or 'a[i]'.
<pre>defaults ampl:=1.2,active; freq:=3.0,constant;</pre>	
<pre>const c = 2.997E8;</pre>	<i>optional</i> , the definition of constants as in standard Pascal.
<pre>var temp: extended; myVar,t: integer;</pre>	<i>optional</i> , variable declarations as in standard Pascal.

After this, you can (optionally) define your own local procedures and functions.

Then follows the “body” of the function definition between `begin` and `end`. In this body, you must calculate the function’s y -value from its x -value and its parameters. For this, you can use the following variables:

x	The input variable, the independent variable of the function
y	The output variable, the function’s return value. It must be set by your function.
a[1] ... a[n]	The parameters of the function. Up to 64 parameters can be used.

It is possible to define your own parameter names in the function header and to use your own names instead of the `a[1] ... a[n]`:

```
function foo(ampl, freq, phase: real);
begin
  y := ampl*cos(freq * x +phase);
end;
```

If you do this, parameters retain their numbering, defined by their sequence when you define them (ampl, freq, phase). The a[i] remain available as synonyms (a[1]=ampl, a[2]=freq, a[3]=phase) and the parameter numbers can still be used in predefined function such as SetParamName.

Example 1:

You want to define the function:

$$y = a_1 \ln(a_2 x^2)$$

Your definition looks like this:

```
function logSquare(K, Q: real);
begin
  y := K*sqrt(Q*cosh(x));
end;
```

This is a function in its most simple form. If you work with it often, you may want to assign default values to the parameters. You will also see that Q should not be negative. You might therefore improve the above definition as follows:

```
function logSquare(K, Q: real);
defaults
  K := 1, active, 'K (amplitude)';
  Q := 1, active, 'Q (multiplier of cosh)', 0, INF;
begin
  y := K*sqrt(Q*cosh(x));
end;
```


The first line after the keyword defaults defines the default value, default mode (active means that it will be varied in a fit) and the name of K that will appear in the parameter window. The second lines defines the default value, mode and name as well as the lower and upper limit of Q .

Example 2:

You want to define the function

$$y = a_1 \operatorname{sinc}(x-x_1) + a_2 \operatorname{sinc}(x-x_2),$$

with $\operatorname{sinc}(x) = \sin(x)/x$.



The value of the function sinc is not defined for $x=0$, but it converges to 1 for $x \rightarrow 0$. When calculating sinc, we must test if its argument is 0 to handle this special case.

Since the sinc function is used twice in our example, it makes sense to put it into a local function.

```

function DoubleSinc;

defaults a[1] := 1,active,'a1';
         a[2] := -20,active,'x1';
         a[3] := 1,active,'a2';
         a[4] := 20,active,'x2';

function Sinc(u:real):real; { sin(u)/u }
begin
  if u=0 then sinc:=1      {0/0 is illegal}
  else sinc:=sin(u)/u;
end;

begin {"body"}
  y := a[1]*sinc(x-a[2]) + a[3]*sinc(x-a[4]);
end;

```

Alternative function syntax

pro Fit provides an alternative method for defining the parameters of a function that allows you to use any desired (legal) name for your parameters. In this syntax, an example of which has already been shown above, you add the parameters in parenthesis after the name of the function. Example:

```

function MySine(amplitude, frequency);
begin
  y := amplitude*sin(frequency*x);
end;

```

The first parameter in the list will correspond to parameter `a[1]`, the second one to `a[2]`, etc. You can then refer to each parameter either by using its name (`amplitude`, `frequency`) or by using `a[i]`, where `i` is its number in the parameter list (i.e. `a[1]` for `amplitude`, `a[2]` for `frequency`).

Special procedures in a function definition

As in a program, the procedures that you define within a function definition can have any valid name you want. However, there are some reserved names for special procedures (`Initialize`, `Check`, `First`, `Derivatives`, `Last`) that you can define to customize and optimize your function definition. These procedures are called to perform special actions. For example, one of them (`Derivatives`) is called to calculate your function's partial derivatives. Another (`Check`) can check a value that was entered into the parameters window.

The following describes these special procedures. A summary is provided at the end of the section.

Function Check

This procedure is only used to include some advanced features in your function. It can make function definitions more user-friendly. `Check` is called each time the user changes a parameter in the parameters

window. It can check the parameter that was changed and act accordingly. For example, it can refuse a parameter if its value is not acceptable. It can also recalculate some other parameters and cause the parameters window to be redrawn. `Check` can use the following predefined variables and constants:

<code>pNumber</code>	The number of the modified parameter
<code>a[1] .. a[n]</code>	The parameters as they appear in the parameters window. They can be checked and/or changed.
<code>mode[1] .. mode[n]</code>	The mode of each parameter, which can be <code>active</code> , <code>inactive</code> or <code>constant</code> . You can check and/or change the modes.
<code>active</code> , <code>inactive</code> , <code>constant</code>	These three constants can be used to be compared to or assigned to <code>mode[i]</code> .
<code>check</code>	The function must store its return value in this variable.
<code>ok</code> , <code>bad</code> , <code>update</code>	One of these three constants must be returned in the variable <code>check</code> .

`Check` must return one of the values `ok`, `bad` or `update` in the variable `check` to tell pro Fit if it should accept the new parameter and what it should do with the parameters window:

- If `check=ok`, pro Fit accepts the new parameter.
- If `check=bad`, pro Fit refuses the new parameter and shows the old one in the parameters window.
- If `check=update`, pro Fit accepts the new parameter and redraws (updates) the whole parameters window. Use this feature whenever you have changed a parameter other than `a[PNumber]` in the function `check`, so that the user can see these changes.

For example your function can have two parameters that represent the same value in two different units of measurement. `Check` can be used to update the value of one parameter when the other parameter is changed.



Note for advanced users: `Check` is not called during fitting. It is called once when fitting is complete. Don't use `Check` for calculating intermediate results for later use in the evaluation of the function. You won't notice anything wrong as long as you modify the parameters in the results window, but your function will not work when fitting. Always use the procedure `First` (see below) for calculating intermediate results.

Procedure Initialize

This procedure is used for advanced programming. It is called exactly once after compilation of your function or program. You can use this procedure to initialize the value of variables or to write some instructions into the Results window.

Procedure Derivatives

This procedure is optional. If defined, it is used during fitting with the Levenberg-Marquardt algorithm. This algorithm uses the partial derivatives of the function with respect to its parameters. If you do not define the procedure `Derivatives`, the derivatives are calculated numerically, but this slows down the

fitting process considerably. If you notice that fitting is particularly slow, you should define this function and at least calculate some derivatives (pro Fit will still calculate numerically any derivative you don't define). The procedure derivatives can use the following predefined variables:

<code>x</code>	The x-variable, the function's x-value
<code>a[1] .. a[n]</code>	The parameters of the function.
<code>dyda[1] .. dyda[n]</code>	The partial derivatives. Must be set to $dyda[i] := \partial f(x)/\partial a[i]$ for all parameters that are not declared as <i>constant</i> .

Derivatives can set the values `dyda[i]` for some or all of your function's parameters. If you don't set a value, it will be calculated numerically.

Whenever a function is used by pro Fit, a call to the procedure `Derivatives` is always preceded by a call to the main part of the function. Therefore you may use temporary results from the main part of the function by storing them into global variables. This decreases the number of calculations your function must perform and makes fitting faster.

Example: You want to fit the function $y = a_1 \cdot \sinh(x)$, the partial derivative of which is $\partial y/\partial a_1 = \sinh(x)$. Calculating $\sinh(x)$ can take a lot of time, especially when you are working on a slow computer. To avoid calculating expressions twice, you can save temporary results in the main part of the function to use them later in the procedure `Derivatives`:

```
function MySinh;
var t: real;

procedure Derivatives;
begin
  dyda[1] := t; { use t calculated in body }
end;

begin
  {the function's body}
  t := sinh(x); {save sinh for derivatives}
  y := a[1]* t;
end;
```

Procedure First

This procedure is used for advanced programming. It is called whenever the parameters of a function have been changed – before the body (main part) of the function is called. The body of a function will never be called without `first` having been called beforehand.

The procedure `first` can use the following variables:

<code>a[1] .. a[n]</code>	The parameters of the function.
---------------------------	---------------------------------

The procedure `First` is mainly used for accelerating calculations that do not depend on the input value x . This can make a fit considerably faster. `First` should calculate all expressions that appear in a function but that do not depend on x :

To calculate the mean deviation χ_R during fitting, pro Fit calculates the function for each data point (x_i, y_i) . This may involve up to several thousand executions of the body of the function definition. If your function definition contains expressions that do not depend on the value of x (such as $\sin(a[2]-a[3])$), they will still be recalculated for each new value of x , wasting a lot of time. You can evaluate these expressions in the procedure `First` and store their values in variables used by the main part of the function.

Another use of the procedure `First` is to perform some task before pro Fit starts to use a function. This is less common for functions defined inside pro Fit but it is often used when defining external modules (see Chapter 10) that need to allocate and deallocate memory only used while a function is running. The following is a small example of this particular use of `First` that also demonstrates a possible use of the procedure `last`:

```
function Foo;
var  firstTime:  boolean;
     data11:     extended;
     sinDiff:    extended;
     multiplier: extended;
procedure Initialize;
begin
  firstTime:=true; {initialize to true}
end;

procedure First;
begin
  if firstTime then
  begin {the statements in this block are }
        {executed only once, before any other}
        {function call.}
    firstTime:=false;
    data11:=data[1,1];
    {perform here other calculations that}
    {do not depend on parameter values}
    {and do not depend on x}
  end;
  sinDiff:=sin(a[2]-a[3]);
  multiplier:=data11*a[1];
  {perform here other calculations that do not}
  {depend on x but depend on the parameter}
  {values.}
end;

procedure Last;
begin
  {finished using function.}
  firstTime:=true; {reset firstTime to true }
end;

begin
  {the main part of the function.}
  y := multiplier * sin(x)/sinDiff;
end;
```

The above example uses the procedure `Last`:

Procedure Last

This is also a procedure used for advanced programming. It is called when all calculations, fitting, etc. are completed. It is the last piece of function code called by pro Fit before returning control to the user. `Last` can be used to clean up, to make final calculations, or to re-initialize some variables to their starting values, as is shown in the example above. `Last` can also be used to print some special messages or results in the results window or to alert the user of some event. For example, you can let your machine beep when fitting is finished:

```
procedure Last;  
begin  
    beep;  
end;
```

Summary

The following table summarizes the special procedures listed above:

name	called when	predefined variables and constants
Check	whenever parameters are changed by user	pNumber a[1] .. a[n] mode[1] .. mode[n] active. inactive, constant check, ok, bad, update
Initialize	once after compilation	a[1] .. a[n]
First	whenever parameters are changed (e. g. during calculations)	a[1] .. a[n]
Derivatives	during fitting, after calling the function's main part	x, a[1] .. a[n] dyda[1] .. dyda[n]
Last	when calculations are through	a[1] .. a[n]
function's main part	during fitting and other calculations	x, y, a[1] .. a[n]

Note that in addition to the specially predefined variables and constants, all procedures (as well as the function's main part) can use the general predefined variables, constants, functions and procedures listed in Appendix A.

General comments about programming

Types

The pro Fit definition language supports the following types for variables:

1. Simple numeric types:

real, **extended**, **integer**, **longint**, or **boolean**. These types are not distinguished by pro Fit and are implemented as floating point numbers.

The boolean value *true* is represented by the real value 1.0 and *false* by 0.0. All non-zero values are interpreted as true in a boolean expression.

Most Pascal compilers on the Macintosh distinguish between the floating point types **extended**, **double** and **real**, which have different accuracy. All simple number types of the pro Fit definition language have extended accuracy. The accuracy and range of numerical values in pro Fit is given in Appendix C.

2. Complex type:

The **Complex** data type is used to represent complex floating point values having a real and an imaginary part. Example:

```
program ComplexTest;
  var c: Complex;
begin
  c := -1;
  writeln(sqrt(c));
end;
```

The above program recognizes that sqrt is called with a complex argument. Therefore, a complex version of the square root function is used, which can handle sqrt(-1). The output of the above program is:

```
0.000 + i * 1.000
```

Type conversion from real (or other simple numeric types) to complex is automatic. For converting complex numbers to real, use one of pro Fit's predefined functions, such as `abs`, `phase`, `re`, `im` (see Appendix A). To define complex numbers, use the predefined function `compl` or the predefined constant `ii`, which fulfills `sqr(ii)=-1`.

All predefined functions in pro Fit, such as `sin`, `cos`, `gamma`, `erf`, etc. automatically become complex valued functions if they notice that their argument is a complex number, and return complex numbers as a result.

2. Matrix and Vector types:

The **Matrix** and **Vector** data types are used to represent 2 dimensional and 1 dimensional arrangements of complex floating point values.

```
program MatrixTest;
  var m: matrix[2];
begin
  m := matr2(1,2,ii,-ii);
  writeln(sqr(m));
end;
```

The above program recognizes that sqr is called with a matrix argument. Therefore, a matrix version of the square function is used. The output of the above program is:


```
{{1.00 + i * 2.00,2.00 - i * 2.00},{1.00 + i * 1.00,-1.00 + i * 2.00}}
```

Type conversion from real or complex to matrix or vector. To define matrices, use the predefined function `matr2`, `matr3`, `matr4`.

All mathematical calculations will automatically recognize matrix and vector types, and interpret them correctly when it makes sense.

4. String and char types:

Use the type **Char** for representing simple characters, **String** for representing strings of up to 255 characters. Example:

```
program StringAndCharTest;
  var c: Char;
      s: String;
begin
  c := 'x';
  s := 'hi there';
  writeln(c); {writes "c"}
  writeln(s); {writes "hi there"}
  s := s + ', Joe'; {s now is "hi there, Joe"}
  c := s[2]; {c now is "i"}
end;
```

Conversion between Strings and Chars is automatic. For conversion between Char (ASCII values) and Integer use the functions `Ord` and `Chr`. For conversions between Strings and numbers, use `NumberToString` and `StringToNumber`.

To access the *n*-th character in a string *s*, use `s[n]`. In other words, strings are arrays of type `char`.

The following is a list of the most important functions for working with strings:

<code>Length</code>	Returns the length of a string.
<code>Pos</code> , <code>Delete</code>	Find/ delete a sub-pattern in a string
<code>UpperString</code> , <code>LowerString</code>	Convert between upper and lower case strings.

See Appendix A for a complete list.

Arrays

`pro Fit` allows the definition of one-dimensional arrays. The following syntax is used:

```
var name: array[minIndex..maxIndex] of type;
```

Where *name* is the name of the array, *minIndex* is its minimum index, *maxIndex* is its maximum index, *type* its type. Since types are ignored by `pro Fit`, you can omit "`of type`" in the declaration.

To access an array, use the syntax:

```
name[index]
```

Example:

```
var arr1: array[1..10] of real;  
    arr2: array[0..100];  
    i  
...  
for i := 1 to 10 do arr1[i] := 0;  
arr2[33] := 22.1;
```


Note: the maximum size of all variables in a variable list is limited to 32 kBytes. This limits the size of an array to about 2700 entries for the FPU version of pro Fit, to about 3200 entries for the non-FPU version, and to about 4000 entries for the Power Macintosh version.

Multi-dimensional arrays are not supported.

Note that arrays are a general purpose object, and should not be confused with the built-in vector types that only support vectors of length 2, 3, and 4, and that are mainly used in conjunction with the matrix types to perform matrix and vector operations.

The compiler

When adding a definition to the list of functions or programs of pro Fit, the definition text is translated into machine code that can be executed by your computer. This results in a very fast execution speed of programs and functions.



The translation of your definitions into machine code is carried out when you choose Add to Menu from the Prog menu or if you click the button "Add" in the toolbox of the function window.

Any changes that you make to your definition *after* compilation will not affect the function or program as it was added to pro Fit's menus. To update your changes, you must choose Add to Menu again.

Comparison to standard Pascal

The programming language used to define functions and programs in pro Fit is closely related to the Pascal programming language. However, to keep it simple and to allow the generation of fast code, some restrictions are present. However, there are also some extensions with respect to standard Pasca. The most important differences to standard Pascal are:


- You cannot define your own **data types**.
- All numeric types (except complex) are interpreted as floating point numbers. Boolean expressions are evaluated as floating point numbers (a 0.0 representing `false`, any non-zero value representing `true`). No **records**, **structures**, or **pointers** are supported.
- **Arrays** are one dimensional.
- **Case** statements are not supported.
- Nested declarations of functions or procedures are not supported.
- Optional parameter predefined procedures and functions are supported.
- A general purpose complex type is supported.
- General purpose matrix and vector types are supported.

External functions and programs

Even though pro Fit's definition language is very powerful, it does not offer the full versatility of a special purpose programming language. It only supports one dimensional arrays(except `data[i, j]`), records, pointers, etc. In addition, it does not support access to the Macintosh toolbox routines. If you do need any of these features or if you want to write a large program or function for pro Fit where execution speed is crucial, you should write your definition in any compiler of your choice and add the generated code to pro Fit. This process is called 'writing an external module'. See Chapter 10, "Working with external modules" for details.

Debugging Window

pro Fit provides a powerful debugging environment for the development of your programs and functions. For using this environment, check the option "Debug" at the top of its window. When you run the program or function, its debug window will show up:



Now, you can step through your program, view and modify its variables, set breakpoints, etc.

Initially the program stops at the first line of code that is executed. (Note: Some parts of your program may already be called right after compilation, such as the procedure `Initialize`. In this case, the debugging window will come up right after compilation to let you debug these parts of your code.)

The debug window has four parts:

- At the very top, there's a button bar. The significance of each button is explained below.
- At the top left, the "Calling sequence" is shown. It shows through what chain of procedures and functions `pro Fit` went in order to reach this particular point in your code. Note that you may step through more than one of your programs and/or functions, in the case they call each other.
- At the top right, the variables that are valid at this point are displayed. You can watch and modify their values. Just double-click a value to change it. Clicking onto the small triangles lets you view the elements of arrays and matrices.

- At the bottom, the source of the program or function is displayed, with an arrow showing the current location.

The buttons at the very top let you control operation of the prosecution of your code:

- Click **Step Into** or **Step Over** for advancing one step in your code. When you click Step Into and the next step is a local function or a procedure, pro Fit steps into this procedure and stops at the first instruction there. If you click Step Over and the next step is a function or procedure, pro Fit will execute it and stop again right after. If the next step is not a function or procedure, Step Into and Step Over just advance by one step.
- Click **Step Out** if you are in the midst of a local function or procedure and you want pro Fit to stop when execution returns from this function or procedure, i.e. you do not want to stop again until the function or procedure is terminated.
- Click **Run** to continue operation to the next breakpoint or (if there is no more breakpoint) to the end of your code.
- Click **Kill** to abort execution of your function or program.

You can set “breakpoints” by clicking into the left margin of the source code in the debug window. Red dots mark the breakpoints. To remove a breakpoint, click it again. When you run a program or function and pro Fit encounters such a breakpoint, execution is interrupted and the debug window comes

Using pro Fit Modules


After you have added a function or program to the menus, you can save its compiled code as a separate file for later use. This file is called a *module* because it is a self-contained unit that can be used to customize pro Fit’s menus.

You can also create modules in an external compiler. These modules are called *external* modules. pro Fit comes with a set of external modules for different tasks. You can use them to add functionality to your copy of pro Fit according to your needs. See Chapter 10, “Working with external modules” for an explanation on how to build external modules.

This section explains how to use such modules.

Saving functions and programs

To save a function or program as a module, choose **Save Module** from the Customize menu to see a submenu with all the functions and programs that can be saved as modules.



This sub-menu has two sections divided by a horizontal line. The first section lists the functions, the second section the programs. Choose the function or program you want to save as a module, and pro Fit will ask you where you want to save it. Note that you can only save functions and programs that you compiled in pro Fit – you cannot save built-in functions or external modules.

The resulting file is a pro Fit document. You can load it by using the Load Module command or by double clicking it from the Finder.

Loading functions and programs

Choose “Load Module...” from the Customize menu to load a module. You are asked to locate the module.

The command “Load Module...” can also be used to load compiled Apple Scripts. See Chapter 11, “Apple Script” for details.

Removing functions and programs from the menus

To remove a function or a program (or an Apple Script) from pro Fit’s menus, choose “Remove from Menu” from the Customize menu. A submenu lists all the functions and programs that can be removed from the menus. Select the name of the function or of the program you want to remove.

Note: you cannot remove any of pro Fit’s built-in functions (Spline, Polynom, etc.).

Loading modules automatically on startup

Imagine you have one or more modules or Apple Scripts that you use often. You can make them available automatically whenever you start pro Fit.

Put the modules you want to add permanently to pro Fit into a folder named “pro Fit Modules”. This folder must be located in the same folder as pro Fit’s or in the Preferences folder of your System Folder. (When you create the folder “pro Fit Modules”, type the name exactly as given here, otherwise pro Fit will not find it.)

Whenever pro Fit starts up, it checks if a folder named “pro Fit Modules” is located in the same folder as the application itself and tries to load all modules it finds there. Then pro Fit looks for a folder “pro Fit Modules” in the Preferences folder of the System folder and again tries to load all modules it finds there.

If you are running pro Fit directly from a server, the modules found in the “pro Fit Modules” folder in the application folder on the server will be available to all users, the modules in the “pro Fit Modules” folder of your system’s Preferences folder will only be available to you.


Loading a set of modules together with a new preferences file

In multi-user environments different users might want to use the multi-preferences-file mechanism provided by pro Fit.

The pro Fit preferences file holds the default settings and other information for many pro Fit’s options. Different users may want to use different preferences files. pro Fit normally uses the preferences file found in the Preferences folder inside your System folder. It is possible, however, to start pro Fit by double clicking another preferences file, or to switch to a new preferences file while pro Fit is in use by choosing **Preferences...** from the File menu. This allows each user to use his own set of preferences. See Chapter 13, “Preferences” to learn how to use preferences files.

pro Fit provides a mechanism that allows users to load their favorite modules together with their preferences file: whenever a preferences file is opened, pro Fit looks for a folder named “pro Fit modules” in the same folder as the preferences file and loads all the modules it contains.

To take advantage of this mechanism, simply put your preferences file and pro Fit Modules folder inside a common folder.



Whenever pro Fit opens the preferences file, it also loads all the modules found in the “pro Fit modules” folder.

Attaching programs

Programs can be attached to drawing windows. Such programs are called whenever there is a user-interaction with drawing windows, *e.g.* when they are clicked, opened, closed, etc. This feature is useful when using the drawing window to design an interface for a program. The attached program can then read the actions of a user, and interpret them.

To attach a program to a drawing window or to modify an attached program, bring the drawing window to front, choose GetInfo from the File menu and check “Show program window”. Then click OK. Alternatively click into the drawing window while holding down the control key and choose “Show program window” from the contextual menu. A window with the source of the attached program appears.

Once you have defined the program, choose “Compile” from the Customize menu. The program is compiled and its code is attached to the window.

A program attached to a window (an “attached program”) communicates with pro Fit using **tags** (see below). An attached program should always check its tag `msgWhy` to find out why it was called. If this tag contains an unknown stringValue, the program should do nothing. Otherwise, it should take some action according to its needs.

The following code-snippet retrieves the “msgWhy” tag:

```
var msgWhy:String;
...
GetTag(program '', tag 'msgWhy', stringValue msgWhy);
```

The tag `msgWhy` can currently have the following stringValues:

- | | |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>'clicked':</code> | The drawing window was clicked. In this case the tag “msgShape” will have a stringValue set to the name of the clicked shape (if a shape was clicked) or will have an empty stringValue if no shape was clicked. The tags <code>'msgClickedX'</code> and <code>'msgClickedY'</code> contain the clicked coordinates. |
| <code>'control clicked':</code> | A control shape was clicked successfully. In this case, the tag <code>'msgShape'</code> has a stringValue set to the name of the clicked shape, |

The tags 'msgClickedX' and 'msgClickedY' contain the clicked coordinates.

'control keydown start':	A control receives keyboard input. This tag message is sent before the key is processed. In this case, the tag 'msgShape' has a stringValue set to the name of the shape, The tag 'msgCharCode' has a stringValue of length 1 giving the char code of the pressed key. (For easier comparison there are the following charCodes constants predefined: charHome, charEnter, charEnd, charBackspace, charTab, charLf, charPageUp, charPageDown, charCr, charEsc, charArrowLeft, charArrowRight, charArrowUp, charArrowDown, charDelete. The tag 'msgKeyCode' has a stringValue of length 1 giving the key code of the pressed key. The tag 'msgModifiers' has a value set to the keyboard modifiers (it tells, e.g. if the option-key was pressed). You can change the msgCharCode, msgKeyCode and msgModifiers tag to change the keyboard event before it is processed. (For easier comparison there are the following modifier codes predefined: modButtonState, modCommand, modShift, modAlphaLock, modOption, modControl.) You can set msgCharCode to an empty string to suppress the event.
'control keydown end':	A control has received keyboard input. Called after the key is processed. Same parameter as for message "control keydown start".
'opened':	The drawing window was opened.
'save':	The drawing window will be saved.
'close':	The drawing window will be closed.
'command':	A command added by the procedure AddCommand has been called. The tag "msgCommand" contains the name of the command.
'idle':	The program is being called because the value in its property 'idleCallTime' corresponds to the present value of TickCount.

In addition to the tag "msgWhy", attached programs can always rely on the presence of the 'msgOwnerWindow': The value of this tag is the ID of the window to which the program is attached.

An attached program should therefore look like this:

```
program attached;  
  var msgWhy: String;  
begin  
  GetTag(program '', tag 'msgWhy', stringValue msgWhy);  
  if msgWhy = ... then      check here for known tags  
  ...  
end;
```


It is also possible to attach a program from another program using the call `AttachProgram`.

Working with control shapes

As explained in Chapter 7, drawing windows can contain “control shapes”, such as buttons or checkboxes. The following is a list of all control shapes and of the most important properties they have. These properties can be read by calling `GetShapeProperty` and modified through `SetShapeProperties`.




Buttons: These are simple objects that hilite when clicked.

Properties:

`active`: Set to true if the button can be clicked. Set to false if it is grayed and cannot be clicked.

`value`: Usually 0. Set to 1 for hiliting the button.

`text`: The text that appears in the button.



Checkboxes: They automatically change their state when they are clicked. Properties:

`active`: Set to true if the checkbox can be clicked. Set to false if it is grayed and cannot be clicked.

`value`: 0 if not checked, 1 if checked.

`text`: The text that appears beside the checkbox.



Radio buttons: They are checked when they are clicked. They usually come in groups. The program that manages the radio buttons is responsible for unchecking all other radio buttons when one radio button is clicked. Properties:

`active`: Set to true if the checkbox can be clicked. Set to false if it is grayed and cannot be clicked.

`value`: 0 if not checked, 1 if checked.

`text`: The text that appears beside the radio button.



Text fields: These are shapes that contain editable text. Generally, text fields can be edited.

`active`: Set to true if the field can be edited. Set to false if it cannot be edited.

`value`: The numeric equivalent of the text appearing in the field.

Use the function `Invalid` to check if the text corresponds to a value number.

`text`: The text that appears in the edit field.



Static text fields: These are shapes that contain non-editable text.

Properties: same as for text fields, except that `active` has no influence on the shape's editability.



Popup menus: Popup menu shapes have several “values” which can be selected by choosing them from a pop-up menu. Properties:

- `active`: Set to true if the pop-up can be clicked. Set to false if it cannot be clicked and is grayed.
- `value`: The currently selected item in the pop-up menu. 1 is the first item, 2 the second item, etc.
- `text`: The text that appears to the left of the pop-up.
- `menuItems`: The menu items, separated by semicolons.





Wells: These shapes are usually used as background for other objects, e.g. a graph. They consist of a white rectangle.

For further properties that you can use for controlling these shapes, see the description of `GetShapeProperty` and `SetShapeProperties` in Appendix A.

To use control shapes, you first must draw them in a drawing window. Then you write a program that manages them and attach it to the window. Finally, you must switch the window to “dialog mode”. The following is a simple example that shows this procedure.

1. Open a new drawing window and create a button named “Multiply”

To do this, choose the button tool from the windows toolbox. Then click into the drawing window. A dialog box appears where you can define the text that appears on the button. You can also define a name for the button, that we will later use for accessing the button from a program. In this example, set the button text to “Multiply by 2” and its name to “Button”.



Click OK, and the button will appear in the drawing window.





2. Create an edit field named “Number”

Now, click the button tool again and hold the mouse down until a popup menu appears. Choose “Text Field”. Now, click into the drawing window and enter “Number” for the shape’s name. Then click OK.


You now should have a drawing window with an edit field and a button. Arrange these items as you wish, then save the file.

The window might e.g. look like this:




3. Switch the window to dialog mode

To do this, hold down the control key while clicking anywhere into the window and choose “Display As Dialog”. Alternatively, choose “Get Info...” from the File menu and check the option “Display As Dialog”.



The window now looks like a dialog box.



4. Attach the program

To attach the program, again hold down the control key while clicking anywhere into the window and choose “Show Program Window”. Then, enter the following program:

```
program attached;
  var msgWhy: String;
      msgShape: String;
      x: real;
begin
  GetTag(program '', tag 'msgWhy', stringValue msgWhy);
  if msgWhy = 'control clicked' then
  begin
    GetTag(program '', tag 'msgShape', stringValue msgShape);
    if msgShape = 'Button' then
    begin
      x := GetShapeProperty('Number', value);
      if not Invalid(x) then {if valid number}
        SetShapeProperties(shape 'Number', value x*2);
    end;
  end;
end;
```

Hit Command-L to add the program to the window.

Now, your “dialog box” is ready to use. Enter a number in the edit field, then hit “Multiply by 2”.

Notes:

- If you want to modify the items in the dialog window, switch it back into drawing mode. To do this, hold down the control key and choose “Display As Drawing”. For changing the text of a shape or its name, double-click it. Alternatively, select it and choose “Shape Settings...” from the Draw menu.
- As a shortcut, you can change some properties of the items when the window is still in dialog mode. To do so, hold down the command key and double-click the item you want to modify.

10 Working with external modules

This chapter explains how to add *external modules* to pro Fit. External modules are documents containing the computer code for a function or program.

pro Fit comes with a number of ready-to-run external modules containing useful functions or programs. The next section tells you how you add them to pro Fit.

See the sections “Creating an external module” and “Writing an external module” for a detailed explanation of how to create your own external module.

Loading an external module

To add an external module to pro Fit:

1. Select Load Module from the Customize menu.

You are asked to locate your module:

2. Choose the external module you want to load and click “Open”.

pro Fit checks if an external module can be found in the file you have selected. If yes, it is loaded. If the module is a function, it is added to the Func menu. If it is a program, it is added to the Prog menu.

Instead of loading a module by choosing Load Module, you can double-click its file. (For this, the ‘file type’ and ‘creator’ of the file must be ‘ftCD’ and ‘NLft’, respectively).



An important note for Power Macintosh users:

If you have loaded a module and you subsequently change it (e.g. by recompiling it) you must **remove the loaded module from pro Fit before loading its new version.**

To load your modules automatically at start-up, put them into a folder called “pro Fit Modules” located in the same folder as the application itself or in the Preferences folder of the System folder. See the end of Chapter 9, “Defining functions and programs”, for a more detailed discussion of how to work with pro Fit modules.

The rest of this chapter explains how you can write external modules using your own compiler.

Creating an external module

You need the following to write an external module:

- Some experience in programming.
- A compiler (such as Metrowerks® Pascal, Metrowerks® C/C++, or the Macintosh Programmer Workshop™ (MPW)). Your compiler must support the generation of shared libraries.

To create an external module, proceed as follows:

1. Choose a stationery file to start from and save it under a name of your choice

In your pro Fit distribution package, you will find a number of stationery (template) files that contain “empty” functions or programs:

ProgramTemplate.c	for creating an external program in C
FunctionTemplate.c	for creating an external function in C
ProgramTemplate.p	for creating an external program in Pascal
FunctionTemplate.p	for creating an external function in Pascal

Open the stationery from your programming environment and save it under a name of your own (e.g. “xxx.c”).

Note: you should never modify the files ProgramTemplate.c/p or FunctionTemplate.c/p directly – always work on a copy.

2. Complete the code

Since the stationery files only contain empty routines, you must fill in your code. The following section “Writing external modules” tells you how to do this.

3. Build your code

Note that in addition to the code defined in your file, you must also compile the file “proFit_interface.c” or “proFit_interface.p”, respectively, which contains glue code for calling pro Fit’s routines.

If you are using C, please note that “proFit_interface.c” as well as your own source file xxx.c #include the files “proFit_interface.h” and “proFit_paramBlk.h”. Therefore, these files must be in the “search path” of your compiler (they could e.g. reside in the same folder as the ...c files).

If you are using Pascal, note that your own source file “uses” the unit proFit_interface defined in proFit_interface .p.

3. Build the module

The module should be created in a file having the type “ftCD” and the creator “NLft”.

Set your compiler/linker to build a “shared library” or “import library”. The entry point of your module is the function “main”, which must be exported from your library. Consult your compiler’s manual on how to export symbols from a library. (The example source files contain compiler options for exporting “main” in one of Metrowerks’ compilers. Note that these compiler options may not work correctly with other compilers.)

4. Link the module to pro Fit

To do this, either double-click the file you have built or load it from pro Fit by choosing Load Module... from the Customize menu.

The following gives some hints for creating modules with some of the most common compilers. Note that there are sample “project” and “make” included with the pro Fit package.

Metrowerks Code Warrior Pro for Power Macintosh

If you are using Metrowerks Code Warrior Pro or the Power Macintosh, create a project with the files:

MathLib	Mathematical routines
---------	-----------------------

MSL RuntimePPC.lib	runtime library for Metrowerks projects
InterfaceLib	system routines
proFit_interface.c	glue for interfacing with pro Fit
xxx.c	Declaration needed to define a pro Fit function

MathLib, MSL RuntimePPC.lib and Interface.lib came with your copy of the Metrowerks C/C++ compiler, proFit_interface.c can be found in your distribution package. “xxx.c” is your source code created from “ProgramTemplate.c” or “FunctionTemplate.c”.

Make sure that the files “proFit_interface.h” and “proFit_paramBlk.h” reside in the same folder as your project.

Many mathematical functions (such as sin(), log()) are not part of the standard C function set. In order to use them, use <fp.h> and <fenv.h> (the header files for the Power Macintosh numerics environment).

MPW C/C++ for Power Macintosh

If you are using the MPW compiler for the Power Macintosh, you will find an example for a “make” file on your distribution disks.

Writing an external module



Note once again that the size of the floating point type ‘extended’ (or double in C) must be the correct one for the version of pro Fit you are working with. For the FPU version it is 12 bytes, for the non-FPU version 10 bytes, and for the Power Macintosh version 8 bytes.

To write your external modules, start from a stationery file (ProgramTemplate or FunctionTemplate) as shown above. These files contain some routines that you will have to modify.

Routines to be modified

The following table lists the routines defined in ProgramTemplate.c/p and FunctionTemplate.c/p that can or should be modified by the user. Functions or procedures that are only used by advanced programmers are marked with a †:

function name	modify if defining a
SetUp	program or function
CleanUp †	program or function
InitializeProg †	program
Run	program
InitializeFunc †	function
Func	function
Derivatives	function
First †	function
Check †	function
Last †	function

In the following section, we will first describe the routines `SetUp` and `CleanUp` that are used for both types of modules. Then we discuss the routines only used in external programs, then the routines only used in external functions.

Note for Pascal programmers:

In `ProgramTemplate.p` and `FunctionTemplate.p` you will find a procedure with the name `main`. Leave this procedure unchanged – it provides the glue between `proFit` and your routines.

Note for C programmers:

The following function definitions are given in Pascal. If you are programming in C, you should keep in mind that wherever a `var` parameter is passed in Pascal, the corresponding pointer is passed in C. If the description text e.g. says that “a value of 1.0 must be returned in the variable `y`”, the C code should assign 1.0 to `*y`, i.e. `*y = 1.0`. Further differences between the definitions in C and Pascal will be highlighted along the way.

All the following routines have a parameter called `pb`. It is a pointer to a record (struct in C) of type `ExtModulesParamBlock`. Most users won't need the information stored in it. Advanced programmers can refer to the section “Global variables” for more information about data to be accessed through `pb`.

Routines to be defined in functions and programs

```
SetUp                procedure SetUp(var moduleKind:integer; var name:Str255;
                        var requiredGlobals: longint; pb: ExtModulesParamBlockPtr);
```

This routine is called when your module is linked to `proFit`. It must return the following values:

- `moduleKind` must be set to the constant `isProgram` if your module is an external program, and to `isFunction` if your module is an external function.
- `name` must be set to the name of your module. If you are programming in Pascal, you can simply assign a string to it:

```
name := 'myName'
```

If you are programming in C, you must make sure that you return a Pascal string. For this purpose, you can use the function `SetPascalStr` that is defined in `proFit_interface.c`:

```
SetPascalStr(name, "\pmyName", 255);
```

(The last parameter is the maximum length of the resulting string.)

- `requiredGlobals` should usually be set to 0. Advanced programmers can set it to the size (in bytes) of a global data buffer they want to have allocated. If `requiredGlobals` is returned with a value > 0 , `proFit` allocates a block with the corresponding number of bytes and stores a pointer to it in `pb^.globals` (in C: `pb->globals`). `pb` is a pointer to a record called `ExtModulesParamBlock` and is passed to all routines called by `proFit`.

Note that memory allocated in this way is deallocated automatically when your module is unlinked from `proFit` – you must not deallocate this memory yourself!

```
CleanUp             procedure CleanUp(pb: ExtModulesParamBlockPtr);
```

`CleanUp` is called when `proFit` is quitting or when your module is removed from `proFit`. In most cases, you won't have to do anything here. Advanced programmers may wish to deallocate some special memory, to close a port or to clean up other stuff here.

Routines to be modified in external programs only

InitializeProg procedure InitializeProg(pb: ExtModulesParamBlockPtr)

This routine is called before a program is run for the first time. Most users can leave it empty. Advanced programmers may wish to allocate some memory, open a port, initialize global (static) variables, etc. here.

Run procedure Run (pb: ExtModulesParamBlockPtr)

This routine is called when your program is executed. It should hold your program's main code.

Routines to be modified in external functions only



An important note about parameter indices: When accessing arrays that hold values, names, etc. of the parameters, such as `a[i]`, `a0.names^[i]`, `mode[i]`, `dyda[i]`, the index `i` ranges from 1 to 64 in Pascal, but from 0 to 63 in C

```
InitializeFunc procedure InitializeFunc(var hasDerivatives: boolean;
    var descr1stLine, descr2ndLine: Str255;
    var numberOfParams: integer; var a0: DefaultParamInfo;
    pb: ExtModulesParamBlockPtr);
```

This routine is called once after your external function has been linked to proFit. It must return some default values and information about the function. Advanced programmers may also use it for initialization of global (static) variables, memory allocation, etc.

InitializeFunc should return the following data in its parameters:

- `hasDerivates` must be set to `true` if you want to calculate some derivatives of your function with respect to its parameters yourself (in the function `Derivatives` described below). Any derivative you don't calculate will have to be calculated numerically by proFit. If you set `hasDerivates` to `false`, all derivatives will be calculated numerically and the function `Derivatives` will be ignored. (The derivatives are used for nonlinear fitting.)
- `descr1stLine`, `descr2ndLine`: These two strings are displayed in the parameters window and should give a short description of your function. (C programmers should use the function `SetPascalStr` described under `SetUp`, above, for setting these strings.)
- `numberOfParams`: Here you should return the number of parameters of your function (up to 64).
- `a0`: This is a record (in C: a pointer to a struct) that defines the default values, modes, names and limits of your parameters. You can leave this record unchanged if you want to use the default values. The following table lists the values that can be set in `a0` for each parameter `i`:

Pascal notation 1)	C notation 2)	contains
<code>a0.value^[i]</code>	<code>(*a0->value)[i]</code>	Default value
<code>a0.mode^[i]</code>	<code>(*a0->mode)[i]</code>	Default mode, set to <i>active</i> (varied during fitting), <i>inactive</i> (not varied during fitting), or <i>constant</i> (cannot be fitted)
<code>a0.name^[i]</code>	<code>(*a0->name)[i]</code>	Parameter name, a Pascal string of length <code>maxParamLength</code> . 3)
<code>a0.lowest^[i]</code>	<code>(*a0->lowest)[i]</code>	The lower limit for a parameter. By default, this value is <code>-INF</code> .
<code>a0.highest^[i]</code>	<code>(*a0->highest)[i]</code>	The upper limit for a parameter. By default, this value is <code>INF</code> .

1) In Pascal, indices for these arrays run from 1 to 64

2) In C, indices for these arrays run from 0 to 63

3) C programmers should set the name by calling the function `SetPascalStr` with a maximum string length of `maxParamLength`. Example:

```
SetPascalStr((*a0->name)[0], "\pname", maxParamNameLength);
```

```
Func           procedure .i.Func; (x:extended; a:ParamArray;
                    var y:extended; pb: ExtModulesParamBlockPtr);
```

This procedure is called to calculate the return value of your function. It has the following parameters:

- `x`: The function's independent variable.
- `a`: The function's parameters `a[i]`. Note that the index `i` ranges from 1 in Pascal but from 0 in C.
- `y`: The function's return value to be calculated from `x` and `a`.

```
Derivatives   procedure Derivatives (x: extended; a: ParamArray; var
                    dyda: ParamArray; pb: ExtModulesParamBlockPtr);
```

This routine calculates the partial derivatives of your function with respect to its parameters. You can leave this routine empty if you don't need it, or you can calculate only some derivatives. You don't need to calculate all of them. `proFit` will check if you did not calculate a derivative and will calculate it numerically. Set `hasDerivatives` to `false` in `InitializeFunc` if you are sure that you will never want to calculate any derivatives yourself. (Note that a call of `Derivatives` with a given `x`-value is always preceded by a call of `Func` with the same `x`-value – therefore, you might save a temporary result in `Func` for later use in `Derivatives`. See also Chapter 9, "Defining functions and Programs".)

Parameters:

- `x`: The function's independent variable.
- `a`: The function's parameters `a[i]`. Note that the index `i` ranges from 1 in Pascal but from 0 in C.
- `dyda[i]`: The partial derivatives to be returned.

```
First          procedure First (a: ParamArray; pb: ExtModulesParamBlockPtr);
```

This routine is called whenever the parameters `a` have changed *before* `Func` is called. In most cases, you can leave it empty. Advanced programmers can use `First` for speeding up your function by evaluating temporary results that only depend on your function's parameters but not on its `x`-value (for more information: see the description of `First` in Chapter 9, "Defining functions and Programs").

Parameters:

- `a`: The function's parameters `a[i]`. Note that the index `i` ranges from 1 in Pascal but from 0 in C.

```
Check           function Check (ParamNo: integer; var a0: DefaultParamInfo;
                        pb: ExtModulesParamBlockPtr):CheckPANSWER;
```

Check is called whenever the user has entered a value in the Parameters window. In most cases, you can leave Check empty, returning the value `good`. Advanced programmers can use it for improving the parameters window's user interface. Applications of Check are described in Chapter 9, "Defining functions and Programs").

Parameters:

- `paramNo`: This is the index of the parameter that the user has changed (1..64 in Pascal, 0..63 in C).
- `a0`: This is a record (in C: a pointer to a struct) that defines the default values, modes, names and limits of your parameters as they appear in the parameters window. The values that you can access or change in this data structure are listed under the routine `InitializeFunc` above.

Check should return one of the following values:

- `good` if the new parameter is to be accepted
- `update` if the new parameter is to be accepted but the parameters window must be redrawn (because Check changed some values in `a0`)
- `bad` if the new parameter cannot be accepted.

```
Last           procedure Last (pb: ExtModulesParamBlockPtr);
```

This routine is called whenever an operation that has used your function (such as a command for fitting) is done. In most cases, you can leave this procedure empty. Applications of `Last` are given in Chapter 9, "Defining functions and Programs".

Predefined constants and types

When writing an external module, you can (and must) use several predefined constants, types and procedures (or functions). In Pascal, they are defined in the interface of the file `proFit_interface.p`. In C, they are defined in `proFit_interface.h` and `proFit_paramBlk.h`. This section describes some of the most important things defined in these files.



The definitions in these files should not be changed. Doing so might cause incompatibilities with the present or future versions of pro Fit.

General remarks:

- *Strings* passed between pro Fit and an external module are always Pascal strings (and not C strings). If you are programming in Pascal, you won't have any problems with this. If you are programming in C, you must remember that a Pascal string must be introduced by "`\p`" (example: "`\pMyString`"). For assignments, you can use the function `SetPascalString` described earlier in this chapter.

- *Records (structs)* passed between proFit and an external module always use “68k-alignment”. Therefore, for compatibility with Power Macintosh compilers, definitions for C structs are always preceded by

```
#if defined(powerc) || defined (__powerc)
#pragma options align=mac68k
#endif
```

and followed by

```
#if defined(powerc) || defined (__powerc)
#pragma options align=reset
#endif
```

- *Parameter indices* under Pascal always run from 1 to maxNrParams, in C they run from 0 to maxNrParams-1.

The following lists the most important constants and types.

(The numbers in curly brackets give the offset and size of some records and their components. Pascal or C programmers won't need this information. It is provided for porting the records to another programming language.

```
const
  versionNumber = 1;
  maxNrParams = 64;
  maxParamNameLength = 31;
  maxNrInputValues = 6;
  isFunction = 1;
  isProgram = 2;
type
  inputRec = packed array[1..maxNrInputValues]           {size 48}
    of record
      x: ^extended;                                       {offset 0, size 4}
      s: ^str255;                                         {offset 4, size 4}
    end;                                                  {field size 8, offset 8, #fields 6}

  checkPAnswer = (update, good, bad);                    {size 1}
                                                         {update=0, ok=1, bad=2}
  ModeType = (active, inactive, constant);               {size 1}
                                                         {active=0, inactive=1, constant=2}
  ParamName = string[maxParamNameLength];               {size 32}
  ParamArray = array[1..maxNrParams] of extended;      {size 512}
                                                         {field size 8}
                                                         {offset 8}
                                                         {#fields 64}
  ParamNameArray = array[1..maxNrParams] of ParamName; {size 2048}
                                                         {field size 32, offset 32, #fields 64}
  ParamModeArray = array[1..maxNrParams] of ModeType;  {size 64}
                                                         {field size 1, offset 1, #fields 64}
```

```

DefaultParamInfo = record                                     {size 58}
  value: ^ParamArray;                                     {offset 0, size 4}
  lowest: ^ParamArray;                                   {offset 4, size 4}
  highest: ^ParamArray;                                  {offset 8, size 4}
  mode: ^ParamModeArray;                                {offset 12, size 4}
  name: ^ParamNameArray;                                {offset 16, size 4}
end;
DefaultParamInfoPtr = ^DefaultParamInfo;                 {size 4}

type
{parameters for all functions calling pro Fit}
ExtModulesParamBlock = record                             {size 4}
  RunTimeProcPtr: Ptr;                                   {offset 0, size 4}
  globals: Ptr;    {offset 4, size 4}
  versionNumber: integer;                                {offset 8, size 2}
  moduleKind: integer;                                  {offset 10, size 2}
  codeType: integer;                                    {offset 12, size 2}
  name: Str255;    {offset 14, size 256}
  requiredGlobals: longint;
{offset 270, size 4}
  v: array[1..30] of extended;                          {offset 274, size 240}
  dummy: Boolean;                                       {size 1}
  hasDerivatives: Boolean;                               {size 1}
  descr1, descr2: Str255;                                {size 512}
  numberOfParams: integer;                              {size 2}
  a0: DefaultParamInfo;                                 {size 58}
  paramNo: integer;                                     {size 2}
  answer: integer;                                      {size 2}
  x, y: ^extended;                                      {size 8}
  a: ^ParamArray;                                       {size 4}
  dyda: ^ParamArray;                                    {size 4}
  globalScratch: GlobalScratchPtr;                     {size 4}
  moduleFile: FSSpec;                                   {size 70}
end;
ExtModulesParamBlockPtr = ^ExtModulesParamBlock;        {size 4}
ExtModulesParamBlockH = ^ExtModulesParamBlockPtr;       {size 4}

```

The most important constants and types are the following:

- `versionNumber` is the current version of the pro Fit interface.
- `maxNrParams` is the maximum allowed number of parameters, `maxParamNameLength` is the maximum length of a parameter name for a function.
- `isFunction`, `isProgram` are possible types of a module to be returned by `SetUp` described above.
- `maxNrInputValues` is the maximum number of input variables for the function `InputBox` described below.
- `inputRec` is the parameter to the function `InputBox` described below.
- `checkPAnswer` is the type of the return value of the function `check` described above.

- `ModeType` describes the mode of a parameter, as explained in Chapter 9, “Defining functions and programs”.
- `ParamName` holds the name of a parameter as it appears in the parameters window.
- `ParamArray`, `ParamModeArray` and `ParamNameArray` are the arrays with the parameters’ values, modes and names.
- `DefaultParamInfo` contains all the arrays with the initial values, limits, modes, and names of the parameters.
- `ExtModulesParamBlock`: This record contains low-level parameters to be passed between an external module and `proFit`. In most cases, you will not need the information stored here. There are only two fields that you might find useful: `v` and `globals`. These are described in the following section “Global variables”.
- `globalScratch`: A pointer to a data area shared by all modules, internally defined functions and programs, as well as external modules. From programs and functions defined within `proFit`, you can access this area through the predefined array `globalData[0..99]`.
- `moduleFile`: A file specifier for the file that the module is in. You can e.g. use this specifier for accessing a resource stored in your module.

Global variables

Global variables (or static variables, as they are often called by C programmers) are variables that remain statically in memory. Their values are preserved between individual calls to your module.

If you are programming for the Power Macintosh, you can define global variables in the way you are used to: In Pascal, you declare them globally within your unit – in C, you declare them outside your functions or, if you declare them inside a function, you declare them as `static`.

The record `ExtModulesParamBlock` provides a method for storing global, static data that works on all compilers:

Each external module has its own record (struct) of type `ExtModulesParamBlock`. A pointer to this record is passed to your procedures and functions in the parameter `pb`. There are some fields in this record that you can use for your own purposes. Data stored there is preserved between individual calls to your functions:

- One of these fields is the array of extended values `pb^.v[1..30]` (under C, this is an array of `double` values, `pb->v[0..29]`). You can use this array for your own purposes – it is not used by `proFit`.
- The second such field is the pointer `pb^.globals` (under C, `pb->globals`). If your procedure `SetUp` returns a non-zero value in the parameter `requiredGlobals`, `proFit` will initialize `pb^.globals` to point to a memory block of corresponding block size (for more information, see the description of the procedure `SetUp` given above). You need to set `requiredGlobals` if you want to use the `pb->globals` pointer.

For examples on how to use global or static data, please refer to the sample code provided on your distribution disks.

Procedures provided by proFit

`proFit` offers a list of functions and procedures that can be called by your external modules. If you are programming in Pascal, they are defined in the interface of the file `proFit_interface.p`. If you are programming in C, they are defined in the header file `proFit_interface.h`. Their implementation can be found in the files `proFit_interface.p` or `proFit_interface.c`, respectively.

Most of the functions and procedures provided by pro Fit for external modules are the 1:1 equivalents of the ones that can be used when defining a function or program with pro Fit's definition language. Refer to Appendix A, "Predefined Functions, Procedures and Arrays" for more information on the individual routines.

11 Apple Script

Introduction

Apple Script is a language for scripting applications on the Macintosh. It provides a common technique for automating tasks, exchanging data, and process remote control.

You can use Apple Script with pro Fit. Note, however, that pro Fit cannot *create* (i.e. compile) an Apple Script. To use Apple Script with pro Fit, you need an Apple Script compiler, such as Apple's Script Editor (installed together with your system software). You enter the script in the script editor and compile it there.

Once the script is compiled, you can either run it from your script editor, or you can save it in its compiled form. (When using Apple's Script Editor, choose "Save As..." from the "File" menu, choose the type "Compiled script" and save the script.) Such a compiled script can be loaded into pro Fit: Choose "Load Module..." from the Customize menu and select the compiled script. It is added to the Prog menu.



In the following, we give some examples for scripting pro Fit through Apple Script. Then we discuss the differences between programs and scripts.

For a list of all Apple Script classes and methods supported by pro Fit, read pro Fit's dictionary from your Apple Script compiler, e.g. by choosing "Open Dictionary..." from the File menu of Apple's Script Editor.

There is an Apple Script equivalent for most commands of pro Fit's built-in compiler. Appendix D of this manual provides a cross reference between the commands of pro Fit's compiler and the corresponding operations in Apple Script.



Apple Script is a very powerful programming language. However, it may be confusing for the beginner. The easiest way to get started is using Apple Script's "recording" capabilities. Just open the Script Editor and click the Record button. Now go into pro Fit and do (by hand) what your script is supposed to do. Script Editor records all your actions as Apple Script commands. Once you are through, go back to Script Editor and click the Stop button. Your script is now complete.

Note that this chapter is not intended to give a beginner's introduction to the Apple Script language. We will, however, explain some its aspects as we use them. To learn more about Apple Script, consult the dedicated literature, such as the "Apple Script Language Guide" distributed by Apple.

Examples

Opening and closing a single file

The following is a very simple Apple Script for opening and closing a single file:

```
tell application "pro Fit"
    open file "measured data" -- open a file
```




```

run program "Analyze" -- analyze it
close window "measured data" -- close it
end tell

```

The script starts with the statement `tell application "pro Fit"` which indicates that all subsequent statements (until `end tell`) are to be sent to pro Fit. The following lines tell pro Fit to open a file called "measured data", run the program "Analyze" from the Prog menu, and then close the file again.

To use this script, you must enter it in a script editor, such as Apple's Script Editor:



When you click Run, the script is compiled and then executed. When compiling the script, the statements are converted into Apple Events, data packets that can be exchanged between applications. When running the script, they are sent to pro Fit.

As mentioned above, you can save the script as a "Compiled Script" and then load the compiled script from pro Fit by choosing "Load Module..." from the "Customize" menu. The script is added to the Prog menu from where it can be run.

Batch processing

Imagine you have a large number of data files in a folder. You want to open each of these files from pro Fit and analyze its data. Without scripting, you would have to open each file by hand, run your analysis, then close it again – boring work if you have to do it often. The following script does it all for you:

```

-- bring up a dialog for selecting the folder of the files to analyze
set myFolder to choose folder with prompt "Choose a folder with data files:"

-- create a list with all files in the folder
set myFiles to list folder myFolder -- a list of files in myFolder
set myFileCount to count myFiles -- the number of files in myFolder

-- now start working with pro Fit
tell application "pro Fit"
  set oldErrorAlerts to error alerts -- save error alert status
  set error alerts to false -- pro Fit should not show alerts
  activate -- bring pro Fit to front
  repeat with i from 1 to myFileCount -- go through all files
    set theFile to item i of myFiles -- get the i-th file
  try

```

```

        -- open the file for processing as data file:
        open file ((myFolder as string) & theFile) as table
        write line "found: " & theFile -- write comment to Results window
        close window theFile saving no -- close without saving
    on error errText
        write line "cannot open: " & theFile & " (" & errText & ")"
    end try
end repeat
set error alerts to oldErrorAlerts -- restore
end tell

```

This script first brings up a dialog box for selecting a folder by using the Apple Script extension choose folder with prompt. Then it goes through all the files in this folder and uses the command open file *name* as table for opening the file as a data window. It also uses the command write line *text* for writing a text into the results window. Then it closes the file.

The open file and close window commands are enclosed by the statements try and on error. If any of these commands fails and returns an error, the write line statement between on error and end try is executed.

Note that we are setting a property called error alert to false before opening the files. This tells pro Fit that it should not show any error alerts of its own when it cannot open a file.

The above example simply opens each file in the folder and closes it again. In practice, you may e.g. want to run a program on each opened file. For this purpose, simply insert

```
run program "MyProg" -- analyze it
```

after the command open file, where "MyProg" is the name of the program you want to run.

The following is a more complete version of the above script. It not only runs a program on each opened file, it also defines the program, adds it to pro Fit's Prog menu, and then exchanges data with it:

-- the following defines the pro Fit program run for each data file:

```

set scriptProgram to -
"
program ScriptProgram;
  var sum, i;
begin
  sum := 0;
  for i := 1 to nrRows do
    if DataOK(i,1) then sum := sum+data[i,1];
    globalData[1] := sum;      { store result }
  end;
end;
"

```

-- bring up a dialog for selecting the folder of the files to analyze

```
set myFolder to choose folder with prompt "Choose a folder with data files:"
```

-- create a list with all files in the folder

```
set myFiles to list folder myFolder -- a list of files in myFolder
```

```
set myFileCount to count myFiles -- the number of files in myFolder
```

-- now start working with pro Fit

```

tell application "pro Fit (ppc)"
  set oldErrorAlerts to error alerts -- save error alert status
  set error alerts to false -- pro Fit should not show alerts
  activate -- bring pro Fit to front
  compile scriptProgram -- add the above program to Prog menu
end tell

```

```

set myTable to make new table -- open new data window
set k to 1 -- a counter for opened files
repeat with i from 1 to myFileCount
    set theFile to item i of myFiles -- get the i-th file
    try
        open file ((myFolder as string) & theFile) as table -- open the file
    write line "processing: " & theFile
        run program "ScriptProgram" -- run the program in pro Fit
        close window theFile saving no -- close without saving
        set sum to globalData 1 -- get result
        set cell k of column 1 of myTable to sum -- store it in the table
        set k to k + 1
    on error errText
        write line "cannot process: " & theFile & " (" & errText & ")"
    end try
end repeat
delete program "ScriptProgram" -- remove the program from Prog menu
set error alerts to oldErrorAlerts -- restore
end tell

```

The above script starts with the definition of the program to be run by pro Fit. Then it opens a new data window and stores its reference in “myTable”. Now it opens each data file in the designated folder, calculates the sum of the values in its column 1 and stores these sums in column 1 of the data window myTable.

The script starts with

```
set scriptProgram to ↵
```

This statement sets the symbol scriptProgram to the text following it. The symbol ↵ at the end of the line tells the script editor that more lines follow (to generate this symbol, type the return key while holding the shift key down).

The statement

```
compile scriptProgram -- add the above program to Prog menu
```

sends this text to pro Fit and tells pro Fit to compile it, i.e. to add it to the Prog menu.

Then, the script creates a new data window using the command

```
set myTable to make new table -- open new data window
```

The symbol myTable becomes a reference to the new data window.

Now, the files of the designated folder are opened one by one. After a file is opened, the ScriptProgram is run and the file is closed again. Then the script retrieves the result of the program from globalData[1]. The values in the array globalData can be accessed from scripts by using the object globalData and an index, such as

```
set sum to globalData 1 -- get result
```

The result retrieved in this way is transferred to the k-th row of column 1 of the data window myTable:

```
set cell k of column 1 of myTable to sum -- store it in the table
```

As you can see, scripts can exchange data with pro Fit, either through globalData or by accessing values in a data window.

There are other ways of interaction between scripts and pro Fit. They are explained in the last section of this chapter, which lists all Apple Script commands and objects supported by pro Fit.

When to program, when to script

As you may have realized, there are various things you can do through Apple Scripts as well as from a program defined within pro Fit. For example, you could define the following program for writing the sum of the two first cells of a data window into the results window:

```
program Sum;
begin
  Writeln(data[1,1]+data[1,2]);
end;
```

Alternatively, you could do the same from an Apple Script:

```
tell application "pro Fit"
  set sum to value of cell 1 of column 1 + value of cell 1 of column 2
  write line sum
end tell
```

Even though the above examples do the same, you will prefer the program, because defining programs is usually more convenient and faster.

In practice, you probably use programs more often than Apple Scripts. Programs can be defined within pro Fit, they are much faster, and they are better suited for numerical applications. However, there are some things that you simply cannot do from a program, such as exchanging data with other applications, communicating with the Finder, batch processing a large number of files, etc. For these tasks, you can use Apple Scripts.

You can combine the advantages of Apple Scripts and programs: To call an Apple Script from a program, first add it to the Prog menu (choose Load Module... from the Customize menu), then call it with CallProgram(...). To call a program from an Apple Script, compile it and use the command run program.

Apple Script methods and classes

The following describes some applications of the most important Apple Script methods and classes supported by pro Fit. For a complete overview, check pro Fit's dictionary and have a look at Appendix D of this handbook.

Some methods

open: Open the specified object(s)

```
open file -- list of objects to open
      [as data window/drawing window/funcProg window/text window]
```

If the file is a file of type text, you can indicate if it is to be opened as text (i. e. in a new function window) or as table (i. e. in a new data window).

Examples:

```
open file "HD:myData" -- opens the file "myData" on the disk HD
open file "data" as data window -- opens the (text) file "data" as data window
open file "Drawing1" -- opens the file called "Drawing" in pro Fit folder
```

calculate statistics: performs statistical calculations on the given window

```
calculate statistics reference -- the data window for the statistical analysis
      [column integer] -- the column for the statistical analysis. 0 to use all columns.
      median boolean -- set to true to calculate median, minimum, maximum.
```

basic boolean -- set to true to calculate basic statistical information.
skewness boolean -- set to true to calculate Skewness and Kurtosis.
[selected cells boolean] -- true if statistical analysis of the current selection
[selected rows boolean] -- true if statistical analysis must be applied
-- only to the data contained in the selected rows.

To retrieve the results, use e.g.

get statMean of results -- returns the mean value

(Available selectors of results are listed for class "calculation results" below)

capture: Switches capturing on and off

capture constant -- to file | enabled | disabled | done

[to alias] -- the file to capture into (not used for options on | off | done)

Example:

```
tell application "pro Fit PPC"
  capture to file "HD:logFile" -- start capturing to logFile
  write line "hi there" -- will be captured
  capture disabled -- disable capturing temporarily
  write line "some text" -- will not be captured
  capture enabled -- enable capturing
  write line "add this to log file" -- will be captured
  capture done -- close the capture file
end tell
```

close: Close a window

close reference -- the window to close

[saving yes/no/ask] -- Specifies whether or not changes should be saved

Windows can be specified by name or index (1 is the frontmost window, 2 is the window behind the frontmost window).

If you append the specification saving yes then all changes are saved – if the window has not yet been saved to a file, you are asked to specify where you want to save the changes. If you append saving no, changes are not saved. If you append saving ask or if you do not append a saving specification and the window contains unsaved changes, pro Fit will ask if you want to save the changes.

Examples:

close front window -- *prompts for saving unsaved changes*

close window "Table1" saving no -- *closes the window without saving*

compile: Compile a function or program written in pro Fit's definition language.

compile reference -- text or file to compile

Examples:

compile file "HD:myProg" -- compiles the given file

compile "function lin; begin y:=a[1]*x; end;" -- compiles a text

the following is a more realistic way to define and compile a larger program from a script: (note that you can create the character "↵" by hitting option-return – this character specifies that the line is continued on the next one):

```
set myProg to ↵
"
```

```

program test;
var i, sum;
begin
  sum := 0;
  for i := 1 to nrRows do
    if dataOK(i, 1) then sum := sum + data[i,1];
    writeln('sum of col 1: ', sum);
  end;
end;

tell application "pro Fit"
  compile myProg      -- compiles the above definition
  run program "test" -- and runs it
end tell

```

delete: Removes a function or program from pro Fit's menus

```

delete reference -- The function or program to delete
delete program "FitFrontWindow" -- deletes the specified program
delete function "linear" -- deletes the specified function

```

do script: Compile and execute one or more Pascal statements

```

do script reference -- the window or the statements to execute

```

Examples:

```

do script "writeln('Hello world');" -- executes the pascal statement

```

make: Make a new window or shape.

```

make

```

```

  new: type class -- the class of the new element: 'table', 'drawingWindow',
              -- 'textWindow'

```

```

  [with properties: record] -- the initial values for the properties of the element

```

```

Result: reference -- to the new object(s)

```

The keyword “new” is optional in Apple Script.

what specifies the type of window to be opened. Specify `table` for a data window, `drawingWindow` for a drawing window, `textWindow` for a function window.

The `with properties` parameter specifies the properties of the window in an Apple Script record. All types of pro Fit windows have the property `name` holding the name of the window as a string. In addition to this, data windows have the properties `nrRows` and `nrCols` with the numbers of rows and columns.

Examples:

```

make table with properties {name:"myTable"}
  -- creates a new data window having the name "myTable"
make drawingWindow with properties {name: "lookatthis"}
  -- creates a new drawing window having the name lookatthis
make textWindow -- creates a new function window
make table with properties {name:"small", nrCols:10, nrRows:20}
  -- creates a data window with name "small", 10 columns and
  -- 20 rows

```

```

-- the following creates a new data window and then closes it using a

```

```
-- temporary reference to the window
set myRef to make new table
close myRef
```

save: Save a window

```
save reference -- the window to save
    [in alias] -- the file in which to save the object
    [as data file/drawing file/EPS file/function file/PICT file/text file]
        -- file type for data export
```

Windows can be specified by name or index (1 is the frontmost window, 2 is the window behind it, etc). Note that Apple Script allows you to specify indexed objects in various ways (such as window 1, front window, 3rd window, last window)

Optionally, you can specify the file where the window is to be saved after in. If you do not specify the file where to save the window and the window has never been saved before, you are prompted to enter a file name. If you don't specify the file where to save the window and the window has been saved before, the window is saved to the same file as before.

If the specified window is a data window, it is saved as a regular pro Fit file by default (this is equivalent to specifying "as table"). If you want the data window to be saved as text file for exporting it, specify "as text".

Examples:

```
save window 1 to file "HD:data" -- saves front window to file
save window "data" to file "data.txt" as text -- saves as a text file
```

12 Printing

There is a wide range of different printers that can be connected to a Mac OS machine, and each of these printers have different capabilities, resolutions and command languages. pro Fit allows you to get the best out of most of the commonly used printers if you follow the guidelines described in this chapter.


Basically, there are two possibilities for printing pro Fit drawings. You can print from pro Fit directly (using the **Print** command from the File menu) or you can export a drawing to another application, such as a word processor (using the **Copy** or the **Create Publisher** commands or by dragging it to the other application), and print it from there. The next two sections discuss these two possibilities separately.

Printing from pro Fit

Before printing, you should choose **Page Setup** from the File menu.

You can print the active window by selecting the **Print** command from the File menu.

pro Fit offers two different modes of printing: *printing with PostScript* and *printing at the printer's resolution*. You can select the desired method by choosing Preferences... from the File menu. In the dialog box that comes up, click the icon "Printing" in the list at the left. The dialog box now looks as follows:



If you check **Print drawings using PostScript**, pro Fit sends PostScript commands to the printer together with a simple picture describing your drawing. You should check this option if you are printing to a PostScript printer. When you check "Print drawings using PostScript", you should also check "**Use QuickDraw for text**". More information on this option is given below.

If 'Print drawings using PostScript' is not checked, proFit prints the drawing "at the printer's resolution". No PostScript commands are sent in this case. You should use this setting if you are printing to a non-PostScript printer.



The default setting on a "fresh" installation of pro Fit is the last one. I.e. no PostScript is sent to the printer. The reason for this is that this default setting gives good results on most printers, PostScript or not PostScript.

If you have a PostScript printer, you will get better results if you check the "Print Drawings using PostScript" option.

Printing with PostScript

PostScript[®] is a language for defining graphical objects. It is used by many high quality printers. When an application prints to such a printer, it can use the built-in graphics language of the Macintosh (QuickDraw), which is automatically translated to PostScript by the printer driver before it is sent to the printer. However, some information may be lost during this translation. To get better results, an application can generate the PostScript directly and send it to the printer, obviating the need for any translation.

Check 'Print drawings using PostScript' after choosing the "Printing" panel of the preferences dialog box, to let proFit generate PostScript during printing.

When printing with PostScript, you should usually check the option "Use QuickDraw for text" for best compatibility with most printer drivers and printers. If "Use QuickDraw for text" is checked, proFit first creates PostScript code for all items of the drawing window except text items and sends this code to the printer. Then it draws the texts – without using PostScript. This ensures the correct setting of the font and supports all text styles. If you uncheck 'Use QuickDraw for text', text will be sent as PostScript code – this option is not recommended as it can lead to compatibility problems with some printer drivers.



Not all printers support PostScript. Don't use the 'Print drawings using PostScript' option on non-PostScript printers. A non-PostScript printer will ignore the PostScript commands and will print a non-optimized picture (with the resolution of the screen).

Switch off the option 'Print drawings using PostScript' to get optimal results on a non-PostScript printer (see the next section, below).

Drawings will generally look better when printed with PostScript than when they are printed at the printer's resolution. However, there are some minor problems when using special patterns or characters:

- When using patterns, only the gray patterns will print. All other patterns will be replaced by a 50% gray pattern.
- If "Use QuickDraw for text" is not checked, outlined, shadowed and underlined fonts are not supported.
- If "Use QuickDraw for text" is checked, text is printed *above* all other items in a drawing.

Printing at full printer resolution


If your printer does not support PostScript, do not check 'Print drawings using PostScript'. In this case, proFit determines the resolution (the number of distinguishable dots per inch that can be printed) of your

printer when it is printing a drawing window. Using this information, proFit can optimize the picture it sends to the printer in order to take full advantage of the resolution available on your printer.

Printing a pro Fit drawing from another application

When you copy or drag a drawing into another application (or when you create a Publisher that you subscribe to from another application), proFit creates a picture (often called PICT) that contains all the information required for drawing the copied objects on the screen. However, when it comes to printing on a high quality printer (with better resolution than the screen), more information is needed. This additional information must be packed into the picture. Since there is no standard method of doing this in a way that works for all printers, you should give proFit some information about your printer before creating a picture.

You can give this information by choosing Preferences from the File menu and selecting “PICT Options” from the list of icons to the left. This brings up the following dialog box:



You can choose between six picture formats:

- **Normal PICT:** Use this option when you don't plan to print your pictures at a high quality. Pictures generated with this option look fine on the screen and use a minimum amount of memory.
- **Embedded PostScript:** Use this option when you are planning to print your pictures on a printer that understands PostScript, such as a printer of the LaserWriter® family. The pictures generated with this option still look nice on screen, but they also have PostScript information included. When you select “Embedded PostScript”, you can specify if you want to “Use QuickDraw for Text”. For best compatibility with the widest range of printers and printer drivers, “Use QuickDraw for Text” should be checked.

For more information on printing with PostScript, see the section ‘Printing with PostScript’ earlier in this chapter.

- **High resolution PICT:** This option generates pictures that print well on most printers if the printing application supports “printing at the printer’s resolution” and does not change any information in the pictures it imports. However, few applications presently support these features. When generating a high resolution picture, you must enter the desired resolution in a text field appearing at the bottom of the dialog box.

High resolution pictures may not look perfect on screen but they use a minimum amount of memory.

- **Enlarged PICT:** Pictures generated under this option are enlarged by a zoom factor z given by the specified resolution r . You can enter the resolution r in an edit field appearing at the bottom of the dialog box. The zoom factor is given by the formula $z = r / 72$ dots per inch.

You can obtain high quality prints of an enlarged picture on many printers by choosing a reduction factor $1/z$ in the Page Setup dialog box before printing.

- **Bitmap:** This is presently the recommended picture format for printing on any high resolution printer that does not support PostScript. In a bitmap every pixel of the picture is stored at the printer’s resolution. You can enter the desired resolution in a text field appearing at the bottom of the dialog box.


Bitmaps print well on most high resolution printers. However, a bitmap uses a large amount of memory and often looks unsatisfactory on screen. Also, printing a bitmap can be very slow, especially when printing to a PostScript device.

When you select ‘Bitmap’, you can specify if your bitmap should be black and white or if it should contain color information. Don’t check ‘with Color’ unless you really need a color bitmap – black and white bitmaps use considerably less memory.

At the bottom of the “Printing” panel in the Preferences dialog box, there is a button called “Standards”:



Clicking this button brings up another dialog box that lets you store your settings in the preferences file or load previously stored settings:



The upper part of the box lists all styles saved in the preferences file. To load a style, double-click its name. To delete one or more styles, select their names (shift click for multiple selections) and click **Delete**.

To save your current picture settings as a PICT style, type a name in the edit item and click **Save**.

If you save a style with the name **Normal**, it becomes the **default style** and it is loaded whenever you start pro Fit.

13 Preferences

pro Fit offers many possibilities to customize its features: You can choose the format for exporting pictures, the preferred method for printing, you can save your preferred user interface options, etc. All of these settings are saved in pro Fit's preferences file. During start-up pro Fit looks in the Preferences folder of the System folder for its preferences file. If the file is there, pro Fit reads its standard settings from it. If the file is not there, pro Fit creates a new preferences file. You can switch to another preferences file or create a new preferences file anytime later.


If you do not want to load the standard preferences file in the system folder, hold down the option and the shift key while starting up pro Fit.

Most of pro Fit's settings are controlled by choosing Preferences... from the File menu. Doing so brings up a dialog box with several *panels*. Each panel controls a set of options. To choose a panel, select its icon from the list in the left of the dialog box.

The panels **Printing** and **PICT Options** are discussed in Chapter 12, "Printing". In the following, we discuss the panels **General**, **Drawing**, **Preview**, **Interface** and **Prefs File**.

Panel "General"

This panel controls some general options for output, scrolling and data windows.



The first item in this panel defines the # **digits after the decimal point** used when displaying numerical results. Enter a negative number if you want to set the total number of digits, a positive number for setting the number of digits after the decimal points.

The radio buttons under the title **Default data window range** control the default range and precision of the numeric columns in new data windows. See the section “Data Types” of Chapter 4 for details.

Show hints controls if pro Fit should show some hints to guide an inexperienced user. Uncheck this option if you don't want any hints to be shown.

Note that each hint also has an individual checkbox that can be used to disable it. If you uncheck and later check again “Show hints” in the Preferences dialog, all hints (also those that have been disabled individually) will be shown again.

Panel “Printing”


This panel is discussed in Chapter 12, “Printing”

Panel “PICT Options”

This panel is discussed in Chapter 12, “Printing”

Panel “Drawing”

This panel controls some options used by the drawing window:




Default units controls the default units used for measuring and entering distances in the drawing window and the Drawing Info window.

Check **Always use floating toolbox** if you never want the drawing tools to appear inside the drawing window.

Panel “Plotting”

This panel controls some options for the preview window:



Check **Typographical minus** if you want to use a longer dash (–) instead of the hyphen (-) as a minus sign for numbers in the labels of a graph. Note that the typographical minus may not be available on non-roman fonts.

Check **Comma instead of decimal point** to use a comma as the decimal marker (12,345) instead of a point (12.345).

Exponentials controls the style for drawing exponential labels.


Note that changing the settings under “Format of labels in graph axes” does not affect the labels of existing graphs. When you have changed the settings and want to use them for an existing graph, redraw the axis, e.g. by double-clicking it and clicking the button “Apply”.

Check **Automatic grouping of new graphs**, if you want to automatically group a graph, the names of its axes, and its legend when it is created. Uncheck this option if these items should not be grouped.

The edit boxes at the bottom let you enter x- and y-ranges for storing data points during plotting. When you plot a data set or a function, pro Fit stores the corresponding data with the graph. However, it clips data that lie far outside the graph. When you expand the graph later on, clipped data points will not appear. If you want pro Fit to store data points that lie outside the graph, enter values > 100 in these fields.

Panel “Preview”

This panel controls some options for the preview window:




The pop-up menus under **Data points**, **Markers** and **Function** let you set the appearance of these items. markers (For more information on markers, see Chapter 6).

The **Coordinate Lines** are drawn in a light grey color in the preview window, behind the data points and the function curve. They are two perpendicular lines that cross the x- and y- coordinate axes of the preview at the coordinates given in the two edit fields.

Check the option **Allow dragging of data points** if you want to be able to change coordinates in a data window by dragging the corresponding data points in the preview window. Uncheck this option to disable this potentially dangerous option.

Panel “Date & Time”

Using this panel you can control some aspects of pro Fit's user interface.




Date and time can be displayed in various formats, e.g. '18. Jan. 2000' or '1/18/00'. pro Fit allows you to define the format that you prefer. You can either use the system's default format (check **System defined**) or you can use a custom format (uncheck **System defined**).

Relative time expresses the duration between two moments in time. pro Fit allows you to display relative time, inter alia, in months and years. To do this, you must define the length of these units. This can be done with the pop-up menus under **Relative time format**.

Additionally, you can select between two formats of displaying hours, minutes, and seconds: Either these numbers are delimited with a colon, or each unit is separately written, e.g. '4h 25m 3s'.

Panel “Interface”


Using this panel you can control some aspects of pro Fit's user interface.



The check boxes under **Enable dynamic scrolling for** control what happens if you click and drag the indicator of a scroll bar. If the corresponding checkbox is checked, the contents of the window will be scrolled *while* you drag the scroll bar. This provides a more accurate control of scrolling, but may be sluggish on slower computers.

Panel “File Export”

Using this panel you can define the file creators that pro Fit uses when generating files that are exported, e.g. TEXT files or various image formats:




The **Creator codes** are the file creators of the exported files that pro Fit creates. Note that the creator code defines which application is opened when you double-click a file from the Finder.

The first two are files of type TEXT (ASCII text), one for saving data files as text, and one for all the other cases where text files are generated. The lower 4 creators are used for the drawing or image files that pro Fit can export: EPS for Encapsulated PostScript files, PICT for Apple Picture files, GIF and JPG for the well-known image files with format GIF or JPEG.

Panel “Prefs file”

Using this panel you can switch between preferences files or create a new preferences file:



Click **New Preferences file** to create a new preferences file. All the settings and extensions stored in the current preferences file are copied to the new preferences file.

Click **Use Preferences file** to switch to another existing preferences file. proFit will scan the folder of the selected preferences file for a folder called “pro Fit modules”. If it finds such a folder, any modules stored in this folder are loaded into proFit. (For a more complete discussion of the proFit modules folder, see Chapter 5, “Working with Functions”).

14 General features

Getting help

pro Fit offers a powerful on-line help based on Apple Guide. The pro Fit Guide can be accessed by choosing **pro Fit Guide** from the help menu, or by clicking one of the question marks that are present everywhere in pro Fit windows and dialog boxes. Balloon help is also supported.

When defining functions and programs there is a special feature based on a dedicated help menu which is always present in the header of function windows. See chapter 9, “Defining functions and programs”, for more information on this help menu.

The pro Fit Guide

The pro Fit on-line help system comes in a separate files called **pro Fit Guide** and **pro Fit Programming**. These files are found on your distribution disks and must reside in the same folder as pro Fit. If pro Fit cannot find one of these file, then the corresponding on-line help is not available.

The main pro Fit Guide can be accessed using the Help menu to the right of the menu bar.

As an alternative to this, there are lots of question marks everywhere in pro Fit dialog boxes and windows. Click any of these question marks if you need help in a particular situation. pro Fit will immediately display a floating window that can guide you through the operation at hand.

The **pro Fit Programming** guide provides help on all features of pro Fit’s function and program definition language. This Guide contains a detailed description of every predefined function or keyword. The programming Guide can be opened directly at the page describing a given keyword, by selecting that keyword in the function window **Help** menu, or by option-double-clicking a keyword in the text of a function definition.

Help balloons

Switch on balloon help by choosing the **Show Balloons** command from the Help menu.


Once you have switched on balloon help, helpful comments show up whenever you move the mouse over some interesting item. Choose **Hide Balloons** from the Help menu to switch balloon help off.

Help Balloons can be switched on locally for the Help menus in function windows. They show helpful information on the keyword currently selected in the menu.


On-line evaluation of mathematical expressions

Wherever pro Fit expects a numerical input, such as in spreadsheets or dialog boxes, you can enter a mathematical expression. For example, instead of typing a number directly, you can use a mathematical expression like “exp(1)” or “6+sin(pi/4)”. pro Fit reads the mathematical expression you typed or pasted and calculates the numerical result.

Text windows, such as the result window, can be used as a calculator by typing an expression on a new line, positioning the insertion point on that line, and hitting the Enter key. The result is displayed on the next line.



You can also use mathematical expressions in all proFit dialog boxes. As an example, if you want to tabulate a function between 0 and two times π at intervals of $\pi/5$, type command-T and enter the following:



When typing a mathematical expression, you use the same syntax elements that are available when writing a function definition. In on-line mathematical expressions, x is equal to the last result that was evaluated, and $a[i]$ is equal to the parameter values shown in the current parameters window. You can use all the predefined functions available when writing the definition of a function. As an example, after a successful fit you can type 'ChiSquared' in a data window cell. This tells proFit to set the value of that cell to the mean deviation obtained in the last fit (see Chapters 9 and 10, together with Appendix A, for more information on predefined functions).


Let's look at a simple example that illustrates how you can use proFit's understanding of mathematical expressions when you are pasting into a data window. Write the following text and copy it to the clipboard:

```
a[2] → fittedParams(2) → a[2] – fittedParams(2) → paramSD(2)
a[3] → fittedParams(3) → a[3] – fittedParams(3) → paramSD(3)
a[4] → fittedParams(4) → a[4] – fittedParams(4) → paramSD(4)
```

Where the ‘→’ stands for a tabulator character and each line is terminated with a carriage return (¶). If you paste the above text into a data window after a successful fit, you automatically obtain a table containing the parameter values before the fit, the values after the fit, their difference, and the resulting standard deviations.

File info

proFit lets you save a comment with every one of its files. You can edit this comment with the **Get Info** command from the **File** menu. Choosing Get Info presents a dialog box with a large field for editing text.



You can add an info comment to data windows, drawing windows and functions or programs.

The **data windows** let you view and edit this information directly, without using the Get Info command. For this you drag down the info hook (a black area on top of the right scroll bar) of a data window to create an info field of the desired size.

See Chapter 4, “Working with data” for more information on data windows.

The data window titled "Data 122" displays the same comment as the dialog box above. Below the comment is a table with the following data:

Index	Time [s]	at	T1
1	1.200	0.12150	44.20
2	1.400	0.52120	55.12
3	1.600	1.00122	45.22
4	1.900	1.31520	56.12
5	2.230	1.91234	55.00

At the bottom of the window, there is a status bar showing "100, 10" and a blue highlight on the right side of the scroll bar.

Note that the info comments are in general only saved in files that have proFit's standard formats. If you save a function definition as normal text files (TEXT format) or if you save a drawing window as a picture or EPS file (PICT format, EPSF format), the info comments are not saved. If you save a data file as TEXT, you have the option of placing the info comments right at the beginning of the text file, as a header. To set this option, you have to choose "Custom format" in the dialog box that comes up when saving text files.


Find and Replace

proFit provides Find & Replace features to help you navigate through text. This feature is available for the results window and all function windows. You will find it most useful when you are editing the definition of a function or a program inside a function window.

The Find & Replace commands are found in the Edit menu:



When you choose **Find...** the Find/Replace dialog box appears:



Type the text you are searching for and the replacement text in the **Find** and **Replace** edit fields. Use the radio buttons **Forward/Backward** to start the search by moving down from the current insertion point towards the end of your text, or up towards the beginning. Click the **Find** button to start a search, click **Done** if you don't want to start a search yet. Click **Replace All** to replace all the occurrences of the text appearing in the Find item with the text appearing in the Replace item.

Use the menu command **Enter Selection** to enter the currently selected text in the Find field of the Find&Replace dialog box. Choose **Find Again** to restart a search (the fastest way to find all occurrences of a text is to select it and choose Enter Selection and Find Again in rapid succession). Use **Replace** to replace the current selection with the text in the Replace field of the Find&Replace dialog

box. **Replace and Find Again** combines the last two commands. **Replace All** is equivalent to the Replace All button in the Find dialog box.

Note that by using the Enter Selection command, or by copying some text and pasting it into the Find and the Replace field, you can enter text that you cannot enter by typing in the dialog box, such as carriage returns (¶) and tabs (→).


These commands can be accessed by using the following key combinations:

Find...	shift + command + F
Find Again	shift + command + G
Enter Selection	shift + command + E
Replace	shift + command + R
Replace & Find Again	shift + command + H

These command key equivalents are displayed in the Help Balloons for the corresponding menu items.

Contextual menus

Some of pro Fit's windows allow you to use "contextual menus". To invoke a contextual menu, click on a desired part of pro Fit while holding down the control key.



Shortcuts and other options

Although most of pro Fit's features and commands are readily accessed through its menus, there are some more advanced or rarely used features that require the use of modifier keys like the option key, the command key, or the shift key.

This is a short list of these features:

action	modifier keys
• Pressing 'F'	shift & command to select 'Find...' from the Edit menu.
• Pressing 'G'	shift & command to select 'Find Again' from the Edit menu.
• Pressing 'E'	shift & command to select 'Enter Selection' from the Edit menu.
• Pressing 'R'	shift & command to select 'Replace' from the Edit menu.
• Pressing 'H'	shift & command to select 'Replace & Find Again' from the Edit menu.
• Pressing 'D'	command to dismiss the "Do you want to save changes to..." dialog box. Keyboard equivalent of typing the "Don't Save" button.
• Selecting a tool in the tools palette of drawing windows	option to keep the tool selected after drawing the corresponding object.
• Dragging objects in drawing windows	command to constrain the movement along 45° lines. shift to constrain the movement to horizontal and vertical directions. option to duplicate an object instead of simply moving it.
• Drawings objects in drawing windows	option or shift to get a square bounding box.
• Drawing lines in drawing windows	shift to make the line horizontal, vertical or diagonal (at 45°) option to make a diagonal line
• Drawing polygons in drawing windows	option, shift same as for lines command double-click to produce a corner that remains a corner even when the polygon is smoothed.

- Resizing objects in drawing windows
 - option**
to keep the bounding box of the object square (height=width).
 - shift**
to maintain the horizontal and vertical proportions of the object, its height, or its width.
 - command**
to resize the size of texts in a group.
- Resizing lines in drawing windows
 - option**
to get a line constrained to 45° directions.
 - shift**
to maintain the direction of the original line, or to make the line vertical or horizontal
- Clicking objects in drawing windows
 - shift**
to select an object without de-selecting other already selected objects.
- Clicking graphs in drawing windows
 - option & command** + click
to see the plot coordinates of the point you are indicating with the cursor.
 - option & command** click, and then press **shift**
to select an area of the graph to be enlarged.
 - command** double-click
to make a graph the 'current graph'.
 - command & shift** double-click
to remove the 'current graph' setting.
- Clicking nothing in drawing windows
 - command** + click
to zoom in, centering the clicked point in the new view.
 - option & command** click,
to zoom out.
- Using the line style pop-up menu in a drawing window to change the line styles in a legend
 - shift**
to change the line styles of all the lines in the legend.
 - option**
to change the line style and set the attribute 'points connected' for the data plot in the first row of the legend.
 - shift & option**
to change the line styles of all the lines in the legend and set 'points connected' for all data plots.
- Using the point style pop-up menu in a drawing window to change the point styles in a legend
 - shift**
to change the point style of all the data plots in the legend.
- Clicking a cell in a data window
 - option**
to select the whole column above the clicked cell.
 - shift**
to enlarge a selection.
- Clicking the column number cell in a data window
 - command**
to set the default columns (x, y, Δx, Δy) using a pop-up menu.

- Clicking on the ‘larger font size’ controls in the text-edit dialog box **option** to increase the font size by 1 pt only .
- Clicking on the ‘subscript/superscript position’ controls in the text-edit dialog box **option** to change the vertical position of the selected text by 1 pt only.
- Choosing ‘New Function’ from the file menu **option** to open a new definition window containing a sample function definition.
option/shift to open a new definition window containing a sample program definition.
- Importing text files **option** to tell pro Fit not to ask for information and to open the text files as data files using the current settings.
- Saving a drawing as an EPS file. **option** to create a TEXT file containing the PostScript information.
- Using lists in dialog boxes (e.g. the y-column list in the plot data dialog box). **shift** click, **shift** and drag to select more than one item.
shift click to de-select an item.
- Clicking with the lens tool in the Preview Window **command** to drag a selection rectangle specifying the region to enlarge.
option to zoom out instead of zooming in
- Selecting an item from the Help menu in a Function window **option** to paste the template with a ';' and a carriage return
command to enable pasting templates and disable help panels
shift to enable help panels and disable pasting templates
- Clicking a marker in the Preview window **option** to transform the clicked marker into the reference marker
- Moving a marker with the arrow keys in the Preview window **option** to let the marker go outside the ranges of the preview.
- Using the left and right arrow keys in a data window **option** to move the insertion point by one character within the active data cell.
- Clicking in the data window **command** to create a discontinuous selection
- Starting pro Fit **option and shift** in order not to load the standard preferences file

Another commonly used shortcut is typing a period (‘.’) while holding down the command key. This is equivalent to typing the escape key and it interrupts most of the calculations. Use it to stop the plotting of a function, to stop fitting, to cancel printing, or to interrupt lengthy calculations.

The combination Command-key/period is also interpreted as typing ‘Cancel’ in dialog boxes. The escape character is also interpreted as ‘Cancel’. Return or Enter are always interpreted as clicking the outlined button.

Appendix A: Programming reference

When programming in proFit, you can use a large number of predefined functions and procedures. The first part of this appendix gives a short list of these functions and procedures ordered in functional groups. The second part of this appendix provides a full description of each function or procedure in alphabetical order.

Note that the proFit compiler ignores upper/lower case, i.e. `SetColumnName` is identical to `setcolumnname`. An exception to the above rule applies when you call other functions or want to execute menu commands. In that case the strings you specify for the names of the functions or menu commands are case-sensitive.

All the predefined functions and procedures described here are also available to external modules unless they work with special proFit types, like `complex`, `matrix`, or `vector`. In some cases, to avoid conflicts with the names of Mac OS routines, the names used in the external modules interface files (`proFit_interface.h` and `proFit_interface.p`) can be slightly different from the names used in proFit's function windows. Unless the difference between the names is very small and obvious, external modules names are also found in the alphabetical listing at the end of this chapter.

Some predefined functions provide advanced features and are only available for external modules.

Routines only available for external modules are marked with a '*' in the following functional groups descriptions.

To get a fast look at what you can do in a proFit program, go through the following functional group descriptions. To get details on a certain function, see the alphabetical list which follows.

Types

Internal functions and programs

For user-defined functions and programs, the following basic types are supported:

<code>real</code>	<code>real</code> is the standard type for floating point numbers. It has at least 64Bit accuracy. (optional, but equivalent type: <code>extended</code>)
<code>integer</code>	<code>integer</code> is the standard type for integer numbers. It has at least 32Bit accuracy. (optional, but equivalent type: <code>longint</code>)
<code>string</code>	<code>string</code> is the type for strings. It is at maximum 255 Bytes long.
<code>char</code>	<code>char</code> is the type for single characters.
<code>boolean</code>	<code>boolean</code> is the type for booleans. It takes the values <code>true</code> or <code>false</code> .
<code>complex</code>	<code>complex</code> is the type for complex numbers. It consists of two real values, the real and the imaginary part.
<code>vector[n]</code>	<code>vector[n]</code> is the type for a vector with n complex elements. $2 \leq n \leq 4$. The i -th element of a vector v can be accessed using <code>v[i]</code>
<code>matrix[n]</code>	<code>matrix[n]</code> is the type for matrices with $n \times n$ complex elements. $2 \leq n \leq 4$. The element in the i -th row and the j -th column of a matrix m can be accessed using <code>m[i,j]</code>

See appendix B of this manual for number accuracies.

Note that for the real column type of data windows you can choose between single or double accuracy.

External functions and programs

External functions and programs are written in the programming language of an external compiler, and therefore cannot use pro Fit's basic types. For data transfer between externally defined functions and programs, the interfaces for the pro Fit functions and procedures specify the correct types that must be used.

Functional groups

Operators

<code>+</code> , <code>-</code> , <code>*</code> , <code>/</code>	addition, subtraction, multiplication, division
<code>**</code> , <code>^</code>	power
<code>=</code> , <code><></code> , <code>>=</code> , <code>></code>	equal, not equal, larger or equal, larger, smaller or equal, smaller
<code><=</code> , <code><</code>	
<code>mod</code> , <code>div</code>	integer modulo and integer division
<code>and</code> , <code>or</code>	logical and, logical or
<code>not</code>	logical not

Note that the power operator '`**`' ('`^`' is a synonym) is evaluated as

$$x ** y = x ^ y = \exp(y * \ln(x))$$



When using `x ** y`, `x` must be positive.

The evaluation of this expression can be rather slow. If you want to calculate simple integer powers, e.g. x^2 or x^3 , use expressions such as `sqr(x)` or `sqr(x)*x`.

Mathematical functions and constants

<code>sin</code> , <code>cos</code> , <code>tan</code> , <code>arcsin</code> , <code>arccos</code> , <code>arctan</code>	trigonometric functions, (arguments or results in rad)
<code>sinh</code> , <code>cosh</code> , <code>tanh</code> , <code>arsinh</code> , <code>arcosh</code> , <code>artanh</code>	hyperbolic functions
<code>erf</code> , <code>erfc</code>	error function <code>erfc</code> is the complementary error function: $erfc = 1 - erf$
<code>ln</code>	natural logarithm
<code>log</code>	base 10 logarithm
<code>exp</code>	exponential function, e^x
<code>tento</code>	power of ten, 10^x
<code>sqr</code> , <code>sqrt</code>	square, square root (x^2 , \sqrt{x})
<code>Gamma</code> , <code>GammaI</code> , <code>GammaLn</code> , <code>GammaP</code>	Gamma function and incomplete gamma function
π (or <code>pi</code>), <code>true</code> , <code>false</code> , <code>INF</code> , <code>-INF</code>	constants
<code>invalidNum</code>	an invalid number. Used to mark empty data cells in a data window.
<code>Even</code> , <code>Odd</code>	test for integer numbers, is true if the number is even or odd, respectively

Special Mathematical Functions used with complex numbers

pro Fit expressions of the `complex` type can be used with all mathematical operators and with all mathematical functions. When the type of a parameter is `complex`, the function will recognize it and return an appropriate complex or real result. The following are the few special functions that only make sense for complex numbers.

<code>conj</code>	returns the complex conjugate of a complex number
<code>Re, Im</code>	return the real and imaginary part, respectively, of a complex number
<code>phase</code>	returns the phase ϕ of a complex number $r e^{i\phi}$
<code>abs</code>	returns the absolute value of a complex number $r e^{i\phi}$
<code>compl</code>	used to define a complex number. <code>compl(x,y) = x + i y</code>

Special Mathematical Functions used with matrices and vectors

<code>determinant</code>	returns the determinant of a matrix
<code>transp</code>	returns the transposed matrix
<code>adjoint</code>	returns the adjoint matrix
<code>outer</code>	returns the matrix defined as the outer product of two vectors.
<code>matr2, matr3, matr4</code>	used to define a matrix, these routines take 4, 9, or 16 complex parameters, respectively.
<code>vect2, vect3, vect4</code>	used to define a vector, these routines take 2, 3, or 4 complex parameters, respectively.

Interpretation of matrix and vector types in mathematical expressions

pro Fit expressions of the `matrix` or `vector` type can be used with normal mathematical operators and functions when it makes sense. Mathematical operations between matrices and matrices, matrices and vectors, vectors and vectors, and matrices/vectors with numbers do the expected thing. In the table below, "m" stands for any `matrix[n]` type, "v" for any `vector[n]` type, and "c" stands for any complex or real number.

<code>m*m</code>	matrix multiplication, result is a matrix.
<code>m*v</code>	matrix times vector, both must have the same dimension, result is a vector
<code>m*c, v*c</code>	multiplication by a scalar. Every matrix or vector element is multiplied by <code>c</code> .
<code>1/m</code>	this is the inverse of the matrix <code>m</code> . Produces a run-time error if the matrix cannot be inverted. <code>1/m = adjoint(m)/determinant(m)</code>
<code>m1/m2</code>	matrix division. <code>m1</code> is multiplied with the inverse of <code>m2</code> .
<code>v1*v2</code>	scalar product between two vectors. The result is a number.
<code>abs(v)</code>	the absolute value of a vector. The result is a real number.
<code>sqr(v),sqr(m)</code>	translates to <code>v*v</code> , and <code>m*m</code> , respectively
<code>conj(v), conj(m)</code>	the complex conjugate is obtained by taking the complex conjugate of each individual element.
<code>compl</code>	used to define a complex number. <code>compl(x,y) = x + i y</code>

The following is an example of a program doing some matrix and vector calculations:

```
program SomeMatrixAndVectorCalculations;
var  m1,m2:  matrix[2];           {two 2x2 matrices}
      mm,mm2: matrix[3];         {two 3x3 matrices}
      v1,v2:  vector[2];        {two vectors of length 2}
      c:      complex;          {a complex number}
begin
  mm1:=matr3(1+ii*2,2*ii,3,4,5,6,7,8,9); {define the elements of the 3x3 matrix mm1}
  mm2:=1/mm1;                          {mm2 is now the inverse of mm1}
  m1:=matr1(1,2,3,4);                    {define the 2x2 matrix m1}
  m2:=sqr(m1*4.2)+3.3;                    {m2 is calculated from m1}
  v1:=vect2(1,2+ii);                      {define the vector v1}
  v2:=m2*v1;                               {matrix multiplication of v1 gives v2}
  c:=v1*v2;                                {c is the scalar (dot) product of v1 and v2}
end;
```

Bit operations

<code>BitAnd, BitOr, BitXor,</code>	logical bitwise operations: and, or, exclusive or, not
<code>BitNot</code>	
<code>BitShift, BitClr, BitSet,</code>	functions to handle bit-arrays
<code>BitTst</code>	

Data processing

Statistics	run statistical analysis, get results
Sort, ReduceData, BinData	sort, smooth or reduce data or prepare data for histograms
FFT, InverseFFT	FFT and inverse FFT
DataTransform	general data transformations
Transpose	transposing rows and columns

Accessing the data window

<code>data[i,j],</code>	an array and some routines for accessing the data in the current data window
<code>DataOK,</code>	
<code>ClearData,</code>	
<code>TestData* , SetData* ,</code>	
<code>GetData*</code>	
<code>GetCell, SetCell</code>	setting and reading cell contents, including text-cells.
<code>SetDefaultCols,</code>	set the default x, y, Δx , and Δy columns and the number of columns and rows in the current drawing window.
<code>SetDataWindowProperties,</code>	
<code>GetDataWindowProperty</code>	
<code>xColumn, yColumn,</code>	the column numbers of the x, y, Δx , and Δy columns in the current data window
<code>xErrColumn, yErrColumn</code>	
<code>NrCols, NrRows,</code>	information on the selection area and the size of the current data window
<code>SelectLeft, SelectTop,</code>	
<code>SelectRight,</code>	
<code>SelectBottom</code>	
<code>GetSelection*</code>	
<code>SelectCell, SelectRow,</code>	set the selection and check if a single cell or a row is part of a (possibly discontinuous) selection.
<code>SelectColumn,</code>	
<code>RowSelected, CellSelected</code>	
<code>SetColumnProperties,</code>	obtain and write titles of single columns and other column characteristics.
<code>GetColumnProperty,</code>	
<code>GetColName, SetColName,</code>	
<code>GetColType, SetColType,</code>	
<code>SetColWidth, ColEmpty</code>	
<code>GetDefaultData* ,</code>	obtain column data in a single step from external modules.
<code>GetColHandle* ,</code>	
<code>SetColHandle*</code>	

All the above calls access the current data window. By default, the current data window is the frontmost data window. You can make another data window the current data window by calling `SetCurrentWindow(windowID)` with `windowID` being the window ID of the desired data window.

Input and output

<code>Input, SetBoxTitle</code>	displays a dialog for entering numerical values
<code>Ask, Alert</code>	show alert boxes
<code>Write, Writeln</code>	these procedures write into the results window
<code>CreateTextFile,</code>	open and close text files, and redirect the output of the write, writeln functions to a text file.
<code>CloseTextFile,</code>	
<code>WriteToTextFile</code>	

Drawing


<code>SetLineStyle,</code>	set the style of future drawing calls
<code>SetLineColor,</code>	
<code>SetFillColor,</code>	
<code>SetFillPattern,</code>	
<code>SetDataPointStyle,</code>	
<code>SetBGDataPointStyle</code>	
<code>SetArrowStyle,</code>	
<code>SetTextStyle</code>	
<code>MoveTo, LineTo, Move,</code>	produce line drawings in the drawing window.
<code>Line, DrawLine</code>	
<code>OpenPoly, ClosePoly</code>	collect line-drawing calls to define a polygon
<code>DrawLine, DrawDataPoint,</code>	create single drawing objects in the current drawing window.
<code>DrawPICT*, DrawRect,</code>	
<code>DrawEllipse, DrawArc,</code>	
<code>DrawText, DrawNumber</code>	
<code>GroupBegin, GroupEnd</code>	group drawing objects.
<code>DisableDrawingUpdates</code>	inhibit updates in the current drawing window until a program is finished.
<code>GetSelectionBounds</code>	find the rectangle corresponding to the boundaries of the current selection in the current drawing window
<code>GetClickedCoord</code>	find the last clicked point in the current drawing window.
<code>NewShape, DeleteShape,</code>	generic routines for creating, checking, changing and deleting any
<code>SetShapeProperties,</code>	type of shape in a drawing window. (Every object in a drawing
<code>GetShapeProperty</code>	window, e.g. rectangles, groups, graphs, legends, etc, is a shape.)

Unless explicitly mentioned in the definition, all the above calls access the current drawing window. By default, the current drawing window is the frontmost drawing window. You can make another drawing window the current drawing window by calling `SetCurrentWindow(windowID)` with `windowID` being the window ID of the desired drawing window.

The drawing routines work on a coordinate system that has its origin on the top left of the paper. Units are points (1/72 of an inch).

The following program creates a “bull’s eye” at the point where you last clicked in the drawing window:

```
program BullsEye;
  const radius = 40; step = 8;
  var x0, y0, t:real;
      begin
  GetClickedCoord(x0, y0);
  GroupBegin;
  t := step;
  while t<=radius do
  begin
    DrawEllipse(x0-t,y0-t,x0+t,y0+t);
    t := t+step;
  end;
  MoveTo(x0-radius*1.1, y0);
  LineTo(x0+radius*1.1, y0);
  MoveTo(x0, y0-radius*1.1);
  LineTo(x0, y0+radius*1.1);
  GroupEnd;
end;
```



The drawing routines accept floating point numbers as parameters. pro Fit uses a precise floating point coordinate system for drawings, and drawings created from a program will print at the highest resolution on all output devices.

Plotting in a graph

<code>PlotData, PlotFunction</code>	plot a data set or a function.
<code>SetLineStyle,</code> <code>SetLineColor,</code> <code>SetFillColor,</code> <code>SetFillPattern,</code> <code>SetDataPointStyle,</code> <code>SetBGDataPointStyle</code>	set the line style (line thickness, color...) of future line-plots and the style of future data points.
<code>SetCurveFill,</code> <code>SetEBarStyle</code>	set the filling options of plots and the appearance of error bars for the next curve or data set added to the current graph.
<code>OpenCurve,</code> <code>CloseCurve, OpenDataSet,</code> <code>CloseDataSet</code>	start/end the definition of curves or data sets for the current graph
<code>AddDataPoint,</code> <code>DrawDataPoint</code>	add a data point (possibly including error bars) to the current data set.
<code>MoveTo, LineTo, Move,</code> <code>Line</code>	define a curve in the current graph.


All the above calls access the current graph. To make a graph the current graph, double-click it while holding the command key down. From a program, you can use the call `SetCurrentGraph` to make a graph the current graph.

The following is a small example program drawing a Lissajous figure in the drawing window:

```
program Lissajous;
var xmin, xmax, ymin, ymax;
    centerH, centerV, {center of the figure}
    radiusH, radiusV; {and its radius}
    angle;
begin
    xmin:=1;xmax:=3;
    ymin:=2;ymax:=5;
    CreateNewGraph(xmin,xmax, ymin,ymax, false,false);
    centerH := (xmin+xmax) / 2;
    centerV := (ymin+ymax) / 2;
    radiusH := (xmax-xmin) * 0.4;
    radiusV := (ymax-ymin) * 0.4;
    SetLineStyle(1,2);

    OpenCurve('Circle');
    MoveTo(radiusH+centerH, centerV);
    angle := 0;
    while (angle <= 2*pi) do
    begin
        LineTo(radiusH*cos(3*angle)+centerH, radiusV*sin(2*angle)+centerV);
        angle := angle + pi/40;
    end;
    CloseCurve;

    SetLineStyle(1,1);
end;
```



Creating and accessing graphs

SetNewGraphRect	sets the default size and position of graphs created with CreateNewGraph.
CreateNewGraph	creates a new graph in a drawing window.
GetCurrentGraph, SetCurrentGraph, GetNextGraph	obtain a unique identification number for a graph and use it to access different graphs.

Editing the current graph

<code>SetGraphAttributes</code>	set various options that determine the appearance of the current graph.
<code>SetLegendProperties</code>	set visibility, position and size of the legend of the current graph.
<code>GetGraphFrame,</code> <code>SetGraphFrame</code>	get/set the position and size of the current graph.
<code>GetGraphCoordinates</code>	returns the ranges of the main axes in the current graph
<code>SetRange, MakeTicks,</code> <code>SetLabelsFormat,</code> <code>SetAxisPosition,</code> <code>SetAxisAttributes</code>	change the range, ticks, position, labels format, and various drawing options for the current axis.
<code>MakeNewAxis,</code> <code>GetCurrentAxis,</code> <code>SetCurrentAxis,</code> <code>DeleteAxis</code>	create/kill coordinate axes in the current graph and change the current axis used to define a new curve or data set.
<code>ClearTicks, ClearLables,</code> <code>AddTick, SetLabel,</code> <code>SetLabelText</code>	define a custom list of tick marks and/or labels.

All the above calls access the current graph. To make a graph the current graph, double-click it while holding the command key down. From a program, you can use the call `SetCurrentGraph` to make a graph the current graph.

Some of the above routines use or change the axes of a graph. They access the *current x-axis* or the *current y-axis*. To make an axis the current x-axis, call `SetCurrentAxis(xAxis, i)`, where *i* is the number of the axis (`SetCurrentAxis(xAxis, 2)` sets the current x-axis to X2). To make an axis the current y-axis, call `SetCurrentAxis(yAxis, i)`.

Calls that work on the current axes are `SetAxisPosition`, `SetLabelsFormat`, etc. The following code changes the position of the X2 axis of the current graph:

```
SetCurrentAxis(xAxis,2);    {2nd x-axis}
SetAxisPosition(xAxis,0.5);
```

Setting default parameters

<code>SetParameterProperties,</code> <code>GetParameterProperty</code>	Set and retrieve the value, name, limit and mode of a parameter
---------------------------------------------------------------------------	-----------------------------------------------------------------

This routine is usually called in the procedure `Initialize` of a function. It allows to set the settings of a parameter that are given in the Parameter window.

Example: `SetParameterProperties` provides an alternative to the `defaults` statements (for external modules, it provides an alternative to setting the various default values and names by hand).

```

function foo;
  procedure Initialize;
  begin {initialization of param values, etc. }
    SetParameterProperties(param 1,
      value sin(pi/4), mode paramActive,
      name 'pi',min 0, max inf);
  end;
begin {function definition}
  y:=a[1]-sin(x);
end;

```

Using other functions or programs

CallFunction,	call a function or execute a program.
CallProgram	
SetFunctionParam,	access other functions' parameters.
GetFunctionParam,	
GetFunctionParamMode,	
GetFunctionParamName	
GetNumFunctionParams	
SetFunctionProperties	get and set function and program options, hide/show function in preview window
GetFunctionProperty	
SetProgramProperties,	
GetProgramProperty	
GetFunctionName	get name of current function
SelectFunction,	select or delete a function or program
DeleteFunction,	
DeleteProgram	
GetGlobalData,	passing data between programs and/or functions
SetGlobalData	
LoadParameterSet,	controlling the parameter set menu
SaveParameterSet,	
UseParameterSet,	
DeleteParameterSet,	
AddParameterSet	
AddCommand	add a command to the Prog menu
AttachProgram	attach a program to a drawing window

The following example program copies the active parameters of the current function to the first column of the current data window. It also calls a function called `ChangeUnit` to calculate new parameter values that it stores in the second column. Before using `ChangeUnit`, it sets the value of its first parameter to zero.

```

program CopyParams;
var i:integer;
    pa:real;
begin
SetFunctionParam('changeUnit',1,0.0);
for i:=1 to GetNumFunctionParams('') do
    if GetFunctionParamMode('',i)=active then
        begin
            pa:=GetFunctionParam('',i);
            data[i,1]:=pa;
            data[i,2]:=CallFunction('ChangeUnit',pa);
        end;
    end;
end;

```

Numerics on functions

Integrate,	calculate the integral and the derivative of a function
TabulateIntegral,	
Derivative	
Roots, TabulateRoots	calculate roots
Fit	set fitting, below.
Optimize, Extrema,	find extrema of a function by varying its x-value and/or its parameters
TabulateExtrema	
Tabulate	tabulate functions

Fitting

Fit	runs a fit.
GetResult	retrieves the results.

The following example runs a fit and prints some of the results:

```
program DoFit;
  var i, nrParams:integer;

begin
  Fit(function Sin, algorithm levenberg, xColumn 1,
      yColumn 2);
  Writeln('chi squared: ', GetResult(chiSquared));
  nrParams := GetResult(chiSquared);
  Writeln('number of parameters: ', nrParams);
  for i := 1 to nrParams do
    writeln('      ', GetResult(fittedParameter, i));
end;
```

Using Windows and Documents

NewDataWindow,	open a new data, function, or drawing window
NewFunctionWindow,	
NewDrawingWindow	
GetWindowID	obtain a unique identification number for a window from its title
FrontWindow,	obtain the ID of the document window in front of all others
FrontmostWindow	
GetWindowType,	check if a window is a drawing window, a data window, or a function window.
SetCurrentWindow,	change the window currently used for program input/output.
GetCurrentWindow,	
NextWindow	
GetWindowTitle,	access the title of a window.
SelectWindow	Bring window in front of all other windows
OpenFile	open a document and put it inside a new window
SaveWindow	save a window's contents into an existing or a new pro Fit document
GetFileDirectory	Get the directory where a given file resides.
SelectDirectory	Select a directory from a dialog box.
SetDefaultDirectory	Set the default directory used to save files without a full path name.
CloseWindow	close a window.
DataImportOptions,	set the format for loading and exporting text files
DataExportOptions	
SetWindowProperties,	set or retrieve the info-text, size, title, position, etc. of a window.
GetWindowProperty	

Compile, CompileText, DoScript	compile the definition of a function or program
PageSetup, Print	specify document format and print

Note: Windows are usually accessed by window ID. A window ID is a unique long integer number assigned to each window. You can obtain a window ID by calling `GetWindowID`, `FrontWindow`, `FrontmostWindow`, `GetCurrentWindow`. The following example sets the name of the frontmost data window to “favourite data”:

```

program SetWindowName;
  var windowID:integer;
begin
  windowID := FrontmostWindow(dataType);
  SetWindowProperties(window windowID, name
    'favourite data');
end;

```

Note: The Results, Parameter and Preview windows always have the same window ID:

Results:	window ID = -1
Parameters:	window ID = -2
Preview:	window ID = -4

The window IDs of data, text and drawing windows are always larger than 0.

String and character manipulation

Ord, Chr	convert between (real) ASCII codes and characters.
Length	returns the length of a string.
Delete	deletes parts of a string.
Pos	finds a pattern in a string.
InsertString	inserts a string into another at a selectable position
CopyString	copies a substring from a given string
UpperString, LowerString	converts between upper- and lower case strings.
NumberToString, StringToNumber	convert between numbers and strings.

Tags

Tags are pieces of data that can be attached to a window, a program or pro Fit itself. A tag is identified by its name and its value can either be a string or a number. Tags are primarily used for passing data to or between programs/functions, for attaching custom data to windows or to pro Fit. Tags are identified by the object they belong to (a program, function, window, or pro Fit itself) as well as by their name.

GetTag, SetTag	get and set individual tags.
DeleteTag	deletes a tag.

Example:

```
SetTag(window 'myWindow', tag 'tag 1', value 13); {saves the tag}
GetTag(window 'myWindow', tag 'tag 1', value x); {reads the tag to x}
```

From Apple script, you can use

```
get value of tag "tag 1" of window "myWindow"
```

Getting and Setting "Properties" of various pro Fit objects

pro Fit 5.5 supports a general mechanism to retrieve or set various properties of various objects, such as the coordinates of shapes in a drawing window, the title or size of a window, etc. The following routines provide access to the properties of drawing shapes, windows, function and programs, and pro Fit itself.

SetShapeProperties, GetShapeProperty	generic routines for checking, and changing any type of shape in a drawing window. (Every object in a drawing window, e.g. rectangles, groups, graphs, legends, etc, is a shape.)
SetWindowProperties, GetWindowProperty SetDataWindowProperties, GetDataWindowProperty	set or retrieve the info-text, size, title, position, etc. of a window. get and set the number of columns and rows in the current drawing window.
SetFunctionProperties GetFunctionProperty SetProgramProperties, GetProgramProperty SetOptions GetOption	get and set function and program options, hide/show function in preview window set and retrieve various options of pro Fit.
SetParameterProperties GetParameterProperty	set and retrieve the value, name, limit and mode of a parameter.

Miscellaneous auxiliary routines

Random	returns a random number between 0 and 1.
Invalid	checks if the result of a calculation is a valid number.
TickCount	return the number of ticks (1/60 seconds) since start-up.
GetDateTime, DateString, TimeString	return today's date and time, either as a number of seconds since 1.1.1904 or as strings.
NumToDateTimeStr, DateTimeStrToNum	convert data & time numbers (seconds since 1.1.1904) into data & time strings and vice versa.
NumToRelTimeStr, RelTimeStrToNum	convert relative times (seconds) into relative time strings and vice versa. A relative time can be the difference of two dates.
Beep	lets your computer emit an alert sound.
SpeakString	lets your computer speak out loud a text string.
Button, KeyPressed	check the mouse button and the keyboard
GetClickedCoord	find the last clicked point in the current drawing window.
MarkedX, MarkedY, GetMarkedCoord	find the position of coordinate markers in the preview window
Undo, Cut, Copy, Paste, Clear, SelectAll	execute edit menus
DoMenu	execute a menu command
Capture	redirect output of results window to file
SetWaitTitle, SetWaitText	set the text displayed in pro Fit's progress window, shown during lengthy operations.
SetOptions, GetOption	set and retrieve various options of pro Fit.

Advanced routines for external modules only

NumberToStr255*, Str255ToNumber*	conversion
GetModuleFile*	find a module's file
DeactivateProFitWindows*, ActivateProFitWindows*	tell pro Fit that a module is opening a window of its own.
GetDefaultData*	Get the current x- and y- data
GetColHandle*, SetColHandle*	Get and set in one step all the data contained in a column
HandleEvent*, CancelEvent*	event processing

Alphabetical list

Abs

```
function Abs(x:real or complex or vector):real;
```

Returns the absolute value of x.

ActivateProFitWindows

```
procedure ActivateProFitWindows;
```

External modules only. Activates pro Fit's frontmost window and enables the menus. Call this routine after closing a window or a dialog that you created from an external module. Each call to `ActivateProFitWindows` must be preceded by a call to `DectivateProFitWindows`.

AddCommand

```
procedure AddCommand(optional parameter list);
```

Adds a command to the Prog menu. Parameters:

- command** (string) The name of the command as it will appear in the menu.
- program** (string) The program the command belongs to. Omit if the command is to belong to the currently running program.

When the user choses the new command in the Prog menu, the program the command belongs to is called. Before calling the program, its tag 'msgWhy' is set to 'command' and its tag 'msgCommand' set to the name of the command.

To remove a command added in this way, call `DeleteProgram`.

When the program the command belongs to is removed from the menu, the command is deleted as well.

AddDataPoint

```
procedure AddDataPoint(x,y,xErr1,yErr1,xErr2, yErr2:real);
```

Adds a new data point to the current data set in the current graph. x and y are the coordinates of the new data point, $xErr1$ and $yErr1$, ($xErr2$ and $yErr2$) the lengths of the (asymmetric) error bars. Depending on the parameters passed to `OpenDataSet`, the parameters $xErr1$ through $yErr2$ may be ignored.

Call `OpenDataSet` before calling `AddDataPoint`. The style and size of the data points can be set using the routine `SetPointStyle`.

See also `DrawDataPoint`.

AddParameterSet

```
procedure AddParameterSet(optional parameter list);
```

Adds the parameters that currently appear in the Parameter window to the parameter set menu.

Parameters:

- set** (string) The name of the set.
- forAll** (boolean) True if the parameter set is to be available for all functions, false if the parameter set is only to be available for the current function. (Default: false)
- permanent** (boolean) true if the parameter set must be added permanently to the menu, i.e. if it will be still available after a quit and restart. (Default: true)

See also: `UseParameterSet`, `SaveParameterSet`, `LoadParameterSet`, `DeleteParameterSet`

AddTick

```
function AddTick(whichAxis:integer; tickPos:real;
                 isMajor:boolean):integer;
```

Adds a tick at the position `tickPos` to the current axis, makes it a major tick if `isMajor` is true. `whichAxis` is either `xAxis` or `yAxis`.

Adjoint

```
function Adjoint(m:matrix):matrix;
```

Returns the adjoint matrix of the matrix `m`.

Alert

```
procedure Alert(s:string);
```

Presents a dialog box displaying the string `s`.

Example: Calling `Alert('Incomplete data.')` opens the following window:



If you click 'OK' the program continues, if you click 'Stop' the program will be stopped. In external modules, this routine is called `AlertBox`.

AlertBox

```
function AlertBox(s:Str255):boolean;
```

External module name. See `Alert`. In external modules `AlertBox` is a function, and it returns `true` if the `Stop` button was clicked.

arccos

```
function arccos(x:real):real;
```

`arccos` returns the arcus cosine (the inverse cosine) of `x`. Causes a run-time error if $|x| > 1$

arcsin

```
function arcsin(x:real):real;
```

`arcsin` returns the arcus sine (the inverse sine) of `x`. Causes a run-time error if $|x| > 1$

arctan

```
function arctan(x:real):real;
```

`arctan` returns the arcus tangent of `x`

arcosh

```
function arcosh(x:real):real;
```

`arcosh` returns the inverse of the hyperbolic cosine of `x`. Causes a run-time error if $|x| < 1$. `arcosh` is defined by

$$\operatorname{arcosh}(x) = \ln\left(x + \sqrt{x^2 - 1}\right).$$

arsinh

```
function arsinh(x:real):real;
```

arsinh returns the inverse of the hyperbolic sine of x. arsinh is defined by

$$\operatorname{arsinh}(x) = \ln\left(x + \sqrt{x^2 + 1}\right).$$

artanh

```
function artanh(x:real):real;
```

artanh returns the inverse of the hyperbolic tangent function of x. Causes a run-time error if $|x| > 1$. artanh is defined by


$$\operatorname{artanh}(x) = \ln\left(\sqrt{\frac{x+1}{x-1}}\right).$$

Ask

```
function Ask(s:string):boolean;
```

Presents a dialog box displaying the string s. The box has a Yes and a No button. If the user clicks Yes, ask returns true, if he clicks No, ask returns false.

Example: Calling Ask('Continue transformation ?') displays the following window:



In external modules, this routine is called AskBox.

AskBox

```
function AskBox(var retval:integer; s:Str255):boolean;
```

External Module name. See Ask. The return values depend on the button that was clicked:

- Yes button: retval is 1 and AskBox returns false.
- No button: retval is 0 and AskBox returns false.
- Stop button: retval is undefined and AskBox returns true.

If AskBox returns true, you should stop executing your function or program.

AttachProgram

```
procedure AttachProgram(optional parameter list);
```

Attaches a program to a drawing window. Parameters:

- | | |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| program | (string):The program (source) to attach. To add a long string, you can repeat this parameter. You can repeat this parameter if you have a long program. |
| window | (string or integer) The window's name or reference ID. Omit for front window. |

Example:

```
AttachProgram(program 'program attached; ',
  program 'begin Beep; end;');
```

Beep

```
procedure Beep;
produces an alert sound.
```

BinData

```
procedure BinData(optional parameter list);
```

Bins a given data set. "Binning" is the process of putting data into bins, i.e. consecutive intervals. For each data value, the bin or interval it belongs to is determined and the size of the bin is increased by 1. In other words, the number of values in each bin are counted. Parameters:

window	(integer or string) The name or window ID of the window of the input data. Default: Front window
column	(integer) The input column (omit for using the currently selected data).
selectedRowsOnly	(Boolean) Set to true if you only want to bin the selected rows in the given column. Default: false
from	(real) The start of the bins, i.e. the left border of the first bin.
to	(real) The end of the bins, i.e. the right border of the last bin.
nrBins	(integer) The number of bins.
scaling	(<i>linScaling, logScaling, recScaling, probScaling</i>): the scaling used for distributing the bins. Default: <i>linScaling</i> .
outputWindow	(name or windowID) The window to hold the resulting data. If no window with the given name exists, a new window with this name is generated. Omit for creating a new window with default name.
binCenterColumn	(integer) The column for storing the centers of the bins. Set to 0 if you don't want this column. Default: 1.
binSizeColumn	(integer) The column for storing the sizes of the bins. Set to 0 if you don't want this column. Default: 2

BitAnd

```
function BitAnd(i1,i2:integer):integer;
```

BitAnd applies the bitwise 'and'-operation on two integer numbers and returns the result as an integer number. Note that the arguments are rounded to (long) integers first.

BitClr

```
procedure BitClr(i,offset:integer);
```

BitClr sets the bit at this offset in an integer number to '0'. Note that the arguments are rounded to (long) integers first.

BitNot

```
function BitNot(i:integer):integer;
```

BitNot applies the bitwise 'not'-operation on an integer number and returns the result as an integer number. Note that the argument is rounded to a (long) integer first.

BitOr

```
function BitOr(i1,i2:integer):integer;
```

BitOr applies the bitwise 'or'-operation on two integer numbers and returns the result as an integer number. Note that the arguments are rounded to (long) integers first.

BitSet

```
procedure BitSet(i,offset:integer);
```

BitSet sets the bit at this offset in an integer number to '1'. Note that the arguments are rounded to (long) integers first.

BitShift

```
function BitShift(i,offset:integer):integer;
```

BitShift shifts the bits of the integer number by offset and returns the result as an integer number. Note that the arguments are rounded to (long) integers first.

BitTst

```
function BitTst(i,offset:integer):boolean;
```

BitTst returns true if the bit at this offset in an integer number is '1'. Note that the arguments are rounded to (long) integers first.

BitXOr

```
function BitXOr(i1,i2:integer):integer;
```

BitXOr applies the bitwise 'Xor'-operation on two integer numbers and returns the result as an integer number. Note that the arguments are rounded to (long) integers first.

BringWindowToFront

```
procedure BringWindowToFront(windowID:integer);
```

Obsolete. UseSelectWindow instead.

Moves the specified window in front of all other windows. windowID is a window id, such as it is e.g. returned by GetWindowID OR GetCurrentWindow.

Button

```
function Button:boolean;
```

Returns true if the mouse button is pressed.

CalcStat

```
function CalcStat(column:integer;  
    selRowsOnly,withBasics,withSkewAndKurt,  
    withMedian:boolean):boolean;
```

Obsolete. Use Statistics instead.

Runs a statistical analysis on the numbers in the current data window. The results of the calculations can be accessed using the routines GetBasics, GetMedian, and GetSkew.

CalcStat returns false if an error occurred, true if the calculation completed correctly. Set column to 0 to include all columns, set it to -1 to use the current selection. Set selRowsOnly to true if you only want to analyze the currently selected rows.

If you consequently want to use the results of GetBasics, set withBasics to true. If you want to use the results of GetMedian, set withMedian to true. If you want to use the results of GetSkew, set withSkewAndKurt to true.

CallFunction

```
function CallFunction(name:string; x:real):real;
```

Calls a function from the Func menu. name is the name of the function as it appears in the menu. This parameter is case sensitive. Pass an empty string (' ') to call the currently selected function. x is the x-value passed to the function.

CallFunction causes a run-time error if the specified function does not exist.

Example:

```
k:=CallFunction('Polynom', 1.23)
m:=CallFunction('',0);
```

`k` is set to the value of the built-in function `Polynom` at `x=1.23`, using the parameters as given in `Polynom`'s parameters window. `m` is set to the value returned by the currently selected functions at `x=0`.

If you want to set a parameter of the function before calling it, use `SetFunctionParam`.

In external modules, after you call `CallFunction` you should call `TestStop` to check if the called function has interrupted execution.

CallProgram

```
procedure CallProgram(name:string);
```

Calls a program, module or AppleScript. `name` is its name as it appears in the Prog menu. `.i.programs`; `.i.macros`; `.i.scripts`;

causes a run-time error if the specified program or script does not exist. Note that `name` is case-sensitive.

In external modules, after calling `CallProgram`, you should call `TestStop` to check if the called program has interrupted execution.

CancelEvent

```
function CancelEvent(var theEvent: EventRecord):boolean;
```

External modules only. For advanced programming. Returns `true` if the given event is a key down event for the escape-key or for command and '.'.

Capture

```
procedure Capture(optional parameter list);
```

Controls redirection of results window to a text file. Parameters:

- file** (string) The file to capture the window into. Use a simple name or a file path. If you pass this parameter, a new capture file is opened and capturing starts. Omit this parameter when passing the parameter 'option'.
- option** (integer) `captureOn` (= start capturing into the file), `captureOff` (= stop capturing but leave capture file open), `captureClose` (= stop capturing and close capture file). Omit this parameter when passing the parameter 'file'.

Example:

```
Capture(file 'myFile');
```

now, output is redirced to the given file

```
Capture(option captureOff);
```

now, output to the file is temporarily suspended

```
Capture(option captureOn);
```

now, output to the file is again turned on

```
Capture(option captureClose);
```

now, output to the file is turned off and the file is closed

CellSelected

```
function CellSelected(row,column:integer):boolean;
```

Returns `true` if the given cell in the current data window is selected

ChiSquared

```
function ChiSquared:real;
```

Returns the value of the mean deviation function χ_R obtained in the last fit. χ_R is the mean square deviation χ^2 if the last fit was performed using Gaussian distributed errors. Otherwise it is the value

obtained by applying whatever deviation function must be applied for the given error specifications. See chapter 8, “Fitting”, for more details.

Causes a run-time error if the last fit was not successful. You can check if the last fit was good using the function `numFitParams`.

Chr

```
function Chr(i:integer):char;
```

Converts the given (real) ASCII code `i` to a character.

Clear

```
procedure Clear;
```

Equivalent to selecting “Clear” from the “Edit” menu.

ClearData

```
procedure ClearData(row,col:integer);
```

Removes any numerical value in the given cell (row/column) of the current data window and leaves an empty cell.

Causes a run-time error if no data window is open or if the given cell lies outside the bounds of the list.

ClearLabels

```
procedure ClearLabels(whichAxis:integer);
```

Kills all labels in the current axis. `whichAxis` is either `xAxis` or `yAxis`.

ClearTicks

```
procedure ClearTicks(whichAxis:integer);
```

Kills all ticks in the current axis. Call before using `AddTick`. `whichAxis` is either `xAxis` or `yAxis`.

CloseCurve

```
procedure CloseCurve;
```

Stops data collection for the current curve.

CloseDataSet

```
procedure CloseDataSet;
```

Stops data collection for the current data set.

ClosePoly

```
procedure ClosePoly;
```

Stops data collection for the current polygon, opened by calling `OpenPoly`

CloseTextFile

```
procedure CloseTextFile(fileRefNumber:integer);
```

Closes the given text file. `fileRefNumber` is the reference number returned by `CreateTextFile`.

CloseWindow

```
procedure CloseWindow(optional parameter list);
```

Closes a window. Parameters:

- | | |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| window | (integer or string) The name or window ID of the window.
Default: Front window |
| saveOption | (integer) <code>saveToFile</code> (= always save into its file), <code>dontSave</code> (= never save), <code>askUser</code> (= if window has been changed, ask user if it should be saved). Default is <code>askUser</code> . |

There is also an obsolete version of `CloseWindow`, which is supported for compatibility with older versions. Do not use it in new programs:

CloseWindow

```
procedure CloseWindow(windowID:integer; saveIt:boolean);
```

Set `saveIt` to `false` if you do not want to save the window, even if it was changed. `windowID` specifies the window.

This procedure cannot be called while a function is running.

ColEmpty

```
function ColEmpty(columnNumber:integer):boolean;
```

Returns true if the given column of the current data window doesn't contain any data.

Compile

```
procedure Compile(windowID:integer);
```

Compiles the given text window. Equivalent to choosing “Add to Menu” from the Customize menu. Generates a run time error if `windowID` does not belong to a function window, or if a syntax error occurs. `windowID` is a window id, such as it is returned by `GetWindowID` or `FrontWindow`.

See also: `CompileText`

CompileText

```
procedure CompileText(optional parameter list);
```

Compiles a given text. Equivalent to `Compile`, but the text containing the definition of a program or function is taken directly from the parameters of `CompileText`, instead of a window.

Parameters:

text A text containing the full definition of a program or a function.

This parameter can be repeated many times when calling this function, and the pieces of text will be automatically concatenated together.

See also: `Compile`

Compl

```
function Compl(r1,r2:real):complex;
```

Returns the complex number with `r1` for real part and `r2` for imaginary part.

ConfidenceInterval

```
procedure ConfidenceInterval(i:integer;var min,max:real);
```

Returns (in `min,max`) the confidence interval for parameter `i` as it was calculated in the last fit.

Note that this routine does not return meaningful results if the confidence interval for a given value was not determined, e.g. because the given parameter was not active during a fit or because the chosen fitting algorithm did not calculate confidence intervals.

See also: `ParamSD`

Conj

```
function Conj(z:complex):complex;
```

Returns the complex conjugate of `z`.

Copy

```
procedure Copy;
```

Equivalent to selecting “Copy” from the “Edit” menu.

CopyString

```
function CopyString(src:string; idx:integer; len:integer):string;
```

Returns a substring of the string `src`. `idx` defines the start of the substring (1 for first character) in `src`, `len` its length in characters. If you choose bad values for `idx` or `len`, `CopyString` returns a shorter or an empty string.

Examples:

```
CopyString('there is no way', 1, 3)      returns 'the'
CopyString('this is good', 6, 200)     returns 'is good'
CopyString('cogito ergo sum', 8, 4)     returns 'ergo'
```

cos

```
function cos(x:real):real;
```

Returns the cosine of `x`.

cosh

```
function cosh(x:real):real;
```

Returns the hyperbolic cosine of `x`. `cosh` is defined by

$$\cosh(x) = \frac{e^x + e^{-x}}{2}.$$

CovarMatrix

```
function CovarMatrix(i, j:integer):real;
```

Returns the values of the covariance matrix obtained in the last fit. `i` and `j` are the indices corresponding to the parameter numbers.

`CovarMatrix` returns an invalid number (NAN: Not A Number) if `i` or `j` corresponds to a parameter that was not active during the last fit. You can test the validity of the return value using the function `Invalid`.

Causes a run-time error if the last fit was not successful or if `i`, `j` are out of range. You can check if the last fit was successful by using the function `NumFitParams`.

CreateNewGraph

```
procedure CreateNewGraph(xmin,xmax,ymin,ymax:real;
    xScaling,yScaling:integer);
```

Creates a new graph in the current drawing window. `xmin`, `xmax`, `ymin`, `ymax` are the ranges of the graph axes. `xScaling`, `yScaling` must be set to either 0,1,2, or 3 for linear scaling, logarithmic scaling, 1/x scaling and probability scaling, respectively.

Causes a run-time if the ranges or axes styles are inconsistent.

CreateTextFile

```
function CreateTextFile(fileName:string):integer;
```

Creates a text file with the given name in the default directory and returns a reference number used to identify this file. Call `WriteToTextFile` to redirect the output from calls to `Write` / `WriteLn` / `WriteNumber` into this file and use `CloseTextFile` to close the file when you are through.

If `fileName` is of the form '?' or '?:myName', a save dialog box is displayed. The text file will be created in the selected directory.

The parameter **opt** can take the values:

0 = new file required,

1 = append if existing text file,

2 = overwrite if existing text file,

3 = overwrite any existing file

```
procedure Cut;
```

Equivalent to selecting “Cut” from the “Edit” menu.

data

```
array data[row,col:integer] of real;
```

This array holds the data of the current data window. Assigning a value to `data[row,col]` sets the value of a cell in this window. Reading the cell `data[row,col]` returns the value of a cell. Causes run-time errors if the data cell is not within window, if the cell is empty, if the cell is part of a text column, or if no data window is open. Always call `DataOK(row,col)` before using the value of `data[row,col]`.

The array `data` does not exist for external modules. External modules must use the routines `SetData` and `GetData` for numeric cells and `GetCell` and `SetCell` for text cells. In addition to this, the routines `GetDefaultData`, `GetColHandle` and `SetColHandle` provide some fast low-level access.

DataExportOptions

```
function DataExportOptions(optional parameter list);
```

Sets the options for exporting data windows as text files.

Parameters:

mode	Specifies the basic format. Pass <code>withTitles</code> (for standard format with column titles) , <code>withoutTitles</code> (for standard format without column titles) , or <code>customFormat</code> (for a customized format as specified in the following parameters) .
withTitles	(boolean)Add the text from the info field to the beginning of the file.
copyInfo	(boolean)Write the text from the info field.
optimize	(boolean)Remove leading spaces and trailing zeros in all numbers.
delimiter	(string)Column delimiter, at least 1 character. Typical values are: <ul style="list-style-type: none"> - '\t' which defines a tabulator (decimal 8), - ' ' which is a simple space, - ',' which is a simple comma, - Any combination of characters and '\t'. Usually, '\n' (line feed) or '\r' (carriage return) should not be used.
terminator	(string)Line terminator appended after each row, at least 1 character. Typical values are: <ul style="list-style-type: none"> - '\r' which defines a carriage return (decimal 13), - '\n' which defines a line feed (decimal 10), - Any combination of characters and '\r', '\n'. Note that the line terminator must not be equal to the column delimiter.
firstLine	(string) A string to be added to the first line of the file.

To export data into a text file, first call `DataExportOptions` for setting the desired file format. Then call `SaveWinow` and pass `textFileType` for the parameter

See also: `DataImportOptions`

DataImportOptions

```
function DataImportOptions(optional parameter list);
```

Sets the options for importing text files. Parameters:

mode	(integer) Specifies the basic format . Pass <code>asFunction</code> (for loading text files into a text window) , <code>withTitles</code> (for loading text files as data in standard format with column titles) , <code>withoutTitles</code> (for loading text files as
-------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

data in standard format without column titles) , or customFormat (for loading text files as data in a customized format as given by the following parameters)

- headerLines** (integer) The number of lines to be skipped at the beginning of the file.
- copyInfo** (boolean) Copy the header lines (specified with parameter headerLines) into the info field of the data window.
- withTitles** (boolean) Read the column titles.
- delimiter** (string) Column delimiter, at least 1 character. Typical values are:
- '\t' which defines a tabulator (decimal 8)
 - ' ' which is a simple space,
 - ',' which is a simple comma,
 - '\s' stands for “1 or more spaces”,
 - '\w' stands for “1 or more spaces and/or tabulators in any sequence”,
 - Any combination of characters and '\t'.
- terminator** (string) Line terminator after each row, with at least 1 character. Typical values are:
- '\r' which defines a carriage return (decimal 13) ,
 - '\n' which defines a line feed (decimal 13) ,
 - Any combination of characters and '\r', '\n'.
- Note that the line terminator must not be equal to the column delimiter.

To import data from a text file, fist call DataImportOptions for setting the desired file format. Then call OpenFile and pass textType (for loading the file into a function window) or dataType (for loading the file into a data window) for the parameter “type”.

DataTransform

procedure DataTransform(*optional parameter list*);

Performs various data transformations on a data window. Corresponds to the command “Data Transform...” of the “Calc” menu.

Parameters:

- window** (string or integer) The name or window ID of the data window.
- operation** (integer) The operation to be performed. Use one of the constants: sumOp, multOp, subOp, divisionOp, powerOp, DIVOp, MODOp, integrateOp, derivativeOp, formulaOp, functionOp, sqrOp, sqrtOp, invertOp, absOp, expOp, lnOp, tentoOp, logOp, fill_0, fill_1, fill_N, sinOp, arcsinOp, cosOp, arccosOp, tanOp, arctanOp, sinOp, arcsinOp, cosOp, arccosOp, tanOp, arctanOp.
- selectionOnly** (boolean) True if operating on current selection, false if operating on x and y column.
- selRowsOnly** (boolean) True if operating on the selected rows only.
- xColumn** (integer) The x-column (omit if you pass true for selectionOnly)
- yColumn** (integer) The y-column (omit if you pass true for selectionOnly)
- function** (string) The function to be used if operation is functionOp.
- formula** (string) The formula if operation is set to formula.

argumentColumn (integer) The column to be used as argument if the operation works on a column argument.

argumentValue (real) The value to be used if the operation works on a value argument.

To use this command, you best choose “Start Recording” from the Customize menu, then choose “Data Transform...” from the Calc menu and set the desired options. Hit ok. The correct call is then recorded in your function window.

DataOK

```
function DataOK(row,col:integer):boolean;
```

Returns `true` if the given cell of the current data window contains a numeric value, returns `false` if the cell is empty, if it is part of a text column, or if it lies outside the data window. Use this function before reading a data cell.

Example:

```
if DataOK(i,j) then myVariable := data[i,j];
```

DataOK causes a run-time error if no data window is open.

The external module name for this function is `TestData`.

DateString

```
function DateString(format:integer):string;
```

Returns a string with today's date. `format` defines the formatting of the string and can take the following values: `shortDate` ('1/31/92'), `abbrevDate` ('Fri, Jan 31, 1992'), `longDate` ('Friday, January 31, 1992').

See also: `TimeString`

DateTimeStrToNum

```
function DateTimeStrToNum(s:string):real;
```

Converts the string `s` into a number of seconds since 1.1.1904.

Use 'BC' placed after the year for dates 'Before Christ'.

pro Fit uses system routines to achieve this conversion. You may select the country specific formatting either through the system control panel or in the pro Fit preferences.

Best results are achieved by strings like

```
'14.5.1345 12:55:3.40'
```

(14. May 1345 at 12 o'clock, 55 minutes and 3.4 seconds).

DeactivateProFitWindows

```
procedure DeactivateProFitWindows;
```

External modules only. For advanced programmers only. Deactivates all of pro Fit's windows and disables all menus. Call this routine before showing a window or creating a dialog. Each call to `DectivateProFitWindows` must be matched with a call to `ActivateProFitWindows`.

Delete

```
procedure Delete(s:string; first, length:integer);
```

Deletes `length` characters in `s`, starting from character `first`. To delete all characters until the end of the string, pass 255 for `length`.

Example:

```
s := 'hi there';
Delete(s, 4, 2);
WriteLn(s);      {writes 'hi ere'}
```

DeleteAxis

```
procedure DeleteAxis(whichAxis:integer;axisID:integer);
```

Deletes the given axis. axisID corresponds to the number used in the axis popup menu in the dialog box that appears when double clicking an axis, e.g. axisID=2 for axis X2. whichAxis is either xAxis or yAxis.

DeleteFunction

```
procedure DeleteFunction(func:string);
```

Removes the given function from the “Func” menu. func is the name of the function.
See also: DeleteProgram

DeleteParameterSet

```
procedure DeleteParameterSet(optional parameter list);
```

Deletes a parameter set previously saved with SaveParameterSet. Does nothing if the parameter set is not found. Parameters:

name	(string) The name of the set. Omit to delete all the sets belonging to the given function.
ofFunction	(string) The function the parameter set belongs to. Omit if the parameter set was available to all functions.
file	(string) The file from which the parameter set must be deleted. Omit to delete from permanent set.
fromMenu	(boolean) True if the param set must be deleted from the parameter set menu. Default: true
fromFile	(boolean) True if the param set must be deleted from the file. Default: true.

See also: AddParameterSet, UseParameterSet, SaveParameterSet, LoadParameterSet

DeleteProgram

```
procedure DeleteProgram(prog:string);
```

Removes the given program, module or script from the “Prog” menu. prog is its name.
See also: DeleteFunction

DeleteShape

```
procedure DeleteShape(optional parameters);
```

Deletes a shape. Parameters.

shape	(string) The name of the shape.
window	(string or integer): The name or ID of the window that contains the shape. Omit for using the current drawing window.

See also: NewShape

DeleteTag

```
procedure DeleteTag(optional parameters);
```

Deletes a tag. Parameters:

tag	(string) The name of the tag.
------------	-------------------------------

program	(string) The name of the program if the tag belongs to a program. Pass an empty string (' ') for the currently running program. Omit if the tag does not belong to a program.
window	(string or integer) The name or id of the window the tag belongs to. Omit if the tag does not belong to a window.

See also: `GetTag`, `SetTag`

Derivative

```
function Derivative(name:string; x, scale:real):real;
```

Returns the derivative of a function. `name` is the name of the function as it appears in the Func menu. This parameter is case sensitive. Use an empty string (' ') for the function that is currently selected in the Func menu. `x` is the x-coordinate where the derivative must be calculated. `scale` is the length of a typical interval of x-values over which the function's value changes.

For the parameter `scale`, a rough estimation is good enough. `scale` is typically something like the length of the x-axis when you plot your function. It must not be too small. As an example, if your function describes a 20 ns laser pulse and uses time in seconds as its input, set `scale` e.g. to 10^{-8} (10 ns).

Causes a run time error if the function does not exist.

Determinant

```
function Determinant(m:matrix):complex;
```

Returns the determinant of the matrix `m`.

DisableDrawingUpdates

```
procedure DisableDrawingUpdates;
```

By default, pro Fit draws a shape immediately after a program created it. If you don't want shapes to be drawn immediately, call this routine before you start drawing. This can accelerate the execution of your program.

There isn't any "EnableDrawingUpdates" routine. `DisableDrawingUpdates` inhibits drawing until your program has finished.

Div

```
operator i1 Div i2
```

This operator calculates the integer division of `i1` and `i2`. Note that the arguments are rounded to (long) integers first.

DoCloseWindow

```
procedure DoCloseWindow(windowID:integer; saveIt:boolean);
```

External module name, see `CloseWindow`

DoMenu

```
procedure DoMenu(theMenuItem:string);
```

Executes a command appearing in pro Fit's menus. `theMenuItem` defines the command to be executed. To execute a command from a normal (not hierarchical) menu, `theMenuItem` has the format:

```
'menu name:item name'
```

To execute a command from a hierarchical menu, `theMenuItem` has the format:

```
'menu name:submenu name:item name'
```

Instead of specifying an item name, you can also specify the number of the item in the menu preceded by '#'.

This procedure cannot be called while a function is running.

Examples:

```
DoMenu('Edit:Copy');
DoMenu('Calc:Nonlinear Fit...');
DoMenu('Calc:Fourier Transform:FFT...$OK');
DoMenu('Draw:Rotate:#1');
```

If the command that you select in this way brings up a dialog box and if you want to automatically click the OK button of this dialog box, add '\$OK' to the end of the string. Adding '\$OK' to the end of the string has the same effect as immediately clicking OK when the dialog box comes up, but the dialog box will not appear.

DoScript

```
procedure DoScript(window:integer);
```

Runs the script in the given window. window is its window ID. Equivalent to selecting “Run” or “Run Selection” from the menu “Customize”.

DoNewWindow

```
procedure DoNewWindow(windowType:OSType);
```

External modules name. See `NewWindow`.

DrawArc

```
procedure DrawArc(left,top,right,bottom, start,length:real);
```

Creates an arc inside the specified bounds in the current drawing window. It is a part of an ellipse. The arc extends from the angle `start` to the angle `start+length`.

DrawDataPoint

```
procedure DrawDataPoint(x,y:real);
```

Creates a data point at the coordinates `x,y` in the current drawing window. It uses the point style set by `SetDataPointStyle`, `SetBGDataPointStyle`.

If `OpenDataSet` has been called before calling `DrawDataPoint`, then `DrawDataPoint` creates a new data point in the current graph instead of drawing in the drawing window. In this case `DrawDataPoint` adds a point with zero error bars, a call to `DrawDataPoint(x,y)` is then equivalent to a call to `AddDataPoint(x,y,0,0,0,0)`;

DrawEllipse

```
procedure DrawEllipse(left,top,right, bottom:real);
```

Creates an ellipse inside the specified bounds in the current drawing window.

DrawLine

```
procedure DrawLine(start_h,start_v,end_h, end_v:real);
```

Creates a line in the current drawing window extending between the given start and end points `start_h`, `start_v`, `end_h`, `end_v`.

DrawNumber

```
procedure DrawNumber(theNum:real; decs:integer; theAngle:real;
                    docenter:boolean);
```

Converts `theNum` to a string and draws it in the current drawing window. `decs` defines the number of digits after the decimal point that must be displayed.

The text appears at the current pen position, set with `MoveTo`. If `doCenter` is true, the number is centered on the current pen position and the current pen position remains unchanged. If `doCenter` is false, the text starts at the current pen position and the current pen position is offset to the end of the text. `theAngle` defines the rotation of the text and can take the values 0, 90, 180 and 270.

If `doCenter` is false, the current pen position is offset to the end of the string.

DrawPICT

```
procedure DrawPICT(left,top,right,bottom:extended; thePict:PicHandle);
```

External modules only. Creates a new picture in the current drawing window using the Mac OS `PicHandle` `thePict`. `left` and `top` give left top corner of the picture. `right` and `bottom` are used to define the size of the picture if they are larger than `left` and `top`, respectively. Otherwise the size is derived from the information given in `thePict`.

DrawRect

```
procedure DrawRect(left,top,right,bottom:real);
```

Creates a new rectangle with the given borders in the current drawing window.

DrawText

```
procedure DrawText(theString:string; theAngle:real; docenter:boolean);
```

Draws a text in the current drawing window. The text appears at the current pen position, set with `MoveTo`. If `doCenter` is true, the text is centered on the current pen position and the current pen position remains unchanged. If `doCenter` is false, the text starts at the current pen position and the current pen position is offset to the end of the text. `theAngle` defines the rotation of the text and can take the values 0, 90, 180 and 270.

If `doCenter` is false, the current pen position is offset to the end of the string.

DrawTextLine

```
procedure DrawTextLine(theString:Str255; theAngle:extended;
    docenter:boolean);
```

External module name. See `DrawText`.

Erf

```
function Erf(x:real):real;
```

The error function, defined by

$$\operatorname{erf}(x) = \frac{2}{\sqrt{\pi}} \int_0^x e^{-t^2} dt$$

Erfc

```
function Erfc(x:real):real;
```

The complementary error function, $\operatorname{erfc}(x) = 1 - \operatorname{erf}(x)$

(`Erf` and `Erfc` are also available as `PErf` and `PErfc` for external Pascal modules to avoid ambiguities when using the unit `fp.p`, which defines `erf` and `erfc`.)

Even

```
function Even(i:integer):boolean;
```

Returns true if `i` is an even number. Note that the argument is rounded to an (long) integer.

Exit

```
procedure Exit;
```

Exits a local function or procedure. If called in main body of a program or function, exits the program or function. See also: `Halt`.

Exp

```
function Exp(x:real):real;
```

The exponential function.

$$\exp(x) = e^x$$

```
procedure Extrema(optional parameter list);
```

Finds the minima/maxima of a function by varying its x-value within a given interval. Parameters:

function	(string) The function to be used. Omit for current function.
xMin	(real) The start of the x-interval to be searched for extrema.
xMax	(real) The end of the x-interval to be searched for extrema.
subintervals	(integer) The number of sub-intervals to be searched in the x-interval. When the function's derivative changes its sign over a sub-interval, the sub-interval is searched for a minimum or maximum.
printResults	(boolean) Set to true for printing the results to the Results window. Omit "printResults" or set it to false for suppressing this.

To retrieve the results of a call to procedure `Extrema`, call the function `GetResult(selector...)`. Use one of the following selectors:

<code>extremaCount</code>	: the number of extrema found (≤ 100)
<code>extremaXValue</code>	: x-value of each extremal point*
<code>extremaYValue</code>	: y-value of each extremal point*
<code>extremaSign</code>	: specifies if given point is minimum (extremaSign has value -1) or maximum (value 1) *

* pass an index (1..extremaCount) as second parameter to `GetResult`

The following example finds the maxima of the current function between -1 and 1 , then prints them:

```
program MaximaFinder;
  var i, nrPoints:integer;
begin
  Extrema(xMin -1, xMax 1, subIntervals 50);
  nrPoints:= GetResult(extremaCount);
  for i := 1 to nrPoints do
    if GetResult(extremaSign,i) > 0 then {if max.}
      Writeln(GetResult(extremaXValue, i));
  end;
```

false

```
const false = 0;
```

This constant stands for the logical value of false.

Fit

```
procedure Fit(optional parameter list);
```

Runs a fit. Parameters:

function	(string) Function to be fitted. Omit for current function.
algorithm	(integer) Algorithm to be used: levenberg, montecarlo, robust, linear, polynomial.
window	(string or integer) The data window's name or window ID. Omit for fitting the front window.
xColumn, yColumn	(integer) The columns containing the x- and y-data. Pass -99 for using the row index as x-column.

xErrKind	(integer) Errors of the x-data: <code>individualError</code> (if the x-errors are found in a column, passed in parameter “ <code>xErrColumn</code> ”), <code>constantError</code> (if the x-errors are constant, passed in parameter “ <code>xError</code> ”), <code>percentError</code> (if the x-errors are in percent, passed in parameter “ <code>xError</code> ”), <code>zeroError</code> (if the x-errors are assumed to be zero). Omit if x-errors are unknown.
xErrColumn	(integer) The column containing the x-errors if “ <code>xErrKind</code> ” is <code>individualError</code> .
xError	(real) The x-error if “ <code>xErrKind</code> ” is <code>constantError</code> or <code>percentError</code> .
xErrDistribution	(integer) The distribution of the x-errors: <code>gaussianDistribution</code> , <code>lorentzDistribution</code> , <code>expDistribution</code> , <code>tukeyDistribution</code> , <code>andrewDistribution</code> .
yErrKind	(integer) Errors of the y-data: <code>individualError</code> (if the y-errors are found in a column, passed in parameter “ <code>yErrColumn</code> ”), <code>constantError</code> (if the y-errors are constant, passed in parameter “ <code>yError</code> ”), <code>percentError</code> (if the y-errors are in percent, passed in parameter “ <code>yError</code> ”), <code>unknownError</code> (if the y-errors are unknown) Omit if the y-errors are unknown.
yErrColumn	(integer) The column containing the y-errors if “ <code>yErrKind</code> ” is <code>individualError</code> .
yError	(real) The y-error if “ <code>yErrKind</code> ” is <code>constantError</code> or <code>percentError</code> .
yErrDistribution	(integer) The distribution of the y-errors: <code>gaussianDistribution</code> , <code>lorentzDistribution</code> , <code>expDistribution</code> , <code>tukeyDistribution</code> , <code>andrewDistribution</code> .
autoSearch	(boolean) True if the Monte Carlo fit algorithm should vary the parameters within floating, i.e. not fixed ranges.
selRowsOnly	(boolean) True if the fit should take only the selected rows into consideration.
fullDescription	(boolean) True if a complete protocol of the fit is to be printed in the results window, false if a shortened protocol is to be printed.
onlyActiveParams	(boolean) True if all parameters are to be printed in the results window, false if only the fitted parameters are to be printed.
stopCounter	(integer) Defines the number of iterations if algorithm is <code>montecarlo</code> . Set to 0 if you want the fit to continue until it is interrupted manually. Omit for all other fitting algorithms.
doErrorAnalysis	(boolean) True for running a statistical error analysis after the fit (slow), false if errors are to be derived from the covariance matrix (Levenberg-Marquardt algorithm only). Default: false
confidence	(real) The desired confidence interval for statistical error analysis. Omit if <code>doErrorAnalysis</code> is false.
printResults	(boolean) Set to true for printing the results to the Results window. Omit “ <code>printResults</code> ” or set it to false for suppressing this.

To retrieve the results of the fit, use the function `GetResult(selector...)`. Use one of the following selectors:

chiSquared	chi squared
nrFittedParameters	number of fitted parameters
fittedParameter	fitted parameters*
covariance	elements of the covariance matrix **.
confidenceMin, confidenceMax	lower and upper limits of the fitted parameters *
standardDeviation	standard deviation of fitted parameters
nrIterations	number of used iterations
goodnessOfFit	goodness of fit
nrDataPoints	number of fitted data points
sumOfDeviations	sum of deviations (only after robust fit)
correlation	linear correlation between x- and y-values (only after linear fit)
probCorrelation	significance of linear correlation (only after linear fit)
* Pass parameter index (1 based) as second argument to GetResult	
** Pass matrix indices (1 based) as second and third arguments to GetResult	

Note: The old definition

```

procedure Fit(funcName:string; xCol, yCol,
             errCol:integer; errVal:real;
             selectionOnly:boolean

```

is still supported but obsolete – do not use it in new programs.

FittedParams

```
function FittedParams(i:integer):real;
```

Obsolete. Use `GetResult(fittedParameters, i)` instead.

Returns the parameter values obtained in the last fit. *i* is the parameter index.

Causes a run-time error if *i* is out of range or if the last fit was not a successful fit.

FFT

```
procedure FFT(optional parameter list);
```

Performs a Fourier transform on a data window. Input is a column of real values in the time domain, output are two columns of real/imaginary or amplitude/phase in the frequency domain. Parameters:

window	(string or integer) Data window, specified by name or window ID.
inputCol	(integer) Input column
outputCol1	(integer) Output column for real part or amplitude in the frequency domain.
outputCol2	(integer) Output column for imaginary part or phase in the frequency domain.
outFrequencyCol	(integer) Output column to hold the frequency values (Hertz) of the data in outputCol1 and outputCol2. Calculated from parameter “timeInterval”. Omit if no frequency column is to be calculated.
timeInterval	(real) The time interval (Seconds) between consecutive data points in the input column. Used for calculating the frequency column. Omit if no frequency column is to be calculated.
realImaginary	(boolean) True if the output columns are to hold the real and imaginary values in the time domain, false if they are to hold their amplitude and phase.

printResults (boolean) True if statistical information on the processed data is to be printed in the Results window.

See also: InverseFFT.

FrontmostWindow

function FrontmostWindow(windowType:OSType):integer;

Returns the ID of the front most window of the given type, returns 0 if no window of the given type exists. windowType can either be dataType, textType or drawingType for specifying data windows, function windows and drawing windows, respectively.

FrontWindow

function FrontWindow:integer;

Returns the window ID of the front window. The ID will be valid as long as the window exists. For more information about window IDs, see the section “Windows and Documents” above.

Gamma

function Gamma(x:real/complex):real/complex;

Gamma function. x must be larger than 0 for real valued results. Accuracy of real value > 12 digits.

GammaI

function GammaI(a, x:real/complex):real/complex;

Incomplete gamma function. x and a must be larger than 0 if they are both real-valued. Accuracy of real value approximately 8 digits. Accuracy of complex value up to 12 digits.

GammaLn

function GammaLn(x:real/complex):real/complex;

Natural logarithm of the gamma function. Accuracy of real value > 12 digits.

GammaP

function GammaP(a,x:real/complex):real/complex;

Incomplete gamma function “P”.

$$\text{GammaP}(a,x) = 1 - \text{GammaI}(a,x)/\text{Gamma}(a).$$

x and a must be larger than 0 when they are both real-valued. Accuracy of real value approximately 8 digits. Accuracy of complex value up to 12 digits.

GetAndSetStatus

function GetAndSetStatus(newStatus:integer; var s:Str255):integer;

External modules only. For advanced programming. Returns the present execution status, then sets it to newStatus. The status can be 0(if normal operation), 1 (if the user interrupted operation), 2 (if a warning has been posted), 3 (if a run-time error has been posted).

Set newStatus to -1 if you don't want to change the current status. If you set a status 2 or 3, pass a suitable error or warning message in s, it will be shown once your module is finished. On return, s holds the current message (if status was 2 or 3).

Note: Calling StopExecution is equivalent to setting error status to 1 and TestStop returns true if error status is 1 or 3.

GetBasics

procedure GetBasics(var count:integer;

var sum,mean,variance,stdDev,meanAbsDev:real);

Obsolete. Use Statistics and GetResult instead.

Returns some of the results obtained in the last statistics evaluation performed with the routine `CalcStat`. `CalcStat` must have been called with the `withBasics` parameter set to true if `GetBasics` is to be used be used.

GetCell

```
procedure GetCell(var s:string; row,column:integer);
```

Returns the string in the given cell of the current data window. If the cell is in a number column, it converts the number to a string and returns the string.

GetClickedCoord

```
procedure GetClickedCoord(var x,y:real);
```

Returns the window-coordinates where the last mouse click took place in the current drawing window.

GetColHandle

```
procedure GetColHandle(col:longint; var colH:Handle;
    var length:longint; var colType:longint;
    forWriting:boolean);
```

External modules only. For advanced programming.

This routine returns a Mac OS handle to the data of the given column. You can read and/or modify the data in the handle. This is much faster than accessing a column's data through `GetData/SetData` and `GetCell/SetCell`.

`colH` can be `nil` if the corresponding column is empty. `length` is the number of rows held by this column, presently always equal to `nrRows`. `forWriting` must be set to true if you intend to change the contents of the column, set to false otherwise. If you change the data in the returned handle, you must subsequently call `SetColHandle`. `colType` is the type of the column (`textColumn`, `floatColumn`, `doubleColumn`)

Do not call `DisposeHandle(colH)` — `colH` is allocated and deallocated by pro Fit.

The organization of the data in `colH` depends on the data type of the column as returned by `colType`:

if `colType = floatColumn`, `colH` is a handle of type `FloatColumnHandle` (handle to an array of 4-byte floating point values), if `colType = doubleColumn`, `colH` is of type `DoubleColumnHandle` (handle to an array of 8-byte floating point values), if `colType = textColumn`, `colH` is of type `TextColumnHandle` (handle to a record of type `stringData`).

Note: For columns of type `floatColumn` and `doubleColumn`, the first entry of the array is reserved. The value of the first cell is found in the array element having index 1.

Warning 1: This routine should be used by experienced programmers only.

Warning 2: Accessing text columns in this way is **not** recommended. The definition of the data structure may change in the future.

While you are working on the data in `colH`, you should not call any other routines accessing the data window except `GetColumnHandle` and `SetColumnHandle`. When you modify the data in `colH`, you should avoid calling any pro Fit routines until you have called `SetColHandle` — if you want to call other pro Fit routines, first make a copy of the data by using `HandToHand`; once you have made all modifications to the data, call `SetColHandle`.

GetColName

```
function GetColName(col:integer):string;
```

Returns the title of the column `col`.

GetColType

```
function GetColType(columnNumber:integer):integer;
```

Returns the type of the data of the given column (in the current data window).

Return values are `textColumn` (for text columns), `floatColumn` (for numeric columns having a range of $-1e30 \dots 1e30$, i.e. 4-byte floating point values) or `doubleColumn` (for numeric columns having a range of $-1e300 \dots 1e300$, i.e. 8-byte floating point values).

GetColumnProperty

```
function GetColumnProperty(column, property):string or real;
```

Returns a given column property of the current data window.

`column`: The index of the column.

`property`: The name of the property. See `SetColumnProperties`.

See also: See `SetColumnProperties`.

GetCurrentAxis

```
function GetCurrentAxis(whichAxis:integer):integer;
```

returns the ID number of the current x- or y-axis. `whichAxis` is either `xAxis` or `yAxis`.

GetCurrentGraph

```
function GetCurrentGraph:integer;
```

Returns a unique number identifying the current graph as long as it exists. Returns 0 if no current graph exists.

GetCurrentWindow

```
function GetCurrentWindow(windowType:integer):integer;
```

Returns the ID of the current window with type `windowType`. `windowType` can be `dataType`, `drawingType` or `textType` specifying data windows, drawing windows and function windows.

GetData

```
function GetData(row, column:longint):extended;
```

External modules only. Returns the numerical value of the given cell in the current drawing window. `GetData` replaces the predefined matrix `data[i, j]` used from functions within `pro Fit`.

GetDataWindowProperty

```
function GetDataWindowProperty(window, property):string or real;
```

Returns the property of a given data window.

`window`: The name or ID of the window.

`property`: The name of the property.

In addition to the properties that you can access through `GetWindowProperty`, you can retrieve the following properties:

nrRows (integer) The number of rows in the data window

nrCols (integer) The number of columns in the data window

See also: See `GetWindowProperty`.

GetDateTime

```
function GetDateTime:integer;
```

This function returns today's date/time as the number of seconds since 1.1.1904.

GetDefaultData

```
procedure GetDefaultData(xColH, yColH, xErrColH,  
    yErrColH:ExtendedArrayHandlePtr;  
    indicesH:LongArrayHandlePtr; var arraySize:integer;  
    selectedRowsOnly:boolean; info:DataInfoPtr);
```

type

```
DataInfo = record
  xMin,xMax,xPosMin,xNegMax: extended;
  yMin,yMax,yPosMin,yNegMax: extended;
  ordered: boolean;
  zeroYErrors,invalidYErrors,
  zeroXErrors,invalidXErrors: boolean;
end;
DataInfoPtr = ^DataInfo;
```

This routine provides a copy of the default x-y data in the current data window. It allocates memory for the x,y arrays, for the x,y-Error arrays, and for the array that gives the corresponding row numbers in the data window. Then it fills them with the data. It copies only the data where both the x and the y cell contain valid numbers. The arrays are returned in `xColH^`, `yColH^`, `xErrColH^`, `yErrColH^`. Pass nil for one of these arrays if you are not interested in it.

The record `info` holds some more information about the returned data.

The arrays returned by `GetDefaultData` contain valid data starting from the element with index 1. The value of the element with index 0 is undefined. The last element has index `arraySize`. `arraySize` is set to zero in case of out-of-memory situations or other problems.

Warning: This routine should only be used by advanced programmers.

GetFileDirectory

```
function GetFileDirectory(ID:integer; var s:string):boolean;
```

Returns the directory where the document displayed in the given window is stored.

ID is the windowID. The path-name of the directory is returned in the string `s`. This function returns false if the path-name had to be truncated.

GetFrontWindow

```
function GetFrontWindow:longint;
```

External module name. See `FrontWindow`.

GetFunctionName

```
function GetFunctionName:string;
```

Returns the name of the current function.

GetFunctionParam

```
function GetFunctionParam(name:string; i:integer):real;
```

Returns the default value of a parameter. `name` is the name of the function. This parameter is case-sensitive. Use an empty string (' ') to specify the function currently selected in the Func menu. `i` is the parameter index.

Example:

`GetFunctionParam('Polynom', 1)` returns the degree of the built-in function "Polynom".

GetFunctionParamMode

```
function GetFunctionParamMode(name:string; i:integer):integer;
```

Returns the fitting mode (active, inactive, constant) of a parameter. `name` is the name of the function. This parameter is case-sensitive. Use an empty string (' ') to specify the function currently selected in the Func menu. `i` is the parameter index.

GetFunctionParamName

```
function GetFunctionParamName(name:string; i:integer):integer;
```

Returns the name of a parameter. `name` is the name of the function the parameter belongs to. This parameter is case-sensitive. Use an empty string (' ') to specify the function currently selected in the Func menu. `i` is the parameter index.

GetFunctionProperty

function GetFunctionProperty(name:string; prop):string or real;

Returns a property of the function. func is the name of the function or its index in the Func menu. prop specifies the desired property. It can be any of the properties that can be used in SetFunctionProperties. In addition to this, it can be:

nrParams (integer) The number of parameters.
name (string) The function's name

See also: SetFunctionProperty

GetGlobalData

function GetGlobalData(index:integer):real;

Returns the value stored under the given index in a global data array. This data array is shared between all functions and programs. It can be used for communication between programs, functions, scripts and modules.

The index must be between 0 and 99.


See also: GetGlobalData

GetGraphCoordinates

procedure GetGraphCoordinates(var xmin,xmax,ymin,ymax:real);

Returns the minimum and maximum values of the main x- and y-coordinate axes of the current graph in xmin, xmax, ymin, ymax.

If the current graph looks like the one to the right, GetGraphCoordinates returns xmin=0, xmax=6, ymin=-1, ymax=1.



GetGraphFrame

procedure GetGraphFrame(var left,top,right,bottom:real);

Returns the enclosing rectangle of the current graph.

GetMarkedCoord

procedure GetMarkedCoord(i:integer;var x,y:real);

Returns the coordinates of the preview window marker with index i in x, y. Pass i=0 for the reference marker.

GetMedian

procedure GetMedian(var count:integer; var
mean,median,minimum,maximum:real);

Obsolete. Use Statistics and GetResult instead.

Returns some results of the last call to CalcStat. CalcStat must have been called with the withMedian parameter set to true before this function can be used.

GetModuleFile

function GetModuleFile:FSSpecPtr;

External modules only. Returns a pointer to the FSSpec record of the file where the currently running external module was found. Returns nil if no such file exists.

GetNextGraph

```
function GetNextGraph(graphID:integer):integer;
```

Returns the graph following the one with the given ID, returns the first graph if graphID=0. Returns 0 if graphID points to the last graph. Returns 0 if no graph exists with the given ID.

Called repeatedly, GetNextGraph cycles through all graphs and returns their ID. Start with GetNextGraph(0) to make sure that all graphs are scanned.

GetNumFunctionParams

```
function GetNumFunctionParams(name:string):integer;
```

Returns the number of parameters used by a function. name is the name of the function. This parameter is case sensitive. Use an empty string (' ') to specify the function currently selected in the Func menu.

GetOption

```
function GetOption(option):any type;
```

Returns some options of pro Fit. The type of the return value depends on the desired option. option can be any of the options you can set using SetOptions. In addition to this, it can be::

version (real): pro Fit's version number, e.g. 550 for 5.5.0

numFunctions (integer): The number of functions in pro Fit's Func menu

See also: SetOptions

GetParameterProperty

```
function GetParameterProperty(param, prop):string or real;
```

Returns a property of the parameter of the current function having the index specified by param. prop specifies the desired property. It can be any of the properties that you can set using SetParameterProperties.

See also: SetParameterProperties

GetProgramProperty

```
function GetProgramProperty(prog, prop):string or real;
```

Returns a property of the program having the given name (if prog is a string) or the given index in the Prog menu (if prog is a number). prop specifies the desired property. It can take any of the names of the properties you can set using SetProgramProperty. In addition to this, you can use

name (string) The name of the program

See also: SetProgramProperties

GetResult

```
function GetResult(selector, [index1,[index2]]);
```

This function returns the results of various commands. The desired result is selected by the resultSelector. If the result is an array or matrix, you have to add one or two indices index1, index2. If the result is a simple number, omit the indices

These are the commands that GetResult returns results for: Fit, Optimize, Statistics, Roots, Extrema, Integral

See the definitions of the respective commands for the selectors to be passed to GetResult.

GetSelection

```
function GetSelection:Rect;
```

External modules only. Returns the coordinates of the contiguous selection in the current drawing window. The rectangle's coordinates correspond to SelectLeft, SelectTop, SelectRight, SelectBottom

GetSelectionBounds

function GetSelectionBounds(var left, right, top, bottom:real);

Returns the boundaries of the current selection in the current drawing window.

GetShapeProperty

procedure GetShapeProperty(shape, prop);

Gets the properties of a shape in the current drawing window. Parameters:

shape	(string) The name of the shape.
xPosition, yPosition	(real) The shape's x- and y-positions as they appear in the "Coords" window.
xSize, ySize	(real) The shape's size in x- and y-direction as it appears in the "Coords" window.
text	(string) The shape's title or text content (for control shapes and text shapes only).
value	(real) The shape's value (for control shapes only). For text edit fields, this is the numeric equivalent of the edit field or nan255 (invalid) if the edit field does not contain a number.
active	(boolean): True if a control shape is active, false if is disabled (for control shapes only).
rotAngle	(real) The rotation angle of a drawing shape in radians.
arcStart	(real) Applies only to the Oval-shape. The angle in radians at which the arc starts.
arcLength	(real) Applies only to the Oval-shape. The length of the arc in radians.

See also: SetShapeProperties, NewShape, DeleteShape

GetSkew

procedure GetSkew(var count:integer; var
mean, variance, skewness, kurtosis:real);

Obsolete. Use Statistics and GetResult instead.

Returns some results of the last call to CalcStat. CalcStat must have been called with the withSkewAndCurt parameter set to true before this function can be used.

GetTag

procedure GetTag(optional parameters);

Get the value of a tag. Parameters:

tag	(string) The name of the tag.
program	(string) The name of the program if the tag belongs to a program. Pass an empty string (' ') for the currently running program. Omit if the tag does not belong to a program.
window	(string or integer) The name or id of the window the tag belongs to. Omit if the tag does not belong to a window.
value	(var parameter, real) The numeric value of the tag. Invalid if the tag does not exist.
stringValue	(var parameter, string) The string value of the tag. Empty if the tag does not exist.

To get a global tag (i.e. a tag that is attached to pro Fit itself), pass neither the program or window parameter. To get a tag of a program that is attached to a window, pass the program and the window parameter.

From apple script, you can use

```
get value of tag "tag 1" of window "myWindow"
```

See also: `SetTag`, `DeleteTag`

GetWindowID

```
function GetWindowID(windowName:string):integer;
```

Returns the window ID of the window having the given title. Returns 0 if there is no window with this title.

GetWindowTitle

```
procedure GetWindowTitle(windowID:integer; var name:string);
```

Returns the title of the given window. `windowID` is the window ID of the window, such as it is e.g. returned by `GetWindowID` or `FrontWindow`. See also: `GetWindowProperty`

GetWindowProperty

```
function GetWindowProperty(window, property):string or real;
```

Returns the given window property.

`window`: The name or ID of the window.

`property`: The name of the property.

In addition to the properties that you can change through `SetWindowProperties`, you can retrieve the following properties:

paperRectLeft,

paperRectTop,

paperRectRight,

paperRectButton

(integer) The bounds of the "paper" when the window is printed according to the settings chosen under Page Setup

pageRectLeft,

pageRectTop,

pageRectRight,

pageRectButton

(integer) The bounds of the printable area when the window is printed according to the settings chosen under Page Setup

Example for retrieving the left border of a window:

```
i := GetWindowProperty('Untitled data', boundsLeft)
```

See also: See `SetWindowProperties`.

GetWindowType

```
function GetWindowType(windowID:integer):integer;
```

Returns the type (`dataType` for data windows, `textType` for function windows, `drawingType` for drawing windows) of the given window. Returns 0 if the given window is of any other type.

`windowID` is the window ID of the window, such as it is returned by `GetWindowID` or `FrontWindow`.

globalData

```
globalData: array[0..100] of real;
```

Obsolete. Not supported in version 5.1 or later. Use `GetGlobalData` and `SetGlobalData` instead.

GrLine

```
procedure GrLine(x,y:extended);
```

External modules name. See `Line`.

GrLineTo

```
procedure GrLineTo(x,y:extended);
```

External modules name. See `LineTo`.

GrMove

```
procedure GrMove(x,y:extended);
```

External modules name. See `Move`.

GrMoveTo

```
procedure GrMoveTo(x,y:extended);
```

External modules name. See `MoveTo`.

GroupBegin

```
procedure GroupBegin;
```

Starts the definition of a group. All drawing taking place after this call will be part of a group. Call `GroupEnd` when you have finished drawing the parts of the group.

GroupEnd

```
procedure GroupEnd;
```

Ends the definition of a group. See `GroupBegin`.

Halt

```
procedure Halt;
```

Exits the running a program or function. See also: `Exit`.

HandleEvent

```
procedure HandleEvent(var theEvent: EventRecord);
```

External Modules only. For advanced programming. Passes `theEvent` to pro Fit for handling it. Use this call to handle update events when creating your own window. `theEvent` is a pointer to the Mac OS event record.

ii

```
const ii = compl(0,1);
```

The imaginary unit.

Im

```
function Im(z:complex):real;
```

Returns the imaginary part of the complex number `z`. To get the real part, call function `Re`.

inf

```
const inf = 1/0;
```

An infinitely large number. Use `-inf` for an infinitely large negative number.

Input

```
procedure Input(s1:string; var v1; s2:string; var v2; ...);
```

Brings up a dialog box where you can enter new values for `v1`, `v2`... `Input` can set up to 6 variables of type real or string. Each variable can be preceded by a string defining a title to be shown for the variable.


If you omit this string, the variable's name is used. The title of the dialog box can be set using the `SetBoxTitle`. Example:

```

program test;
  var
    a:real;
    i:integer;
begin
  a := 0.5; i := 10;
  SetBoxTitle('starting parameters');
  Input('value of a',a,'value of i',i);
end;

```

This program first assigns default values to the variables `a` and `i`. Then it asks the user to change these variables if she wants to. The program displays the following dialog box:



The title was set using the routine `SetBoxTitle`. The user can enter new values for the variables. If she clicks 'OK', the program continues, if she clicks 'Stop', the program is interrupted immediately.

`Input` checks if the title for a parameter starts with '\$' followed by one or more special characters. Use this option if the corresponding variable is to be entered by means of a pop-up menu or a check box. If the title starts with:

- '\$W...': a pop-up menu with a list of all data windows is used. Initialize the variable for the window to 0 or the reference ID of a data window before passing it to `Input`. On return, it contains the reference ID of the selected window.
- '\$C...': a pop-up menu with a list of a columns in a data window is used. If there is a popup menu with data windows in the same dialog box, then the columns of the selected data window are shown, otherwise the columns of the current data window are shown.
- '\$Pxxxx\$...': a pop-up menu with user defined items is used. The items are defined by string `xxxx` (terminated by '\$'). `xxxx` recognizes the metachars defined for the Mac OS routine `AppendMenu`, e.g. use semicolons to separate the items in `xxxx`.
- '\$X...': a check box is used. It is unchecked if the variable is 0, checked otherwise. The returned value will be 0 (unchecked) or 1 (checked).


Example:

```

Input('$Wwindow',w,'$Cdata column', col, '$Pyes;no;-;maybe$do it?', fuzzy);

```

brings up the following dialog box:



Limitations:

You can only specify one data window pop-up.

If you have a data window pop-up as well as one or more column pop-up menus, the data window pop-up must appear *before* the column pop-up.

InputBox

```
function InputBox(nrArgs:integer; var r:InputRec):boolean;
```

External Modules Only. Replaces the routine `Input`. The parameter `nrArgs` gives the number of elements of the record `r`. The record `r` has the type `inputRec`:

```
type
ExtendedPtr = ^extended;
InputRec=
    packed array[1..maxNrInputValues] of record
        x: ExtendedPtr;
        s: ^Str255;
    end;
```

strings and values are set according to the explanations given for the routine `Input`. In addition to the '\$..' meta-commands recognized by `Input`, `InputBox` also understands the meta command '\$S...' which specifies that the parameter is a string pointer.

The following is an abbreviated example showing how to call `InputBox` in Pascal:

```

var
    d1: extended;
    s1, s2: Str255;
    r: InputRec;
    Str255: s;
begin
    d1 := 1.1;           { default values }
    s := 'default text';
    s1 := 'data1';     { and names }
    s2 := '$Sdata2';
    r[1].x := @d1;     { set entries of r }
    r[2].x := ExtendedPtr(@s);
    r[1].s := @s1;
    r[2].s := @s2;
    if InputBox(2, r) then ...

```

(If you are programming in C: @ is Pascal's address operator (corresponding to & in C). For C, the indices of the InputRec range from 0 to 5.)

InsertString

```
procedure InsertString(src:string; dest:string; idx:integer);
```

Modifies the string `dest` by inserting the string `src` at the position defined by `idx`. The index `idx` is automatically limited to valid values. If the resulting string `dest` becomes too large, a runtime error occurs. `idx` can take values between 1 (start of string) and `Length(dest)`.

Examples:

```

s = 'there'; InsertString('hi ', s, 1)
  returns s as 'hi there'
s = 'this good'; InsertString(' is', s, 5)
  returns s as 'this is good'
s = 'cogito ergo'; InsertString(' sum', s, 255)
  returns s as 'cogito ergo sum'

```

Integral

```
function Integral(name:string; min,max:real; iterations:integer):real;
```

Obsolete. Use `Integrate` instead.

Returns the integral of a function. `name` is the name of the function as it appears in the Func menu. This parameter is case-sensitive. Use an empty string ('') to specify the function currently selected in the Func menu. `min` and `max` are the lower and upper limits of the integral. `iterations` is the number of iterations for calculating the integral (must be in the range 5..15). A small number of iterations makes execution faster but decreases accuracy – a large value slows down execution but yields a more accurate result.

Integrate

```
procedure Integrate(optional parameter list);
```

Calculates the integral of a function over a given x-range. Parameters:

function	(string) The function to be used. Omit for current function.
xMin	(real) The start of the x-range.
xMax	(real) The end of the x-range.

- iterations** (integer) The number of iterations (5 .. 15) . The more iterations you use, the more accurate the result becomes.
- printResults** (boolean) Set to true for printing the results to the Results window. Omit “printResults” or set it to false for suppressing this.

To retrieve the results, use the function `GetResult(selector)` with one of the following selectors:

- `integralValue`: the integral
- `integralAccuracy`: the correction in the last iteration

The following piece of code calculates the integral of the current function between -1 and 1, then prints it:

```
Integrate(xMin -1, xMax 1, iterations 10);
Writeln(GetResult(integralValue));
```

See also: `TabulateIntegral`

Invalid

```
function Invalid(val:real):boolean;
```

Returns true if `val` is an invalid number (a NAN: Not A Number). Use this function to test the results of `Root`, `Maximum` and `Minimum`, or of other functions that can return a NAN in some cases.

InverseFFT

```
procedure InverseFFT(optional parameter list);
```

Performs an inverse Fourier transform on a data window. Input are two columns of of real/imaginary or amplitude/phase in the frequency domain. Output is a column of real values in the time domain.

Parameters:

- window** (string or integer) Data window, specified by name or window ID.
- inputCol1** (integer) Input column for real part or amplitude in the frequency domain.
- inputCol2** (integer) Input column for imaginary part or phase in the frequency domain.
- outputCol** (integer) Output column
- outTimeCol** (integer) Output column to hold the time values (Seconds) of the data in `outputCol`. Calculated from parameter “frequencyInterval”. Omit if no time column is to be calculated.
- frequencyInterval** (real) The frequency interval (in Hertz) between consecutive data points in the input columns. Used for calculating the time column. Omit if no time column is to be calculated.
- realImaginary** (boolean) True if the input columns hold the real and imaginary values in the time domain, false if they hold their amplitude and phase.
- printResults** (boolean) True if statistical information on the processed data is to be printed in the Results window.

See also: `FFT`.

invalidNum

```
const invalidNum = "not a number";
```

An invalid number, a NAN.

KeyPressed

```
function KeyPressed(key:integer):boolean;
```

Returns true if the given key of the keyboard is currently held down. *key* can be `optionKey`, `commandKey`, `shiftKey`, `controlKey`.

Length

```
function Ord(s:string):integer;
```

Returns the length of the given string *s*.

Line

```
procedure Line(dx,dy:real);
```

Draws a line from the current pen position *x*, *y* to the position *x+dx*, *y+dy*. Offsets the current pen position by *dx*, *dy*.

LineTo

```
procedure LineTo(x,y:real);
```

`LineTo` draws a line from the current pen position to *x*, *y*. Sets the current pen position to *x*, *y*.

Ln

```
function Ln(x:real):real;
```

Returns the natural logarithm (base *e*) of *x*. Causes a run-time error for $x < 0$. Returns `-INF` for $x=0$.

LoadParameterSet

```
procedure LoadParameterSet(optional parameter list);
```

Loads a given parameter set previously saved with `SaveParameterSet`. The loaded parameters appear in the Parameter window. Parameters:

- | | |
|-------------------|---------------------------------------------------------------------------------------------------------------|
| name | (string) The name of the set. |
| ofFunction | (string) The function the parameter set belongs to. Omit if the parameter set was available to all functions. |
| file | (string) The file from where the parameter set must be loaded. Omit to load from permanent sets. |

See also: `AddParameterSet`, `UseParameterSet`, `SaveParameterSet`, `DeleteParameterSet`

Log

```
function Log(x:real):real;
```

Returns the base 10 logarithm of *x*. Causes a run-time error for $x < 0$. Returns `-INF` for $x=0$.

LowerString

```
procedure LowerString(var s:string);
```

Converts all characters of *s* to lower case. See also `UpperString`

MakeNewAxis

```
procedure MakeNewAxis(whichAxis:integer; min,max:real;  
                      scaling:integer; position:real);
```

Creates a new *x* (*whichAxis* = `xAxis`) or *y* (*whichAxis* = `yAxis`) axis in the current graph. The newly created axis becomes the current axis. Use `GetCurrentAxis` to find the ID of the newly created axis.

position gives the coordinate of the new axis in the coordinate system of the main axes *X1*, *Y1*. *scaling* can take the values 0 (linear scaling), 1 (logarithmic scaling), 2 (1/*x*-scaling), 3 (probability scaling).

MakeTicks

```
procedure MakeTicks(whichAxis:integer; firstMaj,distance:real;
                   nrMinTicks:integer);
```

Creates a new set of ticks for the given axis.

`whichAxis` is `xAxis` or `yAxis`. `firstMaj` and `distance` give the position of the first major tick and the distance between major ticks. `nrMinTicks` defines the number of minors ticks between consecutive major ticks.

MarkedX

```
function MarkedX(i:integer):real;
```

MarkedY

```
function MarkedY(i:integer):real;
```

Return the x-coordinate and y-coordinate of the preview window marker with index `i`. Pass `i=0` for the reference marker. Returns a `NAN` if no marker with index `i` exists.

Matr2

```
function Matr2(m11,m12,m21,m22:complex):matrix[2];
```

A “construction function” for the `matrix[2]` type. It takes 4 complex (or real) parameters, assigns them to the elements of a matrix according to their order, and returns the matrix.

Matr3

```
function Matr3(m11,m12,m13, ... ,m31,m32,m33:complex):matrix[3];
```

A “construction function” for the `matrix[3]` type. It takes 9 complex (or real) parameters, assigns them to the elements of a matrix according to their order, and returns the matrix..

Matr4

```
function Matr4(m11,m12,m13, ... ,m42,m43,m44:complex):matrix[4];
```

A “construction function” for the `matrix[4]` type. It takes 16 complex (or real) parameters, assigns them to the elements of a matrix according to their order, and returns the matrix..

Maximize

```
function Maximize(theFunction:string; precision:real; varyX:boolean;
                 var x,y:real):boolean;
```

Obsolete. Use `Optimize` instead.

Finds the parameter set that that gives a maximum value for the given function.

`theFunction` is the name of the function as it appears in the `Func` menu. This parameter is case-sensitive. Use an empty string (`' '`) to specify the currently selected function. `precision` defines the accuracy of the calculation – `Maximize` will run repeated iterations until the function value changes by less than `precision` in consecutive iterations. If `varyX` is true, `Maximize` varies the active parameters as well as the x-value of the function, if false, only the active parameters are varied and the x-value is not changed.

The variables `x` and `y` return the x- and y-values where the maximum is found.

The algorithm used is the Simplex method.

Maximum

```
function Maximum(name:string; min,max:real):real;
```

Obsolete. Use `Extrema` instead.

Returns the maximum of a function, *i.e.* the x-value where the function's value is largest. `name` is the name of the function as it appears in the `Func` menu. This parameter is case-sensitive. Use an empty string (`' '`)

to specify the currently selected function. `min` and `max` are the boundaries of the interval where the maximum must be found.

`Maximum` starts looking for a maximum only if the slope of the function is positive at `x=min` and negative at `x=max`.

If no maximum is found, the function returns `NAN` (Not A Number). Use the function `Invalid` to test if the result is an `NAN`.

Minimize

```
function Minimize(theFunction:string; precision:real; varyX:boolean;
                 var x,y:real):boolean;
```

Obsolete. Use `Optimize` instead.

Finds the parameter set that gives a minimum value for the given function.

`theFunction` is the name of the function as it appears in the `Func` menu. This parameter is case-sensitive. Use an empty string (`' '`) to specify the currently selected function in the `Func` menu. `precision` defines accuracy of the calculation – `Minimize` will run repeated iterations until the function's value changes by less than `precision` in consecutive iterations. If `varyX` is true, `Minimize` varies the active parameters as well as the x-value of the function, if false, only the active parameters are varied and the x-value is not changed.

The variables `x` and `y` return the x- and y-values where the maximum is found.

The algorithm used is the Simplex method.

Minimum

```
function Minimum(name:string; min,max:real):real;
```

Obsolete. Use `Extrema` instead.

Returns the minimum of a function, that is the x-value where the function value is the smallest. `name` is the name of the function as it appears in the `Func` menu. This parameter is case-sensitive. Use an empty string (`' '`) to specify the currently selected function. `i` is the parameter index. `min` and `max` are the boundaries of the interval where the minimum must be found.

This function starts looking for a minimum only if the slope of the function is negative at `x=min` and positive at `x=max`.

If no minimum is found the function returns `NAN` (Not A Number). Use the function `Invalid` to test if the result is an `NAN`.

Mod

```
operator i1 Mod i2
```

This operator calculates the integer modulo of `i1` and `i2`. Note that the arguments are rounded to (long) integers first.

Move

```
procedure Move(dx,dy:real);
```

Offsets the current pen position from its current position by `dx`, `dy`.

MoveTo

```
procedure MoveTo(x,y:real);
```

Moves the current pen position to `x,y` without drawing anything.

NewDataWindow

```
procedure NewDataWindow(optional parameter list);
```

Opens a new data window. Parameters:

nrRows	(integer) The number of rows. Omit for default (200)
nrCols	(integer) The number of columns. Omit for default (10)

name	(string) The name of the new window. Omit for using a default name.
boundsLeft, boundsTop, boundsBottom, boundsRight	(integer) The bounds of the window in global screen coordinates, omit for default position and size.
info	(string) The info text attributed to the window. Omit for leaving it empty.
fontName	(string) The font to be used for the new window.
fontSize	(integer) The font size to be used for the new window.

NewDrawingWindow

`procedure NewDrawingWindow(optional parameter list);`

Opens a new drawing window. Parameters:

name	(string) The name of the new window. Omit for using a default name.
boundsLeft, boundsTop, boundsBottom, boundsRight	(integer) The bounds of the window in global screen coordinates, omit for default position and size.
info	(string) The info text attributed to the window. Omit for leaving it empty.
fontName	(string) The font to be used for the new window.
fontStyle	(integer) The font style to be used for the new window (bold, italic, ...)
fontSize	(integer) The font size to be used for the new window.

NewFunctionWindow

`procedure NewFunctionWindow(optional parameter list);`

Opens a new text window. Parameters:

name	(string) The name of the new window. Omit for using a default name.
boundsLeft, boundsTop, boundsBottom, boundsRight	(integer) The bounds of the window in global screen coordinates, omit for default position and size.
info	(string) The info text attributed to the window. Omit for leaving it empty.
fontName	(string) The font to be used for the new window.
fontStyle	(integer) The font style to be used for the new window (bold, italic, ...)
fontSize	(integer) The font size to be used for the new window.

NewShape

`procedure NewShape(optional parameter list);`

Creates a new shape in the current drawing window. Parameters:

name	(string) The name of the shape.
shapeClass	(integer) The type of the shape. The following are the possible values: textShape, rectangleShape, ovalShape, lineShape, polygonShape, pictureShape, graphShape, legendShape, groupShape, pointShape, subscriberShape, publisherShape,

	buttonShape, checkboxShape, radiobuttonShape, textControlShape
xPosition, yPosition	(real) The shape's x- and y-positions as they appear in the "Coords" window.
xSize, ySize	(real) The shape's size in x- and y-direction as it appears in the "Coords" window.
text	(string) The shape's title or text content (for control shapes and text shapes only).
value	(real) The shape's value (for control shapes only). For text edit fields, this is the numeric equivalent of the edit field or nan255 (invalid) if the edit field does not contain a number.
active	(boolean) True if a control shape is active, false if is disabled (for control shapes only).
rotAngle	(real) The rotation angle of a drawing shape in radians.
arcStart	(real) Applies only to the Oval-shape. The angle in radians at which the arc starts.
arcLength	(real) Applies only to the Oval-shape. The length of the arc in radians.
from	(string) Specifies the name of a shape that should be used as a "template" for creating this shape. The template shape specifies the defaults for the parameters of the new shape. Use this parameter for duplicating a shape. For example, command "NewShape(from ", name 'newone');" duplicates the selected shape and gives it the name 'newone'. "NewShape(from 'newone',xPosition 100)" duplicates the shape "newone" and puts the newly created shape at x coordinate 100.

See also: DeleteShape, SetShapeProperties, GetShapeProperty

NewWindow

```
procedure NewWindow(windowType:integer);
```

Obsolete. Use NewDataWindow, NewDrawingWindow or NewFunctionWindow instead.

Creates a new window of the given type. `windowType` is `drawingType` (for drawing windows), `dataType` (for data window) or `textType` (for function windows). The new window becomes the "current window" of its type.

This procedure cannot be called while a function is running.

NextWindow

```
function NextWindow(windowID:integer):integer;
```

Returns the window (i.e. the window ID) of the window behind the window having the given `windowID`. If `windowID` is 0, it returns the frontmost window. Returns 0 if no window behind the given window.

The following example tiles all data, text and drawing windows. It first cycles through the windows to count them. Then it moves them.

```

program TileWindows;
const hTile = 5;           {horizontal tiling offset}
      vTile = 18;          {vertical tiling offset}
var windID:integer;
    nrWindows:integer;
    left, top:integer;
begin
  nrWindows := 0;
  windID := FrontWindow;
  while windID <> 0 do      {count the windows}
  begin
    if windID > 0 then     {if a data, drawing}
      nrWindows := nrWindows+1;    {or text}
      windID := NextWindow(windID);
    end;
    left := nrWindows*hTile;
    top := nrWindows*vTile;
    windID := FrontWindow;
    while windID <> 0do    {place the windows}
    begin
      if windID > 0 then   {if a data, drawing}
      begin
        PlaceWindow(windID, 3+left, 30+top, 0, 0);
        top := top-vTile; left := left-hTile;
      end;
      windID := NextWindow(windID);
    end;
  end;
end;

```

NrCols

```
function NrCols:integer;
```

Returns the number of columns (numeric and text columns) of the current data window. Causes a run-time error if no data window is open.

NrRows

```
function NrRows:integer;
```

Returns the number of rows of the current data window. Causes a run-time error if no data window is open.

NumberInvalid

```
function NumberInvalid(val:extended):boolean;
```

External modules name. See Invalid.

NumberToStr255

```
procedure NumberToStr255(x:extended; var s:Str255;
  format,digits:integer);
```

External modules only. Converts the number x into a string. *format/digits* control the conversion process:

```
  format = 0:           normal conversion
```

format = 1:	if <code>digits>0</code> : the number of digits after the '.', if <code>digits<0</code> : the total number of digits (approx.) optimized conversion, removes unnecessary trailing zeros after the decimal point, unnecessary '+' signs, decimal points, etc.
digits:	the number of digits

NumberToString

```
procedure NumberToString(x:real; var s:string; minimize:boolean;
    digits:integer);
```

Converts `x` to a string and returns it in `s`. If `digits` is positive or 0, it specifies the number of digits after the decimal point, otherwise the total number of digits of the resulting string. If `minimize` is true, trailing zeroes and any trailing decimal point are/is removed.

NumFitParams

```
function NumFitParams:integer;
```

Returns the number of parameters of the last fitted function. This is the total number of parameters, including constant and inactive parameters.

Returns 0 if the last fit was not successful. Use this function to check the validity of the last fit before using such functions as `CovarMatrix` or `ParamSD`.

NumToDateTimeStr

```
function NumToDateTimeStr(n:real; sh:integer; df:integer;
    secs:boolean; fstr:string):string;
```

Converts the date & time number `n` (seconds since 1.1.1904) into a string.

`sh` can take the values 1 to generate the date part only, 2 to generate the time part only, and 3 to generate both, date and time.

`df` defines the formatting of the date string and can take the following values: `shortDate` ('1/31/92'), `abbrevDate` ('Fri, Jan 31, 1992'), `longDate` ('Friday, January 31, 1992').

Set `secs` to true if seconds should be displayed as well.

`pro Fit` uses system routines to for this conversion. You may select the country specific formatting either through the system control panels or in the `pro Fit` preferences.

If `fstr` is not an empty string (''), which implies the default behaviour, it is used as a custom formatting string with various output options:

- '%A': day of week name, long
- '%B': month name, long
- '%M': month
- '%U': week of year
- '%a': day of week name, short
- '%b': month name, short
- '%d': day
- '%h': hour
- '%j': day of year
- '%m': minute
- '%s': second
- '%w': day of week
- '%y': year

NumToRelTimeStr

```
function NumToRelTimeStr(n:real; dec:integer; form:integer):string;
```

Converts the relative time *n* (seconds) into a string.

dec is the number of digits of the seconds.

form lets you select the units to be displayed, 0 is standard; add 1 for seconds, 2 for minutes, 4 for hours, 8 for days, 16 for weeks, 32 for months, 64 for years and 128 for centuries.

An example of a relative time string may look like: '4c 24y 9M 2w 5d 23h 52m 44s'
with 'c' for centuries, 'y' for years, 'M' for months, 'w' for weeks, 'd' for days, 'h' for hours, 'm' for minutes, 's' for seconds.

Use the pro Fit preferences to adjust the number of days per year and month for this conversion.

Odd

```
function Odd(i:integer):boolean;
```

Returns true if *i* is an odd number. Note that the argument is rounded to an (long) integer.

OpenCurve

```
procedure OpenCurve(curveName:string);
```

Opens a new curve in the current graph. After having called `OpenCurve`, calls to `MoveTo`, `LineTo`, `Move`, `Line` will add segments to the curve. *curveName* is the name of the curve in the legend. Call `CloseCurve` when you have completed the curve.

`DrawDataPoint` is not affected by this procedure. It will continue drawing point shapes. Don't use `AddDataPoint` between `OpenCurve` and `CloseCurve`.

Note that the parameters to be passed to `MoveTo`, `LineTo`, `Move`, `Line` are in the coordinates of the current x- and y-axes. (Use `SetCurrentAxis` to set these axes before calling `OpenCurve`.)

`OpenCurve` causes a run-time error if no current graph is available.

OpenData

```
procedure OpenData(fileName:string);
```

Opens the given file as a data file. The file must either be a pro Fit data file or a text file with valid data. The new window becomes the "current data window".

If *fileName* contains a simple file name, the file is loaded from pro Fit's folder. If *fileName* contains a file path, the file is loaded from the folder defined in the file path. Set *fileName* to '?' to bring up a dialog box prompting the user for the name. A run-time error occurs if the file cannot be opened.

This procedure cannot be called while a function is running.

If you want to open a text file with custom format, use `SetTextFileFormat` to set the format.

OpenDataSet

```
procedure OpenDataSet(errors:integer; connected:boolean; name:string);
```

Opens a new data set in the current graph. Once you have called `OpenDataSet`, call `AddDataPoint` or `DrawDataPoint` to add data points. Once you have added all data points, call `CloseDataSet`.

Parameters:

<code>errors</code>	This parameter is 0 (if the data points should not have error bars) or a sum of the constants <code>eBarX</code> (symmetric error bars in X), <code>eBarY</code> (symmetric error bars in y), <code>asymEBarX</code> (asymmetric error bars in X), <code>asymEBarY</code> (asymmetric error bars in Y)
<code>connected</code>	Set this to true if the data points should be connected.
<code>name</code>	The name associated with the curve. It appears in the legend of the graph

By passing the appropriate value in *errors*, you tell pro Fit if it should allocate space for holding error values or not. If you want to use error bars, you have to call the routine `AddDataPoint` to add data points

and their error bar lengths in the currently open data set. If you are not interested in error bars, simply call `DrawDataPoint`. `AddDataPoint` ignores its `xErr` parameter if `errors` is `noErrorBars` or `errorBarsY`. It ignores the `yErr` parameter if `errors` is `noErrorBars` or `errorBarsX`. `OpenDataSet` causes a run-time error if no current graph is available.
Example: The following program draws a graph with all types of data points.

```

program test;
  var i,j;
begin
  CreateNewGraph(0,18,0,3,0,0);
  for i := 1 to 17 do
    begin
      SetDataPointStyle(i,9,0.5);
      OpenDataSet(0,false,'name');
      DrawDataPoint(i,1);
      DrawDataPoint(i,2);
      CloseDataSet;
    end;
  end;
end;

```

OpenFile

`procedure OpenFile(optional parameter list);`

Opens a file. Parameters:

- | | |
|-------------|----------------------------------------------------------------------------------------------------------------------------|
| file | (string) The file to open. Use a simple name or a file path. |
| type | (integer) The type of the window to be opened (<code>textType</code> , <code>dataType</code>).
Omit for default type. |

Use `FrontWindow` if you need the window ID of the new window.

To import data from text files, call `DataImportOptions` before calling `OpenFile`.

See also `GetFileDirectory`, `SetDefaultDirectory`, `SaveWindow`.

There is also an obsolete definition of `OpenFile`, supported for compatibility with earlier versions of pro Fit:

```

procedure OpenFile(fileName:string);

```

Opens a data, drawing or function file in a new window. The new opened window becomes the “current window”. If the given file is a text file, the user will be asked if the file should be loaded into a data or a function window. To automatically load a text file into a data window, use `OpenData`, to automatically open a text file into a function window, use `OpenText`.

If `fileName` contains a simple file name, the file is loaded from the pro Fit folder. If `fileName` contains a file path, the file is loaded from the folder defined in the file path. If you pass '?' for `fileName`, the user will be asked to locate the file.

If the specified file is a pro Fit module or a compiled AppleScript, it is added to the Prog or Func menu.

Causes a run-time error if the file could not be opened

This procedure cannot be called while a function is running.

OpenPoly

```
procedure OpenPoly(smoothing:integer; closed:boolean);
```

Starts the creation of a polygon. After having called `OpenPoly`, use multiple calls to `Line` or `LineTo` to draw it, then call `ClosePoly` when you are through. Set `closed` to `true` if the polygon should be closed at the end.

`smoothing = 0` of no smoothing, `smoothing = 1` for normal smoothing, `smoothing = 2` for Bézier smoothing with the curve going through the polygon definition points.

OpenText

```
procedure OpenText(fileName:string);
```

Opens the given file as a function file. The file must either be a pro Fit function file or a text file. The new window becomes the “current text window”.

If `fileName` contains a simple file name, the file is loaded from the pro Fit folder. If `fileName` contains a file path, the file is loaded from the folder defined in the file path. If you pass '?' for `fileName`, the user will be asked to locate the file.

This procedure cannot be called while a function is running.

Optimize

```
procedure Optimize(optional parameter list);
```

Finds a maximum or minimum of a function by varying its x-value and/or its parameters. Parameters:

function	(string) The function to be used. Omit for current function.
getMinimum	(boolean) true if you want to find the function's minimum, false for its maximum.
varyParams	(boolean) true if you want to vary the function's parameters to find the minimum/maximum. Only the active parameters of the function are varied.
varyX	(boolean) true if you want to vary the function's x-value to find the minimum/maximum.
xValue	(real) If “varyX” is false, this parameter gives the value of the function's x-value. If “varyX” is true, it gives the starting value for x.
precision	(real) The desired precision. Pass 0 for best precision, 1e-7 for medium precision, 1e-2 for low precision.
fullDescription	(boolean) true if a complete protocol is to be printed in the results window, false if only the resulting parameters, x- and y-values are to be printed.
printResults	(boolean) Set to true for printing the results to the Results window. Default: false.

To retrieve the results of a call to procedure `Optimize`, call the function `GetResult(selector...)`. Use one of the following selectors:

optimizedX	the optimized x-value
optimizedY	the optimized x-value
fittedParameter	the optimized parameters. Pass parameter index (1 based) as second argument to <code>GetResult</code>

The following example finds the minimum of the current function by varying its x-value and its active parameters, then prints the optimized value of the second parameter:

```
Optimize(xValue 0, precision 0, getMinimum true, varyParams true,
        varyX true);
Writeln(GetResult(fittedParameter, 2));
```

Ord

```
function Ord(ch:char):integer;
Returns the (real) ASCII code of character ch.
```

Outer

```
function Outer(v1,v2:vector):matrix;
Returns the the matrix containing the outer product of its two vector parameters (of the same length n).
Returns a nxn matrix for two vectors of length n.
```

PageSetup

```
procedure PageSetup(optional parameter list);
Shows the Page Setup dialog box for a given window. Parameters:
window (integer or string) The name or window ID of the window.
Default: Front window
```

See also: Print

ParamSD

```
function ParamSD(i:integer):real;
Returns the standard deviation calculated for parameter i in the last Levenberg-Marquardt fit.
Returns an invalid number (NaN) if the index i corresponds to a parameter that was not active during the
last fit. You can test if the return value is a NaN using the function Invalid.
Causes a run-time error if the last fit was not successful or if i is out of range. Use NumFitParams to
check if the last fit was successful.
```

Paste

```
procedure Paste;
Equivalent to selecting "Paste" from the "Edit" menu.
```

Phase

```
function Phase(z:complex):real;
Returns the argument of the complex number z, i.e. the angle between the vector pointing to the complex
point and the positive real axis. The function Abs gives the amplitude of the number.
```

$$\text{abs}(c) * \exp(ii * \text{phase}(c)) = c$$

pi, π

```
const pi = 3.1415926535897932;
       $\pi$  = 3.1415926535897932;
```

Approximation of the ratio between the circumference and the diameter of a circle:

$\pi = 3.1415926535897932384626433832795028841971\dots$

First approximations for this peculiar number were already known by 2000 B.C. the Babylonians found $\pi = 3 + 1/8$, the Egyptians $\pi = 4(8/9)^2$. In the 5th century A.D. in China, Tsu Chung-Chih and Tsu Kengh-Chih established $3.1415926 < \pi < 3.1415927$.

PlaceWindow

```
procedure PlaceWindow(windowID:integer;  
    left,top,right,bottom:integer);
```

Moves the given window to a new place on screen. `left`, `top`, `right` and `bottom` give the position of the margins of the new window in “global coordinates” (which have their origin at the top left of the main screen). `PlaceWindow` does nothing if the new window position would be off screen. If `right` \leq `left`, the width of the window remains unchanged, if `bottom` \leq `top`, the height of the window remains unchanged.

`windowID` is the window ID of the window, such as it is returned by `GetWindowID` or `FrontWindow`. Use `windowID=0` for the front window.

PlaceWindow

```
procedure PlaceWindow(windowID:longint; windowRect:Rect);
```


External modules only. Same as the internal function but accepts a `Rect` data structure as a parameter.

PlotData

```
procedure PlotData(optional parameter list);
```

Plots a data set into a graph. Parameters:

xColumn, yColumn	(integer) The x- and y-columns.
window	(integer or string) The window to take the data from. You can either pass a window ID or the window’s name.
autoX, autoY	(boolean) True if the limits of the x-axis (y-axis) of the graph are to be selected automatically to contain all data points, false if explicit limits are given in parameters <code>xFirst</code> , <code>xLast</code> (<code>yFirst</code> , <code>yLast</code>). Default is false.
xFirst, xLast	(real) The start and end of the x-axis. Specify these values if you set <code>autoX</code> to false.
yFirst, yLast	(real) The start and end of the y-axis. Specify these values if you set <code>autoY</code> to false.
xScaling, yScaling	(integer) The scaling of the x- and y-axes. Values can be <code>linScaling</code> , <code>logScaling</code> , <code>recScaling</code> (for 1/x-scaling), <code>probScaling</code> (probability scaling). Omit this parameter(s) to use the current default scaling.
xAxis, yAxis	(integer) The axis to be used as x- and y-axis. Omit these parameters to use the default axes.
newWindow	(boolean) True if graph is to appear in a new window, false if it is to appear in the current drawing window.
newGraph	(boolean) True if plot is to appear in a new graph, false if it is to appear in the current graph.
selRowsOnly	(boolean) True if only the currently selected rows are to be plotted, false if all rows are to be plotted.
drawErrors	(boolean) True if error bars are to be plotted, false otherwise.
pointType	(integer) Index of point type in the point style menu.
pointSize	(real) Size of point, between 2 and 128.
pointThickness	(real) Thickness of lines for drawing points: 0 (auto), 0.25, 0.5, 1.0.
bgPointType	(integer) The same as <code>pointType</code> but for the background part of the point.
bgPointSize	(real) The same as <code>pointType</code> but for the background part of the point.
connected	(boolean) True if the data points are to be connected by lines, false otherwise. Default: false.

curveThickness	(real) Thickness of the lines connecting the data points. Omit for using default thickness.
dashPattern:	(string) Defines the length of the individual dashes, separated by commas. For example: '10,1,3,3'
curveDash	(integer) Line dash number (corresponding to the dash menu) if points are connected. Pass the position of the dash pattern in the dash popup menu. The values between 1 and 8 always correspond to: 
curveRed, curveGreen, curveBlue	(integer) The colour of the lines connecting data points. Pass values between 0 (dark) and 65535 (bright) . Omit to use the default color.
title	(string) The title to be added to a graph if you create a new graph.
xLabel, yLabel	(string) The name labels to be used for the x- and y-axes if you create a new graph.
legendText	(string) The text to be used in the legend. If this text starts with the string '\$hide\$', the curve will not appear in the legend.
style	(string) The name of the style to be used.
graphName, legendName, groupName	(string) The names to be given to the graph, legend and group shapes.
plotType	(integer) The type of the plot. Use the constants scatterPlot, verticalBarChart, horizontalBarChart, verticalSkyline, horizontalSkyline. Default: scatterPlot.
fillRed, fillGreen, fillBlue	(integer) The fill color. Pass values between 0 (dark) and 65535 (bright) . Omit to use the default color.
fillAxisX, fillAxisY	The axis to be used for filling. Omit or set to 0 to suppress filling.

PlotFunction

procedure PlotFunction(*optional parameter list*);

Plots a function into a graph. Parameters:

function	(string) The name of the function to plot. Default: current function.
xFirst, xLast	(real) The start and end of the x-axis.
yFirst, yLast	(real) The start and end of the y-axis. Specify these values if you set autoY to false.
autoY	(boolean) True if the limits of the y-axis of the graph are to be selected automatically to contain the whole plot, false if explicit limits are given in parameters yFirst, yLast. Default is false.
from, to	(real) The x-coordinates where the plot begins/ends. Default: equal to xFirst, xLast.
xScaling, yScaling	(integer) The scaling of the x- and y-axes. Values can be linScaling, logScaling, recScaling (for 1/x-scaling) , probScaling (probability scaling) . Omit this parameter(s) to use the current default scaling.
xAxis, yAxis	(integer) The axis to be used as x- and y-axis. Omit these parameters to use the default axes.

newWindow	(boolean) True if graph is to appear in a new window, false if it is to appear in the current drawing window.
newGraph	(boolean) True if plot is to appear in a new graph, false if it is to appear in the current graph.
xStep	(real) Step width for plotting. Set to 0 for using automatic step width selection.
fittedParams	(boolean) True if last fitted parameters are to be used for the function, false if the parameters in the Parameter window are to be used.
curveThickness	(real) Thickness of the curve. Omit for using default thickness.
dashPattern:	(string) Defines the length of the individual dashes, separated by commas. For example: '10,1,3,3'
curveDash	(integer) Line dash number (corresponding to the dash menu) of the curve. Pass the position of the dash pattern in the dash popup menu. The values between 1 and 8 always correspond to: <div style="text-align: center;"> </div>
curveRed, curveGreen , curveBlue	(integer) The colour of the curve. Pass values between 0 (dark) and 65535 (bright) . Omit to use the default color.
title	(string) The title to be added to a graph if you create a new graph.
xLabel, yLabel	(string) The name labels to be used for the x- and y-axes if you create a new graph.
legendText	(string) The text to be used in the legend.
style	(string) The name of the style to be used.
graphName, legendName, groupName	(string) The names to be given to the graph, legend and group shapes.

Pos

```
function Pos(pattern, s:string):integer;
```

Returns the position of the given pattern in string s. Returns 0 if the pattern is not found in string s.

Example:

```
Pos('hi', 'hi there')      returns 1
Pos('there', 'hi there')  returns 4
Pos('glue', 'hi there')   returns 0
```

PRandom

```
function PRandom:extended;
```

External modules name. See Random.

Print

```
procedure Print(optional parameter list);
```

Shows the Print dialog box for a given window. Parameters:

window	(integer or string) The name or window ID of the window. Default: Front window
---------------	--------------------------------------------------------------------------------

Random

```
function Random:real;
```

Returns a random number evenly distributed between 0 and 1.

Re

```
function Re(z:complex):real;
```

Returns the real part of the complex number *z*. To get the imaginary part, call function *Im*.

ReduceData

```
procedure ReduceData(optional parameter list);
```

Reduces and/or smoothes the data in data window Parameters:

window	(string or integer) The window, specified by name or window ID. Omit for front window.
action	(integer) <i>keepSome</i> (= keep every <i>n</i> -th row) , <i>removeSome</i> (= remove every <i>n</i> -th row) , <i>average</i> (= replace <i>n</i> consecutive rows by one single row holding their average) , <i>smooth</i> (= replace each row by the average of the row and its <i>n</i> -1 neighbouring rows) , <i>keepSelRows</i> (= remove all rows except the ones that are selected) , <i>removeSelRows</i> (= remove all rows that are presently selected) . <i>n</i> is given by the parameter “points”
points	(integer) additional parameter if action is <i>keepSome</i> , <i>removeSome</i> , <i>average</i> or <i>smooth</i> .
selectionOnly	(boolean) True if only the currently selected cells are to be affected, false if all cells in the data window are to be affected. (Ignored if parameter “action” is <i>removeSelRows</i> OR <i>keepSelRows</i>)

RelTimeStrToNum

```
function RelTimeStrToNum(s:string):real;
```

Converts the relative time string *s* into a number of seconds.

An example of a relative time string may look like: '4c 24y 9M 2w 5d 23h 52m 44s' with 'c' for centuries, 'y' for years, 'M' for months, 'w' for weeks, 'd' for days, 'h' for hours, 'm' for minutes, 's' for seconds.

Use the pro Fit preferences to adjust the number of days per year and month for this conversion.

Roots

```
procedure Roots(optional parameter list);
```

Finds the root(s) of a function or finds the *x*-value of a function where its *y*-value is equal to a given value. A given *x*-interval is searched. Parameters:

function	(string) The function to be used. Omit for current function.
xMin	(real) The start of the <i>x</i> -interval.
xMax	(real) The end of the <i>x</i> -interval.
subintervals	(integer) The number of sub-intervals to be searched in the <i>x</i> -interval. When the function's sign changes over a sub-interval, the sub-interval is searched for a root.
yValue	(real) The desired <i>y</i> -value. Omit or set to 0 if finding the <i>x</i> -value where the function becomes zero (roots) .

printResults (boolean) Set to true for printing the results to the Results window. Omit “printResults” or set it to false for suppressing this.

To retrieve the results of a call to procedure `Roots`, call the function `GetResult`. Use one of the following selectors:

rootsCount the number of roots found (≤ 100)

rootsXValue x-value of each root*

rootsYValue y-value of each root*

*pass an index (1..rootsCount) as second parameter to `GetResult`

The following example finds the roots of the current function between -1 and 1, then prints them:

```
program RootFinder;
  var i, nrRoots:integer;
begin
  Roots(xMin -1, xMax 1, subIntervals 50);
  nrRoots := GetResult(rootsCount);
  Writeln(nrRoots);
  for i := 1 to nrRoots do
    Writeln('      ', GetResult(rootsXValue, i));
  end;
```

Note: There's also an obsolete version of `Roots`

```
function Root(name:string; min,max:real):real
```

which is supported for compatibility with older versions of pro Fit. Don't use it for new developments.

Round

```
function Round(x:real):real;
```

Rounds x to the closest integer and returns its value.

RowSelected

```
function RowSelected(rowNumber:integer):boolean;
```

Returns true if anything in the given row of the current data window is selected.

SaveDataAsText

```
procedure SaveDataAsText(windowID:integer; fileName:string);
```

Saves a data window as a text file.

`windowID` is the window ID of the window, such as it is e.g. returned by `GetWindowID` or `FrontWindow`. `fileName` is the name of the file. If `fileName` contains a simple file name, the file is placed in pro Fit's folder. If `fileName` contains a file path (e.g. 'HD:MyFolder:file'), the file is placed in the folder defined in the file path. Pass '?' for `fileName` to bring up a dialog box asking the user where to save the file.

Use `SetTextFileFormat` if you want to specify how the text file must be formatted.

SaveDrawingAs

```
procedure SaveDrawingAs(windowID:integer; fileName:string;
  format:integer);
```

Saves a drawing window as a pro Fit file (if `format = defaultFormat`), a PICT file (if `format = pictFormat`) or a EPS file (if `format = epsFormat`).

`windowID` is the window ID of the window, such as it is returned by `GetWindowID` or `FrontWindow`.

`fileName` is the name of the file. If `fileName` contains a simple file name, the file is placed in pro Fit's folder. If `fileName` contains a file path (e.g. 'HD:MyFolder:file'), the file is placed in the folder

defined in the file path. Pass '?' for `fileName` to bring up a dialog box asking the user where to save the file.

`SaveDrawingAs(L, 'bla', default)` is equivalent to `SaveWindowAs(L, 'bla')`.

SaveParameterSet

procedure `SaveParameterSet(optional parameter list);`

Saves the the parameters that currently appear in the Parameter window. Parameters:

- set** (string)The name of the set. Omit to save all sets belonging to the given function.
- forAll** (boolean)True if the parameter set is to be available for all functions, false if the parameter set is only to be available for the current function.
Default: false
- file** (string)The file where the parameter set must be saved. Omit to save as permanent sets.

See also: `AddParameterSet`, `UseParameterSet`, `LoadParameterSet`, `DeleteParameterSet`

Save

procedure `Save(windowID:integer);`

Equivalent to choosing Save from the File menu. Causes a run time error the window has never been saved.

SaveWindow

procedure `SaveWindow(optional parameter list);`

Saves a window. Parameters:

- window** (integer or string) The name or window ID of the window. Default: Front window
- file** (string) The file to save the window into. Use a simple name or a file path. Default: the file currently attributed to the window.
- type** (integer) The type of the file if non-default type (`textFileType`, `PICTType`, `EPSFileType`). Omit for default type. To control the format for exporting data to a text file, call `DataExportOptions` before calling `SaveWindow`.

Optional parameters that are used for images only:

- colorDepth** (integer) Color bit depth (1, 2, 4, 8, 16, 32). The maximum number of different colors in the image is then $2^{**colorDepth}$.
- bgColorRed** (integer) The red part of the background color (0..65567).
- bgColorGreen** (integer) The green part of the background color (0..65567).
- bgColorBlue** (integer) The blue part of the background color (0..65567).
- interlaced** (boolean) The image reconstruction will be stepwise. For GIF files only.
- smooth** (boolean) Anit-aliasing by 2x enlarged drawing and subsequent image reduction.
- drawSelection** (integer) If only the selected shapes should be taken, set this to 2, else to 0.
- resolution** (integer) Image resolution in dpi. including 72, 144, 300, 360, and 600. Standard screen resolution is 72 dpi.

compression (integer) Select the compression quality: 0=none, 1=low, 2=medium, 3=high, 4=maximum.

See also `GetFileDirectory`, `SetDefaultDirectory`, `OpenFile`, `SetOptions`.

There is also an obsolete version of `SaveWindow` supported for compatibility with earlier versions. Do not use it in new programs:

SaveWindowAs

```
procedure SaveWindowAs(windowID:integer; fileName:string);
```

Saves the contents of the given window into a file with the specified file name.

`windowID` is the window ID of the window, such as it is e.g. returned by `GetWindowID` or `FrontWindow`. `fileName` is the name of the file. If `fileName` contains a simple file name, the file is placed in pro Fit's folder. If `fileName` contains a file path (e.g. 'HD:MyFolder:file'), the file is placed in the folder defined in the file path. Pass '?' for `fileName` to bring up a dialog box asking the user where to save the file.

SelectAll

```
procedure SelectAll;
```

Equivalent to selecting "SelectAll" from the "Edit" menu.

SelectBottom

```
function SelectBottom:integer;
```

Returns the row number of the bottom-most selected cells of the current data window or 0 if no cells are selected. Causes a run-time error if no data window is open.

External modules must use `GetSelection`.

SelectCell

```
procedure SelectCell(optional parameter list);
```

Selects one or more cells in the current data window. Parameters:

- row** (integer) A row index if you want to select data in a single row. Omit if you use `fromRow`, `toRow`.
- fromRow, toRow** (integer) The range of rows if you want to select data in several rows. Omit if you use the parameter "row".
- col** (integer) A column index if you want to select data in a single column. Omit if you use `fromCol`, `toCol`.
- fromCol, toCol** (integer) The range of columns if you want to select data in several columns. Omit if you use the parameter "col".
- options** (integer) Controls what happens with the previous selection. Pass `addContinuously` (= add to present selection), `forgetOld` (= forget present selection, default)

SelectCells

```
procedure SelectCells(left,top,right,bottom:integer);
```

Obsolete. Use `SelectCell` instead.

Removes the current selection from the current data window and selects all cells within the given rectangle. Call with all arguments = 0 to deselect all cells.

SelectColumn

```
procedure SelectColumn(optional parameter list);
```

Selects a column or a range of columns in the current data window. Parameters:

col	(integer) The column to select. Omit if you use fromCol, toCol.
fromCol, toCol	(integer) The range of columns to select if you want to select several columns. Omit if you use the parameter “col”.
options	(integer) Controls what happens with the previous selection. Pass <code>addContinuously</code> (= add to previous selection) or <code>forgetOld</code> (= forget previous selection, default)

SelectDirectory

```
function SelectDirectory(s:string):boolean;
```

Displays a directory selection dialog box and returns the path-name of the selected directory in the string `s`. This function returns `false` if the path-name had to be truncated.

SelectFunction

```
procedure SelectFunction('myFunc');
```

Selects the given function in the “Func” menu and makes it the current function. `func` is the name of the function. A call to `SelectFunction('myFunc')` is equivalent to `SetOptions(currentFunction 'myFunc')`.

SelectLeft

```
function SelectLeft:integer;
```

Returns the column number of the leftmost selected cells of the current data window or 0 if no cells are selected. Causes a run-time error if no data window is open. External modules must use `GetSelection`.

SelectRight

```
function SelectRight:integer;
```

Returns the column number of the rightmost selected cells of the current data window or 0 if no cells are selected. Causes a run-time error if no data window is open. External modules must use `GetSelection`.

SelectRow

```
procedure SelectRow(optional parameter list);
```

Selects a row or a range of rows in the current data window. Parameters:

row	(integer) The row to select. Omit if you use fromRow, toRow.
fromRow, toRow	(integer) The range of rows to select if you want to select several columns. Omit if you use the parameter “row”.
options	(integer) Controls what happens with the previous selection. Pass <code>forgetOld</code> (= forget present selection, default), <code>addContinuously</code> (= add to present selection, extending it continuously), <code>addDiscontinuously</code> (= add to present selection, extending it discontinuously), <code>deselectIt</code> (= deselect the specified rows)

SelectRows

```
procedure SelectRows(top, bottom:integer; select:boolean);
```

Obsolete. Use `SelectRow` instead.

Selects all rows between `top` and `bottom` if `select = true`, deselects them if `select = false`. If there are selected rows outside `top/bottom`, they remain selected

```
function SelectTop:integer;
```

Returns the row number of the topmost selected cells of the current data window or 0 if no cells are selected. Causes a run-time error if no data window is open.

External modules must use `GetSelection`.

SelectWindow

```
procedure SelectWindow(wind:string or integer);
```

Moves the specified window in front of all other windows. `wind` is the windowID or the name of the window.


SetArrowStyle

```
procedure SetArrowStyle(location:integer; style:integer; size:real);
```

Specifies the default arrow style for lines and polygons.

`location` defines if you want to change the style of the arrow at the beginning of the line (`location = 1`), end (`2`) or both beginning and end (`3`).

Set `style` to 0 if there should be no arrow at the specified location. Set `style` to 1...12 to select the arrow style corresponding to the entry in the arrow style popup menu. `style` values from 1 to 6 correspond to the 6 predefined styles:




`style` values from 7 to 12 correspond to the 6 custom styles which appear in the arrow style menu. Set `style` to -1 for leaving it unchanged.

`size`: The size in points (1/72 inches). Set it to 0 for leaving it unchanged.

The following program draws a bent arrow as shown on the right.

```
program OneArrow;
begin
  SetLineStyle(5, 1);      {line thickness}
  SetArrowStyle(1, 2, 20); {start arrow style}
  SetArrowStyle(2, 1, 20); {end arrow style}
  OpenPoly(1, false);     {draw a smooth polygon}
  MoveTo(100,100); LineTo(150,100); LineTo(150,50);
  ClosePoly;
end;
```



SetAxisAttributes

```
procedure SetAxisAttributes(whichAxis:integer; flags:integer);
```

Sets various drawing options of an axis in the current graph.

`whichAxis` is equal to `xAxis` or `yAxis` and defines if you want to change the current x- or y-axis. (To set the current axis, call `SetCurrentAxis`.)

`flags` is 0 or a sum of the following constants:

`equalToMain:axis` is equal to the corresponding X1 or Y1 axis

`drawAxisLine`, `drawTicks`, `drawMajorTickLabels`, `drawMinorTickLabels`: for drawing the corresponding parts of the axis

`plusSideTicks`: for drawing tick marks above or to the right of the axis

`minusSideTicks`: for drawing tick marks below or to the left of the axis

`plusSideLabels`: for drawing the labels above or to the right of the axis instead of to the left or below it

labelsOutsideFrame: for placing the labels outside the graph's frame

Example:

```
SetAxisAttributes(xAxis,sameAsMain+drawAxisLine+ticksPlusSide+drawTicks);
```

SetAxisPosition

```
procedure SetAxisPosition(whichAxis:integer; position:real);
```

Changes the position an axis in the current graph.

whichAxis is equal to *xAxis* or *yAxis* and defines if you want to change the current x- or y-axis. (To set the current axis, call *SetCurrentAxis*.)

position is the position in the coordinates of the main axis perpendicular to the specified axis. If *position* is outside the range of this main axis, it is set to its minimum/maximum.

SetBGDataPointStyle

```
procedure SetBGDataPointStyle(style:integer; size:real);
```

Sets the default background style of data points.

style, *size* have the same meaning as for the routine *SetDataPointStyle*.

If *style* designates a “composite point”, only the background of this composite point is used.

Always call *SetDataPointStyle* before calling *SetBGDataPointStyle*.

For more information see *SetDataPointStyle*.

SetTitle

```
procedure SetBoxTitle(title:string);
```

Sets the title of the dialog box invoked with the next call to the predefined function *Input* (or *InputBox* for external modules).

SetCell

```
procedure SetCell(row,column:integer; s:string);
```

Sets the string in the given cell of the current data window to *s*.

If the given cell is in a numeric column, *SetCell* attempts to convert *s* into a number. If this conversion fails, the given cell is cleared.

SetColHandle

```
procedure SetColHandle(col:longint; colH:Handle);
```

External modules only. For advanced programming. Sets a given column to the data in *colH*.

The organization of the data in *colH* depends on the data type of the column. See also the entry for *GetColHandle*.

If the column is of type *floatColumn*, *colH* is a handle of type *FloatColumnHandle* (handle to an array of 4-byte floating point values), if it is *doubleColumn*, *colH* is of type *DoubleColumnHandle* (handle to an array of 8-byte floating point values), if it is *textColumn*, *colH* is of type *TextColumnHandle* (handle to a record of type *stringData*). (To get a column's type, call *GetColType*. You can find more information in the files *proFit_interface.p* / *proFit_interface.h*)

Once you call *SetColHandle*, the handle becomes property of pro Fit — do not dispose it.

colH can either be:

- a handle that you allocated yourself. In this case, the Handle's size must be:
 - 4*(nrRows+1) for columns of type *floatColumn*
 - 8*(nrRows+1) for columns of type *doubleColumn*
 - 14 + size of all strings for columns of type *textColumn*
- a handle that you obtained from *GetColHandle*
- nil if you want to clear the given column

This routine should be used by experienced programmers only. Warning: Accessing text columns in this way is **not** recommended. The definition of the data structures may change in the future.

SetColName

```
procedure SetColName(col:integer; name:string);
```

Obsolete. Use `SetColumnProperties` instead.

Changes the name of a column in the current data window. `col` is the number of the column, `name` its new name.

`SetColName` causes a run-time error if there is no data window open or if `col` is outside the bounds of the data window.

SetColType

```
procedure SetColType(columnNumber:integer; theType:integer);
```

Obsolete. Use `SetColumnProperties` instead.

Changes the type of the column specified by `columnNumber` to `theType`. `theType` can have the values `textColumn` (for text columns), `floatColumn` (for numeric columns having a range of $-1e30 \dots 1e30$, i.e. 4-byte floating point values) or `doubleColumn` (for numeric columns having a range of $-1e300 \dots 1e300$, i.e. 8-byte floating point values)

SetColumnProperties

```
procedure SetColumnProperties(optional parameter list);
```

Sets the properties of one or more columns in the current data window. Omit any parameter for leaving it unchanged. Parameters:

col	(integer) The index of the column to change. Omit if passing values for a column range in parameters “firstCol”, “lastCol”.
firstCol, lastCol	(integer) The range of columns to change. Omit if passing a single column in parameter “col”.
name	(string) The title of the column(s).
nrDecimals	(integer) The number of decimals for numeric columns.
format	(integer) The format for numeric columns: <code>scientificFormat</code> or <code>floatingFormat</code> , or the format for date columns: <code>shortDateFormat</code> , <code>longDateFormat</code> or <code>abbrevDateFormat</code> .
width	(integer) The width of the column(s) in pixels.
type	(integer) The type of the column(s): <code>floatColumn</code> (4 byte floating point with a range of $-1e30 \dots 1e30$), <code>doubleColumn</code> (8 byte floating point with a range of $-1e300 \dots 1e300$), <code>dateColumn</code> (dates, as the number of seconds since 1.1.1904), <code>timeColumn</code> (number of seconds), <code>textColumn</code> .
relTimeFormat	(integer) Display format for relative time columns, by adding the following flags: 1=seconds, 2=minutes, 4=hours, 8=days, 16=weeks, 32=months, 64=years, 128=centuries.
withTime	(boolean) Set to true, if a date column should be displayed with time.
withSeconds	(integer) Set to true, if a date column should be displayed with seconds.
dataLoss	(integer) Defines what to do if data would be lost when changing the column's type. Use one of the following constants: <code>stayQuiet</code> (lose the data, no error message), <code>showError</code> (display an error message and stop), <code>showWarning</code> (post a warning but do not stop), <code>askColumnwise</code> (ask the user for each column), <code>askForStop</code> (ask the user once for all columns).

SetColWidth

```
procedure SetColWidth(columnNumber:integer; width:integer);
```

Obsolete. Use `SetColumnProperties` instead.

Sets the width of the column specified in `columnNumber` to the value (in pixels) passed in `width`. `width` must be an even number between 14 and 510.

SetCurrentAxis

```
procedure SetCurrentAxis(whichAxis:integer; axisID:integer);
```

Sets the current (x- or y-) axis. The current axis is used for plotting as well as in various other calls, such as `SetAxisAttributes`.

`whichAxis` is either `xAxis` or `yAxis`. `axisID` designates the number of the axis.

Example: `SetCurrentAxis(xAxis, 2)` makes X2 the current x-axis.

SetCurrentGraph

```
procedure SetCurrentGraph(graphID:integer);
```

Sets the current graph to the graph identified by `graphID`. To make *no* graph the current graph, set `graphID` to 0.

SetCurrentWindow

```
procedure SetCurrentWindow(windowID:integer);
```

This routine makes a window the current window of its kind.

There is a “current data window”, a “current drawing window”, and a “current text window”. These are the windows used by the output routines such as `LineTo`, `SetData`, and `WriteLn`.

With the exception of text windows, where the default current window is always the Results Window, when a new window is opened, it automatically becomes the current window of its kind.

`windowID` is the window ID of the window, such as it is returned by `GetWindowID` or `FrontWindow`.

Calling `SetCurrentWindow(0)` resets the current text window to the results window.

SetCurveFill

```
procedure SetCurveFill(whichAxis:integer; axisID:integer);
```

Sets the fill style of the next plotted curve. To fill the area between the curve and an x-axis or an y-axis, set `whichAxis` to `xAxis` or `yAxis`, respectively. `axisID` specifies the index of the axis. To disable curve filling, set `axisID` to 0.

A call to `SetCurveFill` affects all subsequent calls to `OpenCurve` and `OpenDataSet` calls.

SetData

```
procedure SetData(row,column:longint;ex:extended);
```

External modules only. Sets the value of the specified cell of the current data window to `ex`.

SetDataPointStyle

```
procedure SetDataPointStyle(style:integer; size:real; thickness:real);
```

Sets the default data point style. This style is used for all subsequent plotting of data points.

`style` defines the “shape” of the data point:

0: pixel (the smallest point),

1-17:

0	1	2	3	4	5	6	7	8
·	*	+	×	■	□	●	○	◆
9	10	11	12	13	14	15	16	17
◇	▲	△	▼	▽	■	⊙	⊕	⊖

-1..-8: the eight custom points in the last row of the point style menu. `size` is the size in points

size is the size of the point in pixels.

thickness is 0, 0.25, or 0.5, or 1.0. Use 0 if you want to automatically use smaller lines for smaller points.

Points can be *simple* or *composite*. A simple point consists of a single symbol, such as the styles 0 – 13 above. Composite points consist of two symbols (a foreground and a background one) plotted on top of each other, such as the styles 14 – 17 above.

`SetDataPointStyle` sets the foreground symbol or, if a composite point is used, both foreground and background symbols. To set the background symbol separately, call `SetBGDataPointStyle`.

SetDataSize

```
procedure SetDataSize(numberOfRows, numberOfColumns:integer);
```

Obsolete. Use `SetDataWindowProperties` instead.

Sets the number of columns and rows of the current data window. The number of rows and columns must be between 1 and 30000.

Set `numberOfRows` to 0 if you only want to change the number of columns. Set `numberOfColumns` to 0 if you only want to change the number of rows.

To get the current size of a data window, use the functions `NrRows` and `NrCols`.

SetDataWindowProperties

```
procedure SetDataWindowProperties(optional parameter list);
```

Sets the properties of a data window. Parameters:

window	(string or integer) The name or windowID of the window to be affected.
name	(string) The title of the window. Omit for leaving it unchanged.
boundsLeft, boundsRight, boundsTop, boundsBottom	(integer) The bounds of the window in global screen coordinates. Omit for leaving them unchanged.
info	(string) The info text attributed to the window. Omit for leaving it unchanged.
fontName	(string) The font to be used in the window. Omit for leaving it unchanged.
fontStyle	(integer) The font style to be used in the window (<code>plain</code> , <code>bold</code> , <code>italic</code> , <code>underline</code> , <code>outline</code> , <code>extended</code> , <code>condensed</code> or any sum of these values). Omit for leaving it unchanged.
fontSize	(integer) The font size to be used in the window. Omit for leaving it unchanged.
nrRows, nrCols	(integer) The number of rows/columns. Omit for leaving this unchanged.

SetDefaultCols

```
procedure SetDefaultCols(xCol,yCol,xErrCol, yErrCol:integer);
```

Sets the “default columns” of the current data window. The default x- and y-columns are those columns that are shown in the preview window. Default columns are marked with “x”, “y”, “Δx”, “Δy” in their column header.

You can set `xErrCol`, `yErrCol` to zero to “undefine” the column.

Set any of the `xCol`, `yCol`, `xErrCol`, `yErrCol` to -1 if you don't want to change it.

SetDefaultDirectory

```
procedure SetDefaultDirectory(path:string);
```

Sets the default directory for saving files to the one specified by the given path-name. Pass the empty string (' ') as a paramter to re-set the default directory to its original setting, *i.e.* the directory where the pro Fit application is found.


SetEBarStyle

```
procedure SetEBarStyle(capLength, capThick, lineThick:real);
```

Sets the style of the error bars that will be generated by `OpenDataSet/AddDataPoint/CloseDataSet`. Error bars are generated by `AddDataPoint` when the error parameter of `OpenDataSet` says so.

`capLength`: The length of the cap in pixels, -1 to make the caps as wide as the data points, -2 to get a box (works only if *x- and y-errors* are given).

`capThick, lineThick`: The thickness of the caps and of the bar lines in pixels (0.001 – 50)



SetErrorAnalysis

```
procedure SetErrorAnalysis(confidence:real; iterations:integer);
```

Sets the options for the error analysis to be used in the next call to `Fit`. `confidence` is the confidence interval probability in percent. `iterations` is the number of simulated data sets to be analyzed.

SetFillColor


```
procedure SetFillColor(red,green,blue:integer);
```

Sets the default RGB color used for filling shapes. Used for drawing or filling curves. `red, green, blue` are integers between 0 and 65535.

SetFillPattern

```
procedure SetFillPattern(pattern:integer);
```

Sets the default fill pattern used for filling drawing objects. Set pattern to 0 for making the shapes transparent. The following figure shows a list of all patterns and their pattern number:



SetFitDefaults

```
procedure SetFitDefaults(algorithm:integer;  
    yErrDistribution,xErrDistribution:integer;  
    xErrColumn:integer; xErrValue:real; stopTime:real);
```

Sets advanced fitting options. It sets the x-error column and type, the algorithm and the stopping criteria to be used in all subsequent calls to `Fit`.

`algorithm`: the algorithm to be used (1: Levenberg-Marquardt, 2: Montecarlo, 3: Robust, 4: linear regression, 5: polynomial)

`yErrDistribution, xErrDistribution`: the distribution of the x- and y- errors. They can be `gaussDistr, doubleExpDistr, lorentzDistr, andrewDistr, Or tukeyDistr`

`xErrColumn` tells if x-errors should be used: set it to 0 if x-errors are unknown, to -1 if they are constant (pass the value in `xErrValue`), to -2 if they are given in percent (pass the percentage in `xErrValue`), or to the number of an x-error column.

`stopTime` tells when to stop Monte Carlo fitting: pass a value > 0 to give the maximum number of iterations, a value < 0 to give a negative maximum time in seconds, 0 for continuing fitting until manual interruption.

SetFitParamRange

```
procedure SetFitParamRange(paramNr:integer; rangeMin:real;
    rangeMax:real;asPercent:boolean);
```

Sets the fitting range for parameter `paramNr` as it is used for Monte-Carlo fits. If `asPercent` is true the range values can be given as a percentage offset from the parameter value. The fitting ranges set by this command stay valid until the next fit command has been executed.

SetFunctionParam

```
procedure SetFunctionParam(name:string; i:integer; value:real);
```

Sets the default value of a function parameter as it appears in the parameters window. `name` is the name of the function as it appears in the Func menu. Use an empty string (' ') to specify the function currently selected in the Func menu. This parameter is case sensitive. `i` is the parameter index, `value` its new value.

Example:

```
setFunctionParam('Polynom', 1, 6)
```

sets the degree (=a[i]) of the built-in function “Polynom” to 6.

SetFunctionProperties

```
procedure SetFunctionProperties(optional parameter list);
```

Sets the properties of a function in the Func menu. Parameters:

function	(string) The function (omit for currently selected function)
shown	(boolean) True if the function is shown in the Preview window, false if not. Omit to leave unchanged.
nrParams	(integer) The number of parameters. Omit to leave unchanged. Do not change the number of parameters while a function is being used, e.g. for fitting.

SetGlobalData

```
procedure SetGlobalData(value:real; index:integer);
```

Sets the value under the given index in a global data array. This data array is shared between all functions and programs. It can be used for communication between programs, functions, scripts and modules.

The index must be between 0 and 99.

See also: `GetGlobalData`

SetGraphAttributes

```
procedure SetGraphAttributes(flags:integer);
```

Sets various attributes of the current graph.

`flags` is 0 or a sum of the following constants:

<code>drawFrame:</code>	draw the frame
<code>drawMajorGridX:</code>	grid lines at major x-ticks
<code>drawMinorGridX:</code>	grid lines at minor x-ticks
<code>drawMajorGridY:</code>	grid lines at major y-ticks
<code>drawMinorGridY:</code>	grid lines at minor y-ticks
<code>plotBehindAxes:</code>	first draw curves, then axes
<code>gridInFront:</code>	first draw the rest, then the grid

gridInMiddle: draw grid between axes and curves
The last two constants cannot be used at the same time

SetGraphFrame

```
procedure SetGraphFrame(left, top, right, bottom: real);
```

Changes the position and size of the current graph to match the new values. (Use `SetNewGraphRect` for setting the default size of future graphs.) `left`, `top`, `right`, `bottom` are in pixels.

SetLabel

```
procedure SetLabel(whichAxis: integer; tickNum: integer;
                  labelNumber: real);
```

Sets the label of tick mark having number `tickNum` to correspond to the given value. Accesses the current x- or y-axis (use `whichAxis=xAxis` OR `whichAxis=yAxis`).

SetLabelsFormat

```
procedure SetLabelsFormat(whichAxis: integer; format: integer;
                          decimals: integer);
```

Sets the number format of the labels of the current x- or y-axis. `whichAxis` is either `xAxis` or `yAxis`.
`format`: -1,0,1 for auto, decimal, and exponential, respectively.

A format parameter equal to any other number sets the labels format to fixed exponential and uses `format` as the number in the exponent.

SetLegendProperties

```
procedure SetLegendProperties(optional parameter list);
```

Sets the visibility, position and size of the legend of the current function.

Parameters are:

visible	(boolean) Show or hide the legend.
offsetx, offsety	(real) Offset between topleft of legend and topright of graph.
width, height	(real) Size of an entry in the legend (left part).

SetLabelText

```
procedure SetLabelText(whichAxis: integer; tickNum: integer;
                      labelText: string);
```

Sets the label of the given tick mark to the to given string. Accesses the current x- or y-axis (use `whichAxis=xAxis` or `whichAxis=yAxis`).

This routine is usually used after calls to `AddTick`.

SetLineColor

```
procedure SetLineColor(red, green, blue: integer);
```

Sets the line default color to be used for any future drawing in the current drawing window. `red`, `green`, `blue` are integers between 0 and 65535.

SetLineStyle

```
procedure SetLineStyle(thick: real; dash: integer);
```

Sets the default line style to be used for any future drawing in the current drawing window.

`thick` is the line thickness in points (1/72 inches). Set it to 0 for leaving it unchanged.

`dash` is the dash pattern, and its numerical value corresponds to the position of the dash pattern in the dash popup menu. The values between 1 and 8 always correspond to:

_____1_____2..... - - - -3- - - - -4- -
- - - -5- - - - -6- - - - -7- - - - -8- - - - -

Values between 9 and 12 correspond to the four last customizable entries in the dash styles menu. A value of 0 leaves the dash style unchanged.

SetNewGraphRect

```
procedure SetNewGraphRect(left,top,right,bottom:real);
```

Sets the size and position of the next graph generated with `CreateNewGraph`, `PlotData` and `PlotFunction`. Subsequent calls to `CreateNewGraph`, `PlotData` and `PlotFunction` will use the normal default position and size, i.e. the effect of `SetNewGraphRect` only extends to the one graph created next. (Use `SetGraphFrame` for setting the size of the current graph.)

SetOptions

```
procedure SetOptions(optional parameter list);
```

Sets some options of pro Fit. Parameters:

- | | |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| currentFunction | (string) The current function. (Alternative call to <code>SetOptions(currentFunction 'myFunc')</code> is <code>SelectFunction('myFunc')</code>). Omit for leaving the current function unchanged. |
| defaultColumnType | (real): The default type for columns (<code>floatColumn</code> , <code>doubleColumn</code> , <code>textColumn</code>). |
| decimals | (integer) The number of decimals to be used for writing numbers in the results window. Pass a negative value for setting the total number of digits, a positive value for setting the number of digits after the decimal point. Omit for leaving the setting unchanged. |
| errorAlerts | (boolean) true if error alerts are to be shown when running into errors during the execution of programs or scripts. Omit for leaving this option unchanged. |
| scriptDebugging | (boolean) Set to true if debug info is to be printed while running AppleScripts. Omit for leaving this option unchanged. |
| clipboard | (string) Moves the given string onto the clipboard. |
| recordGraphStyles | (boolean): true if the default graph style is recorded each time a graph is modified. false to disable automatic recording of graph styles. Reset to true when finished with the execution of the program and of all other tasks, including re-drawing of windows, etc. |
| creatorDataTEXT | (string): creator code for ASCII text files with data from a data window. Note that the string must be exactly 4 characters long. It defines the application that opens a file that is double-clicked in the Finder. If you send 4 spaces as the creator, pro Fit resets the creator to a default value. All this is true also for the following options. |
| creatorOtherTEXT | (string): creator code for ASCII text files not containing data. |
| creatorPICT | (string): creator code for drawing files with the PICT format. |
| creatorEPS | (string): creator code for drawing files containing Encapsulated PostScript. |
| creatorGIF | (string): creator code for image files in the GIF format. |
| creatorJPEG | (string): creator code for image files in the JPEG format. |

See also: `GetOption`

SetParamDefaults

```
procedure SetParamDefaults(i:integer; value:real; mode:integer;  
    name:string; min,max:real);
```

Obsolete. Use `SetParameterProperties` instead.

Sets the value, fitting mode, name and limits of a parameter of the currently running function. `i` is the parameter index, `value` its new value, `mode` its new fitting mode (can be `constant`, `inactive`, or `active`), `name` its new name, and `min`, `max` the lower and upper boundaries of the parameter.

SetParamDefaultValue

```
procedure SetParamDefaultValue(i:integer; value:real);
```

Obsolete. Use `SetParameterProperties` instead.

Sets the default value of a parameter of the currently running function. The default value is the value that appears in the parameters window. `i` is the parameter index, `value` the new value. This function is generally used within the predefined function “Initialize”.

SetParameterProperties

```
procedure SetParameterProperties(optional parameter list);
```

Sets some properties of a parameter of the current function. Parameters:

param	(integer) The index (1 based) of the parameter to be changed.
name	(string) The name of the parameter as it appears in the Parameter window. Omit for leaving it unchanged.
value	(real) The value of the parameter as it appears in the Parameter window. Pass <code>equalX</code> for setting it “=x”. Omit for leaving it unchanged.
min, max	(real) The lower and upper limits of the parameter. Omit for leaving the corresponding limit unchanged.
mode	(integer) The mode of the parameter. Use <code>paramInactive</code> , <code>paramActive</code> , <code>paramConstant</code> for making the parameter inactive, active or constant. Omit for leaving the mode unchanged.

See also: `GetParameterProperty`

SetParamLimits

```
procedure SetParamLimits(i:integer; min,max:real);
```

Obsolete. Use `SetParameterProperties` instead.

Sets the limits of a parameter of the currently running function. Parameter limits define the range of values that are admissible for a given parameter (for example during a fit). `i` is the parameter index, and `min`, `max` its lower and upper boundaries.

SetParamName

```
procedure SetParamName(i:integer; name:string);
```

Obsolete. Use `SetParameterProperties` instead.

Sets the name of a parameter of the currently running function. `i` is the parameter index, `name` its new name.

SetProgramProperties

```
procedure SetProgramProperties(optional parameters);
```

Sets a property of the program. Parameters are:

program	(string or integer) The name or the position in the Prog menu of the program to access. Pass an empty string (‘’) for the currently running program.
----------------	------------------------------------------------------------------------------------------------------------------------------------------------------------

idleCallTime (integer) The next time the program will be called while pro Fit is idle. If you set this property to a non-zero value, the program will be called automatically as soon as the function TickCount returns a value that is larger or equal to idleCallTime. Before calling the program, its tag 'msgWhy' is set to the string 'idle'. The program can read this tag to determine if it has been called at idle time using the procedure GetTag.

SetRange

```
procedure SetRange(whichAxis:integer; min,max:real; scaling:integer);
```

Sets the range and scaling of the current x-axis (if whichAxis=xAxis) or y-axis (if whichAxis=yAxis). min, max is the new range of the axis. scaling is its new scaling and can take the values 0 (linear scaling), 1 (logarithmic scaling), 2 (1/x-scaling), 3 (probability scaling), -1 (keep scaling unchanged).

SetShapeProperties

```
procedure SetShapeProperties(optional parameters);
```

Sets the properties of a shape in the current drawing window. Parameters:

shape (string) The name of the shape.
xPosition, yPosition (real) The shape's x- and y-positions as they appear in the "Coords" window.
xSize, ySize (real) The shape's size in x- and y-direction as it appears in the "Coords" window.
text (string) The shape's title or text content (for control shapes and text shapes only).
value (real) The shape's value (for control shapes only). For text edit fields, this is the numeric equivalent of the edit field or nan255 (invalid) if the edit field does not contain a number.
active (boolean): True if a control shape is active, false if is disabled (for control shapes only).
rotAngle (real) The rotation angle of a drawing shape in radians.
arcStart (real) Applies only to the Oval-shape. The angle in radians at which the arc starts.
arcLength (real) Applies only to the Oval-shape. The length of the arc in radians.

See also: GetShapeProperty, NewShape, DeleteShape

SetTag

```
procedure SetTag(optional parameters);
```

Set the value of a tag. Create the tag if it does not exist yet. Parameters:

tag (string) The name of the tag.
program (string) The name of the program if the tag belongs to a program. Pass an empty string (' ') for the currently running program. Omit if the tag does not belong to a program.
window (string or integer) The name or id of the window the tag belongs to. Omit if the tag does not belong to a window.
value (real) The numeric value of the tag.
stringValue (string) The string value of the tag. Empty if the tag does not exist.

permanent (boolean) True if the tag is to be saved together with the window/program (or, if the tag is a global tag, if the tag is to be saved in pro Fit's preferences files so that it is available the next time pro Fit starts up).
Default: false

To set a global tag (i.e. a tag that is attached to pro Fit itself), pass neither the program or window parameter. To set a tag of a program that is attached to a window, pass the program and the window parameter.

Use either the value or the stringValue parameter, not both.

See also: GetTag, DeleteTag

SetTextFileFormat

```
procedure SetTextFileFormat(colDelimiter,endOfLine:string;  
    withColTitles,copyInfo:boolean;  
    noHeaderLines,inout:integer);
```

Sets the default format for loading and saving text files with SaveDataAsText and OpenData.

colDelimiter and endOfLine define the strings to be inserted between columns and between rows. Pass an empty string (' ') for colDelimiter to use a tabulator. Pass an empty string (' ') or '\r' for endOfLine to use a carriage return.

colDelimiter and endOfLine can be built by any string of characters. For colDelimiter, you can use '\t' for a tabulator. For endOfLine, you can use '\r' and '\n', for a carriage return and a line feed, respectively. Any other character preceded by '\\' is ignored.

Set withColTitles=true to save the titles of the columns, false if you don't want to save the titles.

Pass true for copyInfo to save the "info field" of the data window at the beginning of the text file.

noHeaderLines specifies the number of lines that must be skipped at the beginning of a text file when loading it into pro Fit.

Set inout=1 to modify the settings for *importing* text files, set inout=0 to modify the settings for *exporting* text files.

SetTextStyle

```
procedure SetTextStyle(fontName:string; size:real; style:integer);
```

Sets the default font, font size, and style for subsequent text drawing. Text color can set using the SetLineColor routine.

SetWaitText

```
procedure SetWaitText(s1,s2,s3,s4,s5,s6:string);
```

Writes the strings s1 ... s6 into pro Fit's progress window, which is displayed during lengthy operations. The strings are arranged in a two columns by three rows arrangement:

```
    s1      s2  
    s3      s4  
    s5      s6
```

Use an empty string (' ') if you don't want to change it. See also SetWaitTitle.

SetWaitTitle

```
procedure SetWaitTitle(s:string);
```

Writes the string s as a title into pro Fit's progress window, which is displayed during lengthy operations. See also SetWaitText.

SetWindowInfo

```
procedure SetWindowInfo(windowID:integer;info:string);
```

Obsolete. Use SetWindowProperties instead.

Sets the info field of a window to the given string.

(The info field of a window can be viewed by choosing the Get Info... command from the File menu. For data windows, it is the text that appears when you drag down the info hook.)

windowID is the window ID of the window, such as it is returned by GetWindowID or FrontWindow.

SetWindowInfo

```
procedure SetWindowInfo(windowID,length:longint; info:Ptr);
```

External Modules only. Sets the info field of a window to the given text.

info is a pointer to the new info text and length is its length in bytes.

Call SetWindow(windowID,0,nil) to clear the info text.

windowID is the window ID of the window, such as it is returned by GetWindowID or FrontWindow.

SetWindowProperties

```
procedure SetWindowProperties(optional parameter list);
```

Sets the properties of a window. Parameters:

window	(string or integer) The name or windowID of the window to be affected.
name	(string) The title of the window. Omit for leaving it unchanged.
boundsLeft, boundsRight, boundsTop, boundsBottom	(integer) The bounds of the window in global screen coordinates. Omit for leaving them unchanged.
info	(string) The info text attributed to the window. Omit for leaving it unchanged.
fontName	(string) The font to be used in the window. Omit for leaving it unchanged.
fontStyle	(integer) The font style to be used in the window (plain, bold, italic, underline, outline, extended, condensed or any sum of these values). Omit for leaving it unchanged.
fontSize	(integer) The font size to be used in the window. Omit for leaving it unchanged.
visible	(boolean) True if a window is visible.
floating	(boolean) True if the window is "floating", false otherwise. This property can only be modified for the Preview window.
modified	(boolean) True if a window contains changes that have not yet been saved to disk.
isDialog	(boolean, drawing windows only) True if a drawing window is to be displayed in "dialog mode", false if not.
nextShapeName	(string, drawing windows only) The name of the next shape to be created. Set to blank to use a default name. Set this property before using calls such as DrawRect or DrawString for setting the name of the next shape to be generated. Ignored for non-drawing windows.

See also: GetWindowProperty

SetWindowTitle

```
procedure SetWindowTitle(windowID:integer; name:string);
```

Obsolete. UseSetWindowProperties instead.

Sets the title of the given window to the string name.

windowID is the window ID of the window, such as it is e.g. returned by GetWindowID or FrontWindow.

Sin

```
function Sin(x:real):real;
```

Returns the sine of x.

Sinh

```
function Sinh(x:real):real;
```

Returns the hyperbolic sine of x. sinh is defined by

$$\sinh(x) = \frac{e^x - e^{-x}}{2}$$

Sort

```
procedure Sort(optional parameter list);
```

Sorts rows in a data window. Parameters:

- | | |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| window | (string or integer) The window, specified by name or window ID. Omit for front window. |
| referenceCol | (integer) The column to be used for sorting. |
| order | (integer) <code>sortAscending</code> or <code>sortDescending</code> , the sort order |
| selectionOnly | (boolean) True if only the rows of the currently selected columns are to be sorted, false (or omitted) if the rows of all columns are to be sorted |
-

SpeakString

```
procedure SpeakString(s:string);
```

Lets your hardware read the text contained in the string *s*. If text-to-speech extensions are not installed on your computer, this routine does nothing.

Sqr

```
function Sqr(x:real):real;
```

Returns the square of x. $\text{sqr}(x) = x^2$

Sqrt

```
function Sqrt(x:real):real;
```

Returns the square root of x. Causes a run-time error for a negative argument

Statistics

```
Statistics(optional parameter list);
```

Performs statistical analysis on a data window. Parameters:

- | | |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| window | (string or integer) The window's name or window ID of your data. Omit for using the frontmost datawindow. |
| column | (integer) The column to work on or 0 for all columns. Omit if "selectionOnly" is true. |
| selRowsOnly | (boolean) True if only the currently selected rows are to be analyzed. Only used when parameter "selectionOnly" is false. |
| selectionOnly | (boolean) True if the currently selected cells are to be analyzed. False if the columns specified in parameter "column" are to be analyzed. |
| withBasic | (boolean) False for suppressing calculation of the sum, mean, variance, standard deviation and absolute deviation. Default: true. |
| withSkew | (boolean) False for suppressing calculation of skewness and kurtosis. Default: true. |
-

withMedian	(boolean) False for suppressing calculation of mean median, maximum and minimum. Default: true.
printResults	(boolean) True for printing the results to the Results window. Omit “printResults” or set it to false for suppressing this.

To retrieve the results of this command, call GetResult with one of the following selectors:

statCount:	number of evaluated values
statSum:	sum
statMean:	mean
statMedian:	median
statStdDeviation:	standard deviation
statMeanAbsDeviation:	mean absolute deviation
statMinimum:	minimum value
statMaximum:	maximum value
statVariance:	variance
statKurtosis: k	urtosis

StopExecution

procedure StopExecution;

External modules only. Tells pro Fit to interrupt execution of the current module as soon as possible.

Str255ToNumber

function Str255ToNumber(s:Str255; var x:extended):integer;

External modules only. Converts the string s to a number x. s can be a numeric string or an expression. Return values are 0 (conversion successful), 1 (x is infinite), 2 (s is empty), 3 (x is an NAN (invalid number), 4 (user aborted), or 5 (run time error).

StringToNumber

function StringToNumber(s:string; var x:real):integer;

Converts the string s to a number x and returns a result code as follows:

- 0: conversion successful
- 1: x is infinite
- 2: s is empty
- 3: x is an NAN (not a number)
- 4: user aborted calculation
- 5: run time error

Tabulate

procedure Tabulate(*optional parameter list*);

Tabulates a function to a data window. Parameters:

function	(string) The function to be tabulated, omit for current function.
from, to	(real) The first and lastvalue to be tabulated.
stepValue	(real) The step between tabulated points. Omit if you pass autoStep or pointsStep for parameter “step”
step	(integer) numericStep (= tabulate for equally spaced points as defined in stepValue) , autoStep (= choose step width automatically, use a larger number of points where the function varies quickly) , pointsStep (tabulate for all values of the x column in the current data window) . Default if omitted: numericStep

parameter	(integer) Omit or set to 0 if tabulating the function by varying its x-value. Set to the number of a parameter for tabulating the function by varying this parameter.
xValue	(real) defines the function's x-value if you pass a non-zero value for "parameter". Omit otherwise.
fittedParams	(real) true for tabulating the function with the parameters obtained in the last fit, false (default) if tabulating the function with the parameters given in the Parameter window.

TabulateExtrema

procedure TabulateExtrema(*optional parameter list*);

Finds the minima/maxima of a function by varying its x-value in a given interval. Calculates a table of the extrema for different values of a parameter of the function. Parameters:

function	(string) The function to be used. Omit for current function.
xMin, xMax	(real) The start and end of the x-interval.
parameter	(integer) The parameter to be varied for tabulating. Pass -2 for varying "xMin", -1 for varying "xMax" (however, these two options do not make much sense!)
from, to	(real) The start and end value of the parameter to be varied.
stepValue	(integer) The step for increasing the parameter.
subintervals	(integer) The number of sub-intervals to be searched in the x-interval. When the function's derivative changes its sign over a sub-interval, the sub-interval is searched for a minimum or maximum.

See also: Extrema, Optimize

TabulateIntegral

procedure TabulateIntegral(*optional parameter list*);

Calculates the integral of a function over a given x-range. Creates a table of the integral for different values of a parameter of the function or for different values of a limit of the x-range. Parameters:

function	(string) The function to be used. Omit for current function.
xMin, xMax	(real) The start and end of the x-range to be integrated.
parameter	(integer) The parameter to be varied. Pass -2 for varying "xMin", -1 for varying "xMax"
from, to	(real) The start and end value of the parameter (or xMin, xMax) to be varied.
stepValue	(integer) The step for increasing the parameter (or xMin, xMax) .
iterations	(integer) The number of iterations (5 .. 15) . The more iterations you use, the more accurate the result becomes.

See also: Integrate

TabulateRoots

procedure TabulateRoots(*optional parameter list*);

Finds the root(s) of a function (or finds the x-value of a function where its y-value is equal to a given value) within a given x-range. Varies a parameter and tabulates the roots for different values of this parameter in a data window. Parameters:

function	(string) The function to be used. Omit for current function.
xMin, xMax	(real) Start and end of the x-range.

parameter	(integer) The parameter to be varied. Pass -2 for varying “xMin”, -1 for varying “xMax” (however, these two options hardly ever will make sense)
from	(real) The start value of the parameter to be varied.
to	(real) The end value of the parameter to be varied.
stepValue	(integer) The step for increasing the parameter.
subintervals	(integer) The number of sub-intervals to be searched in the x-interval. When the function’s sign changes over a sub-interval, the sub-interval is searched for a root.
yValue	(real) The desired y-value. Omit or set to 0 if finding the x-value where the function becomes zero.

See also: Roots

Tan

function Tan(x:real):real;
Returns the tangent of x. $\tan(x) = \sin(x)/\cos(x)$.

Tanh

function Tanh(x:real):real;
Returns the hyperbolic tangent of x. tanh is defined by

$$\tanh(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}} = \frac{\sinh(x)}{\cosh(x)}$$

TenTo

function TenTo(x:real):real;
Returns 10 to the power of x. $\text{tento}(x) = 10^x$

TestData

function TestData(row,column:longint):boolean;
External modules name. See DataOK.

TestStop

function TestStop:boolean;
External modules only. Returns true if the current operation should be interrupted (because of user wish or pro Fitwish).

TickCount

function TickCount:real;
Returns the number of 1/60 seconds since your computer was started. It can be useful for timing your programs or functions or for writing intermediate results or status information at regular time-intervals to the Results window.

TimeString

function TimeString(secs:boolean):string;
Returns a string with the current time. Set secs to true for appending seconds.
See also: DateString

Transpose

procedure Transpose(*optional parameter list*);
Transposes a data window, i.e. exchanges its rows and columns. Parameters:

window (string or integer) The window's name or window ID. Omit for transposing the front window.

Transp

```
function Transp(m:matrix):matrix;
```

Returns the transposed of the matrix *m*.

true

```
const true = 1;
```

This constant stands for the logical value of true.

Undo

```
procedure Undo;
```

Equivalent to selecting "Undo" from the "Edit" menu.

UpperString

```
procedure UpperString(var s:string);
```

Converts all characters of *s* to upper case. See also `LowerString`

UseParameterSet

```
procedure UseParameterSet(optional parameter list);
```

Moves a parameter set appearing in the parameter set menu to the parameter window. Parameters:

set (string) The name of the set.

forAll (boolean) True if the parameter set is one available for all functions.
Default: false

ofFunction (string) The function the parameter set belongs to. Omit for the current function.

See also: `AddParameterSet`, `SaveParameterSet`, `LoadParameterSet`, `DeleteParameterSet`

Vect2

```
function Vect2(v1,v2:complex):vector[2];
```

A "construction function" for the `vector[2]` type. It takes 2 complex (or real) parameters, assigns them to the elements of a vector according to their order, and returns the vector..

Vect3

```
function Vect3(v1,v2,v3:complex):vector[3];
```

A "construction function" for the `vector[3]` type. It takes 3 complex (or real) parameters, assigns them to the elements of a vector according to their order, and returns the vector..

Vect4

```
function Vect4(v1,v2,v3,v4:complex):vector[4];
```

A "construction function" for the `vector[4]` type. It takes 4 complex (or real) parameters, assigns them to the elements of a vector according to their order, and returns the vector..

Write

```
procedure Write(string or expressions);
```

This procedure can have any reasonable number of strings or expressions as parameters. They will be written into the Results window.

Example:

```
Write('x value is: ', x);
```

Note: The format fields of standard Pascal (:x:y after numerical values or :x after all other values) are not supported. The number of digits after the decimal point for the `write` and `writeln` procedures can be specified by choosing “Preferences” from the File menu. Use `SetOptions(decimals ...)` for setting it from a program or function.

You can redirect the output of `write` to a text file using the routines `CreateTextFile` and `WriteToTextFile`.

Writeln

```
procedure Writeln(string or expressions);
```

This procedure writes strings and numbers into the Results window. Then it moves the insertion mark to a new line. It uses the same parameters as the procedure `write`.

Example:

The following writes the value of the top left data cell of the current data window into the results window:

```
Writeln('data cell (1,1) = ',data[1,1]);
```

You can redirect the output of `writeln` to a text file using the routines `CreateTextFile` and `WriteToTextFile`.

WritelnString

```
procedure WritelnString(s:Str255);
```

External modules only. Writes the string `s` to the results window and starts a new line.

WriteNumber

```
procedure WriteNumber(r:extended);
```

External modules only. Writes the number `r` to the results window.

WriteInt

```
procedure WriteInt(n:longint);
```

External modules only. Writes the integer number `n` to the results window.

WriteString

```
procedure WriteString(s:Str255);
```

External modules only. Writes the string `s` to the results window

WriteToTextFile

```
procedure WriteToTextFile(fileRefNum:integer);
```

Re-directs the output of `write`, `writeln`, `writeNumber` etc. to a file.

`fileRefNum` is the number returned by `CreateTextFile` or 0 if you want to direct output to the results window.

Call `CloseTextFile` to close the file when you are through

XColumn

```
function XColumn:integer;
```

Returns the column number of the x-column in the current data window. It returns zero if no x-column was set and produces a run-time error if no data window is available.

XErrColumn

```
function XErrColumn:integer;
```

Returns the column number of the Δ x-column in the current data window. It returns zero if no Δ x-column was set and produces a run-time error if no data window is available.

YColumn

`function YColumn:integer;`

Returns the column number of the y-column in the current data window. It returns zero if no y-column was set and produces a run-time error if no data window is available.

YErrColumn

`function YErrColumn:integer;`

Returns the column number of the Δy -column in the current data window. It returns zero if no Δy -column was set and produces a run-time error if no data window is available.

Appendix B: About numbers

Floating point numbers

proFit uses three different formats for representing floating point numbers (or float):

- real (or float): This format has smallest accuracy but requires minimum size. It is used in data windows if you set the range of a column to “-1E30 ... 1E30”.
- double: This format has better accuracy but requires more size. It is used in data windows if you set the range of a column to “-1E300 ... 1E300”.
- extended (or native double): This is the format used for internal calculations. It has the same or better accuracy as the double format.

The following list summarizes the features of each data type for the Power Macintosh and the 68k version of proFit:

	real	double	extended (native double)	
			Power Mac	68k ^{††}
minimum negative number	-3.4E38	-1.8E308	-1.8E308	-1.1E4932
maximum negative number	-1.2E-38	-2.2E-308	-2.2E-308	-1.7E-4932
minimum positive number	1.2E-38	2.2E308	2.2E308	1.7E-4932
maximum positive number	3.4E38	1.8E308	1.8E308	1.1E4932
decimal digits	7-8	15-16	15-16	19-20
size (bytes)	4	8	8	10/12 [†]

[†] The FPU version uses 12 bytes, the non-FPU version 10.

^{††} 68k applies to proFit 5.1 or earlier – proFit 5.5 only supports PowerMac data.

Apart from the values in the list above, proFit knows four other numbers: 0, +INF (infinity), -INF (-infinity), NAN. The first three of them will do what you expect them to do. E.g. $1/0 = +INF$, $INF/3 = INF$ etc. NAN (Not A Number) is the result of any computation that cannot be carried out, such as $\sqrt{-1}$. The occurrence of NAN values in computations is reported as a run-time error.

Date and Time data

pro Fit understands and works with time data, *i.e.* absolute calendar dates and relative time.

The Mac OS stores dates as the number of seconds since January 1, 1904 (for the technically minded, the date is stored as an integer number, 8 byte long).

pro Fit uses the same convention as the Mac OS to store dates, but uses “double” floating point values instead of integers. With this number representation, pro Fit can store and recognize dates with second precisions until up to 10^{15} (this corresponds more or less to a 6 byte long integer) seconds after January 1, 1904. pro Fit can store dates with second-precision up to **31 million years in the future**, and it can store dates with day-of-the-week precision up to 3.1 **billion** years (3×10^9) in the future.

However, the date-time conversion routines currently available in Mac OS 9 only support dates up to 29'940 AD for date-to-string conversions, date-calculations, etc. Up to this limit, pro Fit can store dates with a precision of milliseconds, while it can store dates in the present with a precision of approximately a microsecond.

Appendix C: File formats

This appendix describes the file formats used by proFit for transferring data or drawings to and from other applications.

Data

The default text format

To exchange data between proFit and other applications, text files are used. Usually, such files hold one or more lines of text. Each line contains all values of a row separated by “tabs” (→). The lines are separated by “carriage returns” (¶). It is possible to use other characters instead of tabs and carriage returns (see below).

There are two standard formats of data text files produced by proFit:

The *standard format with titles* is defined as follows:

```
1st line:   name1 → name2 → name3 ¶
2nd line:   0.123 → 1.732 → 1.122 ¶
3rd line:   2.233 → 2.125 → 2.126 ¶
.....
```

The *standard format without titles* is very similar, but without the column titles line.

There is an interesting exception for data text files to be loaded into proFit. If the first line is a single star (*) proFit reads the second line as the column titles even if the file is loaded as being standard format without titles.

Lines are separated by carriage returns ((char)(13) or '\r' for C programmers, chr(13) for Pascal programmers).

The first line with the column titles is optional. These names are separated by tabs (character code 9, here denoted as '→' – (char)(9) or '\t' for C programmers, chr(9) for Pascal programmers). If proFit reads a file without column titles, it sets the columns names to “Column 1”, “Column 2” etc.


A typical Pascal program for writing such a file would be:

```
var out:text;
...
rewrite(text,'filename');
writeln(text,'x',chr(9),'y');
writeln(text,'1.234',chr(9),'2.341');
writeln(text,'-1.244',chr(9),'3.412');
...
close(text);
```

Some applications produce data text files using other formats, or read data text files only when they are in special formats. proFit provides options to read and write text files in other formats as well. The details are given in the next section.

Loading text files


For reading text files, choose Open... from the File menu, choose “Text Files” from the View pop-up and select the file to be read. You will be prompted for the following information:




If you select **Function or program file**, the file is opened as a non-data text file and loaded into a new function window.

If you select **Data file**, the file is opened as a data file and loaded into a data window. In this case you can select either one of the standard formats or the custom format.

- If “Custom” format is not selected, pro Fit uses an intelligent translation algorithm, which recognizes most data file formats automatically. By selecting the “With Titles” format pro Fit interprets the first line in the text file as the column titles.
- If “Custom” format is selected, you can specify the file format yourself.



You can import any file where the data is stored as lines of text, each line containing the values of a row. You can specify one or more characters (**Column delimiter**) that separate individual values in a line and



This dialog box is very similar to the one for loading text files. Again, you can select the **Column delimiter** and the **Line terminator**.

If **Write header lines** is checked, you have the option to either write a single first line with the text specified in the edit field to the right, or to copy the whole text contained in the info field of the data window as the header of the file.

If **Write column titles** is checked, the next line contains the column names separated by the column delimiter.

Check **Optimize size** to write the numbers with as few characters as possible, without losing precision.

The native data format

If you want to exchange binary data with pro Fit, you can use pro Fit's native file format. A description of this format is given in the technical note "pro Fit binary data file format" that comes with the pro Fit package.

Drawings

pro Fit drawings can either be saved in the native format of pro Fit (file type 'ftGF'), or in one of the following export formats: As PICT file (file type 'PICT'), EPS file (file type 'EPSF'), JPEG file (file type 'JPEG'), or GIF file (file type 'GIF'). These file formats can be used for export drawings (PICT and EPS) or images (GIF and JPEG) to other applications. You can modify pro Fit's preferences settings (using the "Preferences..." Item in the File menu) to decide which default application will be used to open files exported by pro Fit.

PICT and JPEG files can also be read by pro Fit.

To save a drawing in one of above file formats, bring the drawing window to the front and choose Save as... from the File menu. In the dialog box that comes up, select the desired format type.

PICT files contain standard Macintosh PICT information and can be read by most drawing applications. The exact format of the PICT files created by pro Fit depends on the current PICT settings. See Chapter 13, "Preferences", for more information on the different PICT settings.

EPS files are Encapsulated PostScript Files. They are essentially text files containing a standard PostScript representation of the drawing. This representation is used by other applications that understand and work with PostScript. In addition to the PostScript text, a PICT representation of the drawing is included. The file type of EPS files is 'EPSF'. Hold down the option key while saving the file to produce a file type of 'TEXT'.

JPEG files contain a (compressed) image with a format defined by the Joint Photographic Experts Group. The exact format may be found on the Internet. Besides the files of type 'JPEG', also 'JFIF' files are recognised and read by pro Fit (JFIF for JPEG File Interchange Format). JPEG files can be interpreted by the standard internet browsers.

When saving JPEG files you may set various options like compression level, color depth, antialiasing, background color, etc.

GIF files contain a (compressed) image with a format defined by CompuServe. The exact format may be found on the Internet. GIF files can be interpreted by the standard internet browsers.

When saving GIF files you may set various options like compression level, color depth, antialiasing, background color, etc.

The Lempel-Ziv-Welch compression algorithm that is normally used within GIF files is owned by UNISYS. Since we do not have a licence, we are not allowed to compress GIF files or to read GIF files. However, it is still possible to save uncompressed GIF files directly with pro Fit and to open GIF files with the help of 'File Exchange', a tool generally available with Mac OS.

Appendix D: Apple Script Cross Reference

The following table is a cross reference between the functions and procedures of pro Fit's built-in programming language and equivalents available under Apple Script.

pro Fit programming language	Apple Script equivalent
-	do script
-	evaluate
-	get data
-	quit
-	set data
AddParameterSet	add parameter set
AttachProgram	attach
BinData	bin data
CallProgram	run program
Capture	capture
Clear	clear
CloseWindow	close
Compile	compile, do script
Copy	copy
Cut	cut
DataExportOptions	data export options
DataImportOptions	data import options
DataTransform	transform
data[i, j]	<i>use the cell elements of the data window, e.g. get value of cell 1 of column 2</i>
DeleteFunction	delete
DeleteFunction	delete function
DeleteParameterSet	delete parameter set
DeleteProgram	delete
DeleteProgram	delete program
DeleteShape	delete shape
DeleteTag	<i>use delete tag</i>

Extrema	find extrema of
FFT	FFT
Fit	fit
GetColumnProperty	<i>use the properties of the column class, e.g.</i> get format of column
GetDataWindowProperty	<i>use the properties of the classes window or table, e.g.</i> get nrRows of window "MyData"
GetFunctionProperty	<i>use the properties of the class function, e.g.</i> get nrParams of function "Sin"
GetGlobalData	use get global data
GetOption	<i>use the properties of the pro Fit application class, e.g.</i> get decimals
GetParameterProperty	<i>use the properties of the class parameter, e.g.</i> get name of parameter 1
GetProgramProperty	<i>use the properties of the class program, e.g.</i> get idleCallTime of program "Prog"
GetResult	<i>use the results property and the calculation results class, e.g.</i> get chiSquared of results
GetShapeProperty	<i>use the properties of the class shape, e.g.</i> get value of shape "checkbox 1"
GetTag	use get value of tag
GetWindowProperty	<i>use the properties of the classes window, drawingWindow or table, e.g.</i> get name of front window
Integrate	integrate
InverseFFT	inverse FFT
LoadParameterSet	load parameter set
NewDataWindow	make table
NewDrawingWindow	make drawingWindow
NewFunctionWindow	make textWindow
NewShape	make shape
OpenData	use open file "..." as data window
OpenFile	open
OpenText	use open file "..." as text window
Optimize	optimize

PageSetup	page setup
Paste	paste
PlotData	plot data
PlotFunction	plot
Print	print
ReduceData	reduce data
Roots	find roots of
SaveParameterSet	save parameter set
SaveWindow	save
SelectAll	select all
SelectCell	<i>use select, e.g. select cell x of column 1</i>
SelectColumn	<i>use select, e.g. select column 3</i>
SelectFunction	<i>use select, e.g. select function "Sin"</i>
SelectRow	<i>use select, e.g. select row 4</i>
SelectWindow	<i>use select, e.g. select window "Results"</i>
SetColumnProperties	<i>use the properties of the column class, e.g. set name of column 3 to "data"</i>
SetDataWindowProperties	<i>use the properties of the classes window or table, e.g. set nrCols of window "MyData" to 50</i>
SetFitParamRange	set fit range of parameter
SetFunctionProperties	<i>use the properties of the class function, e.g. set shown of function "Sin" to true</i>
SetGlobalData	<i>use set global data</i>
SetLegendProperties	set legend properties
SetOptions	<i>use the properties of the pro Fit application class, e.g. set default column type to real</i>
SetProgramProperties	<i>use the properties of the class program, e.g. set idleCallTime of program "Prog" to 131203</i>
SetShapeProperties	<i>use the properties of the class shape, e.g. set xSize of shape "rect" to 231</i>
SetTag	<i>use set value of tag</i>
SetWindowProperties	<i>use the properties of the classes window, drawingWindow or table, e.g. set font of window "Func" to "Helvetica"</i>
Sort	sort

Statistics	calculate statistics -- use pro Fit's property "results" for retrieving the results, e.g. get statMean of results
Tabulate	tabulate
TabulateExtrema	tabulate extrema of
TabulateIntegral	tabulate integral of
TabulateRoots	tabulate roots of
Transpose	transpose
Undo	undo
Write	write
WriteLn	write line

Index

- 1/x axes 76
- Abs 224
- accuracy 189, 295
- ActivateProFitWindows 224
- active 129, 148
- active data window 43
- active parameters 110
- add to menu 154
- AddCommand 224
- AddDataPoint 224
- addition 208
- AddParameterSet 224
- AddTick 225
- Adjoint 225
- Alert 131, 225
- AlertBox 225
- align 63
- analyze submenu 48
- and 208
- Andrew's sine 102, 116
- Apple Events 12, 177
- Apple Script 12, 176
 - classes 180
 - methods 180
- Apple Scripts 158
- arccos 225
- arcosh 225
- arcsin 225
- arctan 225
- arguments 136
- arrays 153, 155
- arrow keys 31
- arrows 66, 70, 275
- arsinh 226
- artanh 226
- ASCII 230, 266
- Ask 226
- AskBox 226
- attached programs 159
- AttachProgram 226
- auto 47
- auto labels 87
- auto-search 117
- axes 84
- axis scaling 76
- backward 63
- bad 148, 171
- balloon help 132, 197
- bar charts 80
- base 10 logarithm 208
- baseline 65
- batch processing 177, 178, 180
- Beep 227
- BinData 227
- binning 40
- bit-array 210
- BitAnd 227
- BitClr 227
- bitmap 187
- BitNot 227
- BitOr 227
- BitSet 228
- BitShift 228
- BitTst 228
- bitwise operation 210
- BitXOr 228
- boolean 130, 144, 152, 155, 207
- breakpoints 157
- BringWindowToFront 228
- Browse 132
- Button 228
- buttons 69, 161
- CalcStat 228
- CallFunction 228
- Calling sequence 156
- CallProgram 180, 229
- CancelEvent 229
- Capture 229
- case statement 155
- CellSelected 229
- Char 153, 207
- Check 147, 148, 151, 171
- checkboxes 69, 161
- checkPAnswer 172
- chi-squared 103, 116
- ChiSquared 229
- Chr 230
- circle 65
- CleanUp 168
- Clear 230
- ClearData 139, 230
- ClearLabels 230
- ClearTicks 230
- clipboard 74
- CloseCurve 230
- CloseDataSet 230
- ClosePoly 230
- CloseTextFile 230
- CloseWindow 230
- ColEmpty 231
- color 70
- Column Format 32
- column width 32
- columns 30
 - format 31
- comma 191
- comments 128
- comparison 144
- Compile 231
- Compile & Add to menu 126, 130, 131
- compiler 126, 154, 206
- CompileText 231
- Compl 231
- Complex 152, 207
- confidence intervals 104, 113, 114, 123
- ConfidenceInterval 231
- Conj 231
- const 135
- Const menu 132
- constant 129, 135, 148, 208
- constant parameters 110
- constants 135, 171
- contextual menus 201
- control shapes 69, 161
- convergence 123
- coordinate system 60
- copy 72, 231
 - legends 82
- CopyString 232
- cos 232
- cosh 232
- covariance matrix 106, 107, 116, 232
- CovarMatrix 232
- create publisher 72, 74
- CreateNewGraph 232
- CreateTextFile 232
- current axis 278
- current data set 44, 53
- current data window 43, 44, 48, 212
- current drawing window 213
- current function 53
- current graph 215, 217, 278
- current window 278
- curvature matrix 106

- curves 90
 - tabulating 91
- custom ticks 87
- cut 72, 233
- dashes 70
- data 233
- data array 130
- data import 34
- data points 66, 90
- data reduction 37
- data set
 - current 44
- data transform 35
- data transformation 35
- data window
 - current 212
- data windows 30
 - column width 32
 - data transform 35
 - date 32
 - discontinuous selection 31
 - dragging columns 30
 - home field 30
 - info field 30
 - precision 31, 190
 - range 31, 190
 - resizing 30
 - selecting data 31
 - time 32
- DataExportOptions 233
- DataImportOptions 233
- DataInfo 246
- DataInfoPtr 246
- DataOK 130, 235
- DataTransform 234
- data[...] 233
- date format 193
- dates 32
- DateString 235
- DateTimeStrToNum 235
- DeactivateProFitWindows 235
- debugging window 155
- default columns 44, 203, 279
- default PICT style 188
- default style 97
- DefaultParamInfo 169, 173
- DefaultParamInfoPtr 173
- definition syntax 135
- degrees of freedom 107
- Delete 235
- DeleteAxis 236
- DeleteFunction 236
- DeleteParameterSet 236
- DeleteProgram 236
- DeleteShape 236
- DeleteTag 236
- Derivative 237
- derivatives 106, 112, 148, 151, 169, 170
- description 128, 145
- Determinant 237
- deviation functions 102
- dialog mode 98
- digits 87, 189
- DisableDrawingUpdates 237
- discontinuous selection 31, 37, 55
- Display As Dialog 99
- Div 237
- division 208
- DoCloseWindow 237
- DoMenu 237
- DoNewWindow 238
- DoScript 238
- double 152, 295
- double clicking 63
- Drag and Drop 62
- drag&drop 72
- DrawArc 238
- DrawDataPoint 238
- DrawEllipse 238
- drawing 61
 - objects 61
- Drawing Info 61
- drawing window 59
 - current 213
- DrawLine 238
- DrawNumber 238
- DrawPICT 239
- DrawRect 239
- DrawText 239
- DrawTextLine 239
- dyda 149
- edition container 74
- ellipse 65
- embedded PostScript 186
- enlarged PICT 187
- enter selection 201
- EPS file 271
- EPS files 72, 301
- Erf 239
- Erfc 239
- error analysis 104, 112, 113, 114
- error bars 91
- error distributions 112, 116
- error function 208
- errors 101, 123
- evaluation of simple expressions 197
- Even 239
- EventRecord 251
- Exit 142, 239
- Exp 239
- exponential distribution 102
- exponential function 123, 208
- exporting pictures 72
- expression evaluation 197
- extended 152, 295
- extended accuracy 152
- external code 155
- external module 165
- external modules 13, 157
- ExtModulesParamBlock 173, 174
- extrema 48, 50, 240
- false 143, 152, 240
- FFT 41, 242
- file formats 297
- file info 199
- fill patterns 70
- find 200, 201
- find again 201
- first 46, 149, 151, 170
- Fit 240
- FittedParams 242
- fitting 58, 100
- fitting algorithms 104
- fitting mode 46
- fitting multiple functions 118, 120
- fitting ranges 116
- fitting tool 56, 111
- flip 63
- float 295
- floating point coordinates 60, 61
- for loop 129, 140
- formats 297
- forward 63
- Fourier transform 41
- frame 93
- FrontmostWindow 243
- FrontWindow 243
- FSSpec 174, 247
- function 136, 145
 - definition 125, 144
 - fitting 100
- function module 157

functions 45, 125
 Gamma 243
 gamma function 208
 Gammal 243
 GammaLn 243
 GammaP 243
 Gaussian distribution 102, 106
 get info 199
 GetAndSetStatus 243
 GetBasics 243
 GetCell 244
 GetClickedCoord 244
 GetColHandle 244
 GetColName 244
 GetColType 244
 GetColumnProperty 245
 GetCurrentAxis 245
 GetCurrentGraph 245
 GetCurrentWindow 245
 GetData 245
 GetDataWindowProperty 245
 GetDateTime 245
 GetDefaultData 245
 GetFileDirectory 246
 GetFrontWindow 246
 GetFunctionName
 string 246
 GetFunctionParam 246
 GetFunctionParamMode 246
 GetFunctionParamName 246
 GetFunctionProperty 247
 GetGlobalData 247
 GetGraphCoordinates 247
 GetGraphFrame 247
 GetMarkedCoord 247
 GetMedian 247
 GetModuleFile 247
 GetNextGraph 248
 GetNumFunctionParams 248
 GetOption 248
 GetParameterProperty 248
 GetProgramProperty 248
 GetSelection 248
 GetSelectionBounds 249
 GetShapeProperty 249
 GetSkew 249
 GetTag 249
 GetWindowID 250
 GetWindowProperty 250
 GetWindowTitle 250
 GetWindowType 250
 GIF
 files 73
 GIF files 301
 global variables 174
 good 171
 graph 82
 axes 84
 curves 90
 double-clicking 83
 frame 93
 grid 94
 labels 87
 lines 87
 main dialog box 83
 style 96
 graph submenu 83
 grid 94
 GrLine 251
 GrLineTo 251
 GrMove 251
 GrMoveTo 251
 group 63
 GroupBegin 251
 GroupEnd 251
 Halt 142, 251
 HandleEvent 251
 help 197
 balloons 197
 Help menu 132
 high resolution PICT 187
 highest 173
 histograms 80
 hyperbolic functions 208
 if statement 128, 131
 ii 251
 Im 251
 importing pictures 75
 inactive 129, 148
 inactive parameters 110
 INF 143, 251, 295
 Initialize 148, 151
 InitializeFunc 169
 InitializeProg 169
 input 212, 251
 InputBox 253
 inputRec 172, 253
 InsertString 254
 integer 152, 207
 integer division 208
 integer modulo 208
 integral 48, 254
 integrate 50, 254
 interpolation 51
 Invalid 255
 invalidNum 255
 inverse Fourier transform 41
 InverseFFT 255
 isFunction 172
 isProgram 172
 JPEG files 73, 301
 justification 65
 kurtosis 289
 KeyPressed 256
 kurtosis 40
 labels 87
 custom 87
 Last 151
 legend 82
 Lens check box 61
 Levenberg-Marquardt algorithm
 104, 105, 114, 116
 Line 256
 line thickness 70
 linear axes 76
 lines 65, 202, 203
 LineTo 256
 linking 155, 165
 Ln 256
 Load Module 165
 LoadParameterSet 256
 local function 136, 145
 local procedure 136, 145
 Log 256
 logarithmic axes 76, 86
 logarithmic plot 124
 logical and 208
 logical not. 208
 logical or 208
 longint 152
 loops 140
 Lorentzian distribution 102
 lower case 206
 LowerString 256
 lowest 173
 macros 12, 125, 129, 176
 main axes 76
 main coordinate axes 76
 MakeNewAxis 256
 MakeTicks 257
 MarkedX 257
 MarkedY 257
 markers 56, 192
 Matr2 257
 Matr3 257
 Matr4 257
 matrix 207
 Maximize 257
 maximum 39, 48, 50, 257
 maxNrInputValues 172
 maxNrParams 172
 maxParamNameLength 172

- mean 39, 289
- mean absolute deviation 39, 102, 289
- mean square deviation 102, 103, 105, 229
- median 39, 289
- Minimize 258
- minimum 39, 48, 50, 258
- Mod 258
- mode 148, 173
- ModeType 172
- module 165
- modules 45, 157, 158
 - external 157
- modules, loading automatically 158
- Monte Carlo algorithm 105
- Monte Carlo Fit 116
- Monte-Carlo algorithm 104
- Move 258
- MoveTo 258
- multi-preferences-file 158
- multiple x-values 118
- multiplication 208
- name 173
- NAN 295
- natural logarithm 208
- NewDataWindow 258
- NewDrawingWindow 259
- NewFunctionWindow 259
- NewShape 259
- NewWindow 260
- NextWindow 260
- nonlinear fit 116, 117, 118
- normal distribution 102
- normal PICT style 188
- normal style 97
- NrCols 261
- nrRows 129, 261
- number of digits 189
- NumberInvalid 261
- NumberToStr255 261
- NumberToString 262
- numerical accuracy 295
- NumFitParams 262
- NumToDateTimeStr 262
- NumToRelTimeStr 263
- Nyquist critical frequency 41
- Odd 263
- ok 148
- OpenCurve 263
- OpenData 263
- OpenDataSet 263
- OpenFile 264
- OpenPoly 265
- OpenText 265
- operators 208
- operators 143
- optimize 48, 265
- optional parameter lists 141 or 208
- Ord 266
- Outer 266
- output 212
- page setup 184
- PageSetup 266
- ParamArray 172
- parameter defaults 146
- parameter limits 46, 107, 110, 117
- parameters 45, 110
 - defaults 129, 145
 - mode 129
 - poor definition 123
 - redundancy 123
- parameters window 45, 144
- ParamModeArray 172
- ParamName 172
- ParamNameArray 172
- params -->> 115
- ParamSD 266
- partial derivatives 106, 112, 148, 149, 169, 170
- Pascal 155
- paste 75, 266
- pb 168
- Phase 266
- pi 266
- PICT 72, 186
 - files 72
 - options 72, 73, 186
- PICT file 271
- PICT files 301
- PICT style 187
- picture settings 187
- pictures 72, 75, 186
- PlaceWindow 267
- plot
 - data 79
 - function 77
- PlotData 267
- PlotFunction 268
- plotting 76
 - preferences 191
- plug-ins 165
- pNumber 148
- pointers 155
- points 48, 66, 90, 203
- polygons 65, 202
- polynomial 45
- population 17
- Pos 269
- PostScript 185, 186
- power 208
- power of ten 208
- power operator 130, 143
- PRandom 269
- precedence 143, 144
- preferences 96, 189
 - Drawing 190
 - File export 195
 - General 189
 - Interface 193, 194
 - PICT Options 186
 - Plotting 191
 - Prefs file 196
 - Preview 192
 - printing 184
- preferences file 158
 - loading and saving 196
- preferences files 158
- preview 53
 - drag tool 56
 - fitting tool 56
 - markers 56
 - preferences 192
 - zoom tool 56
- preview window 53, 113, 115
- Print 269
- printing 184
 - at printer's resolution 184
 - with postscript 184
- pro Fit Modules 158
- pro Fit preferences 189
- probability axes 76
- procedure 136, 145
 - Derivatives 148
 - First 149
 - Initialize 148
 - Last 151
- program
 - attaching to windows 159
 - definition 125, 132, 135, 200
 - linking 165
- program module 157
- programs 12, 125, 129
- progress window 113, 114
- publisher options 75

- QuickDraw GX 75
- radio buttons 69, 161
- Random 270
- range of numbers 295
- Re 270
- real 152, 207
- record macros 134
- records 155
- rectangle 65
- redraw button 56
- ReduceData 270
- redundancy 123
- RelTimeStrToNum 270
- remove function or program 158
- repeat loop 140
- replace 200, 201
- replace & find again 201
- reshape 66
- reshape mode 66
- resizing drawing objects 62, 203
- resolution 72, 185
- RGB color 280
- Robust algorithm 107, 114, 116, 117, 118
- roots 48, 57, 270
- rotate 62
- Round 271
- roundoff errors 60
- rows 30
- RowSelected 271
- Run 169
- run-time error 295
- save module 157
- SaveDataAsText 271
- SaveDrawingAs 271
- SaveParameterSet 272
- SaveWindow 272
- SaveWindowAs 273
- scaling 76
- scatter plots 80
- script editor 177
- scripting 176
- scripts 125, 129, 158, 176
- select all 31
- SelectAll 273
- SelectBottom 273
- SelectCell 273
- SelectCells 273
- SelectColumn 273
- SelectDirectory 274
- SelectFunction 274
- selecting drawing objects 61
- selection 31, 37, 39, 55, 80
 - discontinuous 31
- selection only 35
- SelectLeft 274
- SelectRight 274
- SelectRow 274
- SelectRows 274
- SelectTop 275
- SelectWindow 275
- send 63
- SetArrowStyle 275
- SetAxisAttributes 275
- SetAxisPosition 276
- SetBGDataPointStyle 276
- SetBoxTitle 276
- SetCell 276
- SetColHandle 276
- SetColName 277
- SetColType 277
- SetColumnProperties 277
- SetColWidth 278
- SetCurrentAxis 278
- SetCurrentGraph 278
- SetCurrentWindow 278
- SetCurveFill 278
- SetData 278
- SetDataPointStyle 278
- SetDataSize 279
- SetDataWindowProperties 279
- SetDefaultCols 279
- SetDefaultDirectory 280
- SetEBarStyle 280
- SetErrorAnalysis 280
- SetFillColor 280
- SetFillPattern 280
- SetFitDefaults 280
- SetFitParamRange 281
- SetFunctionParam 281
- SetFunctionProperties 281
- SetGlobalData 281
- SetGraphAttributes 281
- SetGraphFrame 282
- SetLabel 282
- SetLabelsFormat 282
- SetLabelText 282
- SetLegendProperties 282
- SetLineColor 282
- SetLineStyle 282
- SetNewGraphRect 283
- SetOptions 283
- SetParamDefaults 284
- SetParamDefaultValue 284
- SetParameterProperties 284
- SetParamLimits 284
- SetParamName 284
- SetProgramProperties 284
- SetRange 285
- SetShapeProperties 285
- SetTag 285
- SetTextFileFormat 286
- SetTextStyle 286
- SetUp 168
- SetWaitText 286
- SetWaitTitle 286
- SetWindowInfo 286
- SetWindowProperties 287
- SetWindowTitle 287
- Shape Settings 98, 164
- shapes 213, 222, 249, 285
 - names 98
 - properties 98
- Sin 288
- sinc 146
- singularity 123
- Sinh 288
- skewness 40
- skyline plots 80
- smooth 66
- sort 38, 288
- SpeakString 288
- special procedures 151
- Spline 44, 51
- spreadsheet 12
- Sqr 288
- Sqrt 288
- square 208
- square root 208
- stairway plots 80
- standard deviation 39, 289
- standard deviations 103, 106, 107, 123
- Start Recording 134
- starting parameters 123
- statement 139
- static variables 174
- statistics 38, 288
- Stop Recording 134
- StopExecution 289
- Str255ToNumber 289
- String 153, 207
- StringToNumber 289
- styles 96
- subscribe to 74, 75
- subscript 64, 204
- subtraction 208
- sum 39, 289
- superscript 204
- syntax 132, 135

- system requirements 11
- table of curves 91
- table of extrema 50
- table of roots 49
- Tabulate 289
- Tabulate Integral 51
- TabulateExtrema 290
- TabulateIntegral 290
- TabulateRoots 290
- tabulators 65
- tags 221, 236, 249, 285
- Tan 291
- Tanh 291
- TenTo 291
- TestData 291
- TestStop 291
- text files 297, 298
- text objects 64
- tick marks 88
- TickCount 291
- ticks 88
 - custom 87
- time 32
- time format 193
- toolbox routines 155
- tools palette 61, 64
- Transp 292
- transpose 38, 291
- trigonometric functions 208
- true 143, 152, 292
- Tuckey's biweight 102, 116
- type definitions 136
- types 151, 155, 171
- typographical minus 191
- Undo 292
- ungroup
 - legends 83
- update 148, 171
- upper case 206
- UpperString 292
- use QuickDraw for text 185
- UseParameterSet 292
- user programs 37
- value 173
- var 135
- var parameters 137
- variable 135
- variables 136
- variance 39, 289
- Vect2 292
- Vect3 292
- Vect4 292
- vector 207
- version number 248
- versionNumber 172
- while loop 139, 140
- window ID 221
- windows
 - debugging 155
 - drawing 59
 - parameters 45, 110, 144
- Write 292
- WriteInt 293
- WriteIn 293
- WriteInString 293
- WriteNumber 293
- WriteString 293
- WriteToTextFile 293
- x-column 44
- x-errors 101, 103, 105, 106, 107, 108, 112, 280
- XColumn 293
- XErrColumn 293
- y-column 44
- y-errors 101, 107, 112, 123, 280
- YColumn 294
- YErrColumn 294
- zoom factors 59
- zoom popup menu 60
- zooming 98
- π 266
- π (or pi) 143